

**Air Permitting  
LIVE  
04/21/2011  
9:30 - 11:30AM**

<https://ohioepa.webex.com>

- Meeting found under "Meeting Center"
- Password for meeting: **stars24u**
- Bridge Line 1-866-699-3239

## Agenda

1	Toi Harris out for a while – Catrina Johnson in.	Erica Engel-Ishida
2	New template deployed for Section B and C shell.	Erica Engel-Ishida
3	<p>General Permits –</p> <ul style="list-style-type: none"> <li>• Aggregate Processing and Mineral Extraction available for application.</li> <li>• 3 Compression Ignition Internal Combustion Engine modifications are out for comment</li> <li>• Tub Grinder coming soon...</li> </ul>	Erica Engel-Ishida
4	<p>HCDOES</p> <p>We have a facility, National Lime &amp; Stone Company, which was never installed and the operating status is listed that way in STARS2. For the company to get approval to locate in the City of Cincinnati, they had to have both their permit to install and operates issued. They recently received a letter advising they had to submit renewal applications. Since they did not install within 18 months they no longer have a valid permit. What do we do to ensure they do not get any other correspondence (renewal notices, PER's, etc.) in the future about this facility which was never installed? Should we change the facility status or does a change need to be made in STARS2 so correspondence is not sent out to facilities "not installed"?</p>	Erica Engel-Ishida
5	<p>Answer Place: use the external Ohio EPA web page (<a href="http://epa.ohio.gov">epa.ohio.gov</a>) to access it and don't forget to log in. Some searching was a problem but is now seemingly fixed.</p>	Mike Ahern
6	<p>HCDOES</p> <p>The Boiler MACT rules were promulgated but yesterday US EPA stayed the effective date of the rules. This appears to be different from several years ago when the Boiler MACT rules were vacated by the Courts. Since there still is a rule in place but it is not effective, can we still use the recent proposed terms only changing references to the stay of the effective date?</p>	Permitting