

LeSaint Logistics
George
006
007
CA File 6y



State of Ohio Environmental Protection Agency

Southwest District

401 East Fifth Street
Dayton, Ohio 45402-2911

TELE: (937)285-6357 FAX: (937)285-6249
www.epa.state.oh.us

Bob Taft, Governor
Bruce Johnson, Lt. Governor
Joseph P. Koncelik, Director

January 2, 2007

Scott Sanders
Warehouse Manager
LeSaint Logistics
4467 LeSaint Court
Fairfield, Ohio 45014

**RE: COMPLIANCE EVALUATION INSPECTION - LESAINST LOGISTICS,
OH0000793109**

Dear Mr. Sanders:

On December 18, 2006, Ohio EPA conducted a compliance evaluation inspection of LeSaint Logistics' Fairfield, Ohio facility to determine LeSaint Logistics' compliance with Ohio's hazardous waste laws and regulations as found under the Ohio Revised Code and the Ohio Administrative Code ("ORC" and "OAC" respectively). LeSaint Logistics was represented by Delbert Murphy and you. The Ohio EPA was represented by Jeff Smith and me. Ohio EPA's inspection included an inspection of facility operations and a review of written documentation. Based on the inspection, Ohio EPA has determined that LeSaint Logistics has violated the following hazardous waste regulations:

1. **Personnel training, OAC 3745-65-16(C):** Facility personnel must take part in an annual review of the initial training required in paragraph (A) of this rule. (Paragraph A states: Facility personnel must successfully complete a program of classroom instruction or on-the-job training the teaches them to perform their duties in a way that ensures the facility's compliance with the requirements of Chapters 3745-65 to 3745-69 and 3745-256 of the Administrative Code. The owner or operator must ensure that this program includes all the elements described in the document required under paragraph (D)(3) of this rule.

LeSaint Logistics did not provide annual training in 2006, for those employees who have hazardous waste responsibilities.

To return to compliance, provide annual training for those employees with hazardous waste responsibilities.

2. **Content of contingency plan, OAC 3745-65-52 (A) and (F):** The contingency plan must describe the actions facility personnel must take to comply with rules 3745-65-51 and 3745-65-56 of the Administrative Code in response to fires, explosions, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water at the facility. The contingency plan must include an evacuation plan for facility personnel where there is a possibility that evacuation could be necessary. This plan must describe signal(s) to be used to begin evacuation, evacuation routes, and alternate evacuation routes (in cases where the primary routes could be blocked by releases of hazardous waste or fires).

LeSaint Logistics has violated the appropriate rules as follows:

- a) 3745-65-52(A) - The contingency plan does not describe the actions facility personnel must take in response to a release.
- b) 3745-65-52(F) - The contingency plan does not include an evacuation plan.

To return to compliance, LeSaint Logistics must update the contingency plan to include the above information.

3. **Waste management - standards for small quantity handlers of universal waste, OAC 3745-273-13(D)(1):** A small quantity handler of universal waste must contain any lamps in containers or packages that are structurally sound, adequate to prevent breakage, and compatible with the contents of the lamps. Such containers and packages must remain closed and must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.

LeSaint Logistics failed to comply with this rule by improperly storing several universal waste lamps.

To return to compliance, properly store all universal waste lamps in appropriate containers.

4. **Labeling/markings - standards for small quantity handlers of universal waste, OAC 3745-273-14(E):** Each lamp or a container or package in which such lamps are contained must be labeled or marked clearly with one of the following phrases: "Universal Waste - Lamp(s), or "Waste Lamp(s)," or "Used Lamp(s)."

LeSaint Logistics failed to comply with this rule by not properly marking or labeling universal waste lamps.

Mr. Scott Sanders
January 2, 2007
Page 3

To return to compliance, properly label either each lamp or container.

General Comments

1. During the inspection, a review of hazardous waste manifests revealed that not all return manifest copies were located with the corresponding outgoing manifests. Your discussion with the individual responsible for maintaining the manifests suggested that the return copies were on site but in another location. (That individual was on vacation and would ensure that the manifests were properly matched.)

I will conduct a return to compliance inspection within the next thirty (30) days to ensure that the four (4) above violations and one (1) comment have been corrected. Enclosed is a copy of the inspection checklists completed during the inspection. Should you have any questions, please call me at (937) 285-6093.

Sincerely,



Cathy L. Altman
Division of Hazardous Waste Management

cc: ~~Dinah Crawford, SWBO=DHWM/SBWO~~ File

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.



**LARGE QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: <100Kg. (Approximately 25-30 gallons) of waste in a calendar month.

SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.

LQG: >1,000 Kg. (~300 gallons) of waste in a calendar month or >1 Kg. Of acutely hazardous waste in a calendar month.

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

GENERAL REQUIREMENTS

1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11] Yes No N/A
2. Has the generator obtained a U.S. EPA identification number? [3745-52-12] Yes No N/A
3. Were annual reports filed with Ohio EPA on or before March 1st? [3745-52-41(A)] Yes No N/A
4. Has the generator transported or caused to be transported hazardous waste to **other** than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)] Yes No N/A

5. Has the generator disposed of hazardous waste **on-site without a permit** or at another facility **other** than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E) & (F)] Yes No N/A

6. Does the generator accumulate hazardous waste? Yes No N/A

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

7. Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02 (E) & (F)? Yes No N/A

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G) & (H).

8. Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)]
- a. Container that meets 3745-66-70 to 3745-66-77? Yes No N/A
- b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C) and Yes No N/A
- c. Drip pads that meet 3745-69-40 to 3745-69-45? Yes No N/A
- d. Containment building that meets 3745-256-100 to 3745-256-102? Yes No N/A

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

9. Does the generator export hazardous waste? If so: Yes No N/A
- a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)] Yes No N/A
- b. Has the generator complied with special manifest requirements? [3745-52-54] Yes No N/A
- c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55] Yes No N/A

- d. Has an annual report been submitted to U.S. EPA? [3745-52-56] Yes No N/A
- e. Are export related documents being maintained on-site? [3745-52-57(A)] Yes No N/A

MANIFEST REQUIREMENTS

10. Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)] Yes No N/A

11. Have items (1) through (20) of each manifest been completed? [3745-52-20(A)] Yes No N/A

NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)]

12. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] Yes No N/A

NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)].

13. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] Yes No N/A

14. Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1) & (2)] Yes No N/A

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity of the waste they generate.

15. If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)] Yes No N/A

16. If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)] Yes No N/A

17. Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40] Yes No N/A

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

PERSONNEL TRAINING

18. Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)] Yes No N/A

19. Does the personnel training program include instructions to ensure that facility personnel are able to respond effectively to emergencies by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)(a-f)] Yes No N/A

20. Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)] Yes No N/A
21. Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)] Yes No N/A
22. Does the generator provide annual refresher training to employees? [3745-65-16(C)] Yes No N/A
23. Does the generator keep records including: job titles [D(1)], job descriptions [D(2)], type and amount of training given to each person [D(3)] and documentation of completed training or job experience required [D(4)]? [3745-65-16(D)] Yes No N/A
24. Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)] Yes No N/A

CONTINGENCY PLAN

25. Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)] Yes No N/A
26. Does the plan describe the following:
- a. Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste [3745-65-52(A)]? Yes No N/A
- b. Arrangements with emergency authorities [3745-65-52(C)]. Yes No N/A
- c. A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)] Yes No N/A
- d. A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)] Yes No N/A
- e. An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)] Yes No N/A

NOTE: If the facility already has a "Spill Prevention, Control and Counter measures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]

27. Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53 (A) & (B)] Yes No N/A
28. Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54] Yes No N/A
29. Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55] Yes No N/A

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

EMERGENCY PROCEDURES

30. Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so: Yes No N/A
- a. Was the contingency plan implemented? [3745-65-51(B)] Yes No N/A
- b. Did the facility follow the emergency procedures in 3745-65-56(A) through (H)? Yes No N/A
- c. Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)? Yes No N/A

NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

PREPAREDNESS AND PREVENTION

31. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31] Yes No N/A
32. Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:
- a. Internal alarm system? [3745-65-32(A)] Yes No N/A
- b. Emergency communication device? [3745-65-32(B)] Yes No N/A
- c. Portable fire control, spill control and decon equipment? [3745-65-32(C)] Yes No N/A
- d. Water of adequate volume/pressure? [3745-65-32(D)] Yes No N/A

NOTE: Verify that the equipment is listed in the contingency plan.

33. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33] Yes No N/A
34. Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33] Yes No N/A
35. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)] Yes No N/A
36. If there is only one employee on the premises is there immediate access to a device (ex.phone, hand held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32) [3745-65-34(B)] Yes No N/A
37. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes No N/A
38. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)] Yes No N/A
39. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes No N/A

SATELLITE ACCUMULATION AREA REQUIREMENTS

40. Does the generator ensure that satellite accumulation area(s):

- a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes No N/A
- b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes No N/A
- c. Do not exceed one quart of acutely hazardous waste at anyone time? [3745-52-34(C)(1)] Yes No N/A
- d. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)] Yes No N/A
- e. Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes No N/A

41. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so: Yes No N/A

- a. Did the generator comply with 3745-52-34(A)(1)through(4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes No N/A
- b. Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] Yes No N/A
- c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes No N/A

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS

42. Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)] Yes No N/A
43. Is the accumulation date on each container? [3745-52-34(A)(2)] Yes No N/A
44. Are hazardous wastes stored in containers which are:
- a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes No N/A
- b. In good condition? [3745-66-71] Yes No N/A
- c. Compatible with wastes stored in them? [3745-66-72] Yes No N/A
- d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes No N/A

NOTE: Record location on process summary sheets and photograph the area.

45. Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORC§1.44(A) "Week" means seven 7 consecutive days. Yes No N/A

- a. Are inspections recorded in a log or summary? [3745-66-74] Yes No N/A
46. Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76] Yes No N/A
47. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes No N/A
48. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)] Yes No N/A
49. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)] Yes No N/A

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

50. If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)] Yes No N/A

NOTE: Please provide a description of the unit and documentation provided by the generator to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]

PRE-TRANSPORT REQUIREMENTS

51. Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes No N/A
52. Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes No N/A
53. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes No N/A

SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS

Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more

Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less

PROHIBITIONS

1. Did the SQUWH dispose of universal waste? [3745-273-11(A)] Yes No N/A ___ RMK# ___
2. Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)] Yes No N/A ___ RMK# ___

WASTE MANAGEMENT & LABELING/MARKING

UNIVERSAL WASTE BATTERIES

3. Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)] Yes ___ No N/A RMK# ___
4. If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)] Yes ___ No N/A RMK# ___
5. Does the SQUWH conduct any of the following activities:
- a. Sort batteries by type? Yes ___ No ___ N/A RMK# ___
 - b. Mix battery types in one container? Yes ___ No ___ N/A RMK# ___
 - c. Discharge batteries to remove the electric charge? Yes ___ No ___ N/A RMK# ___
 - d. Regenerated used batteries? Yes ___ No ___ N/A RMK# ___
 - e. Disassemble them into individual batteries or cells? Yes ___ No ___ N/A RMK# ___
 - f. Remove batteries from consumer products? Yes ___ No ___ N/A RMK# ___
 - g. Remove the electrolyte from the battery? Yes ___ No ___ N/A RMK# ___
- If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)] Yes No ___ N/A RMK# ___

6. If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)] Yes ___ No N/A RMK# ___
- a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)] Yes ___ No N/A RMK# ___
- b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)] Yes ___ No N/A RMK# ___
7. Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)?" [3745-273-14(A)] Yes ___ No N/A RMK# ___

UNIVERSAL WASTE LAMPS

8. Does the SQGUHW contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)] Yes ___ No N/A ___ RMK# ___
9. Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)] Yes ___ No N/A RMK# ___
10. Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)?" [3745-273-14(E)] Yes ___ No N/A ___ RMK# ___

NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of

generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.

ACCUMULATION TIME

11. Is the waste accumulated for less than one year? Yes No N/A RMK#
[3745-273-15(A)] If not:
- a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)] Yes No N/A RMK#

NOTE: *Accumulation is defined as date generated or date received from another handler.*

12. Is the length of time the universal waste is stored documented by one of the following: [3745-273-15(C)] Yes No N/A RMK#
- a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)] Yes No N/A RMK#
- b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)] Yes No N/A RMK#
- c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)] Yes No N/A RMK#
- d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)] Yes No N/A RMK#
- e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)] Yes No N/A RMK#
- f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)] Yes No N/A RMK#

EMPLOYEE TRAINING

13. Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16] Yes No N/A RMK#

RESPONSE TO RELEASES

14. Are releases of universal waste and other residues immediately contained? [3745-273-17(A)] Yes No N/A RMK#
15. Is the material released characterized? [3745-273-17(B)] Yes No N/A RMK#
16. If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)] Yes No N/A RMK#

OFF-SITE SHIPMENTS

NOTE: *If a SQUWH self-transport waste, then they must comply with the Universal Waste transporter requirements.*

17. Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)] Yes No N/A RMK#

NOTE: *SQUWHs are prohibited to send waste to any other facility.*

18. If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)] Yes No N/A RMK#
19. Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)] Yes No N/A RMK#
20. If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do one of the following:
- a. Receive the waste back? [3745-273-18(E)(1)] Yes No N/A RMK#
- b. Agree to where the shipment will be sent? [3745-273-18(E)(2)] Yes No N/A RMK#

21. If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss one of the following: Yes ___ No N/A RMK# ___
- a. Sending the waste back to the originating handler? [3745-273-18(F)(1)] Yes ___ No ___ N/A RMK# ___
- b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)] Yes ___ No ___ N/A RMK# ___
22. If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)] Yes ___ No N/A RMK# ___
23. If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)] Yes ___ No N/A RMK# ___

EXPORTS

24. Is waste being sent to a foreign destination? If so: Yes ___ No N/A ___ RMK# ___
- a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)] Yes ___ No N/A RMK# ___
- b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)] Yes ___ No N/A RMK# ___
- c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)] Yes ___ No N/A RMK# ___

REMARKS



PROCESS, WASTE, P2 SUMMARY SHEET

Facility Name: LeSaint Logistics Facility Type: LQG Date of Inspection: 12/18/06 EPA ID#: OH0000793109

Waste Generated

On- or Off-Site Management

P2 Activities

Process/Activity Generating Waste (e.g. plating bath, machining, baghouse, painting, general maintenance, etc)	Waste Description (e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applic.	QTY Generated per Month, Type of Accumulation (container, tank, etc) and location of waste accumulation area	Type of On-Site Treatment (recycle, wwt, etc)	Name, state, and type of activity occurring at the off-site facility.	Current P2 Activities	P2 Opportunities	
1	reverse distribution of Johnson Diversey products	various out dated and damaged products, D001, D002, D003	varies per month, typically stored in product packages	none	Veolia Environmental Services (Onyx) Dayton, OH		
2							
3							
4							
5							
6							
7							
8							
9							

REMARKS-GENERAL INFORMATION

