

File
OHD 099 867 038

009
008



State of Ohio Environmental Protection Agency

Southwest District

401 East Fifth Street
Dayton, Ohio 45402-2911

TELE: (937)285-6357 FAX: (937)285-6249
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lt. Governor
Laura Powell, Acting Director

January 10, 2007

Ms. Tanya Carey
Environmental Compliance Supervisor
ABX Air, Inc.
Airborne Air Park
145 Hunter Drive
Wilmington, OH 45177-9390

RE: COMPLIANCE EVALUATION INSPECTION, ABX Air, Inc.

Dear Ms. Carey:

On December 12, 2006 Ohio EPA conducted a compliance evaluation inspection of ABX Air's, Wilmington, Ohio facility to determine compliance with Ohio's hazardous waste laws and regulations as found under the Ohio Revised Code (ORC) and the Ohio Administrative Code (OAC). ABX Air was represented by Amy Corsbie, Michael Lueck and yourself. Ohio EPA was represented by Jim Pellegrino and myself. Ohio EPA also received additional information from ABX Air, during a conference call (12/19/06), emails (12/15/06 & 12/20/06) and by mail (12/22/06). Ohio EPA's inspection included an inspection of facility operations and review of written documentation. Ohio EPA found the following violations of Ohio's hazardous waste laws. In order to correct these violations you must do the following and send me the required information **within 30 days** of your receipt of this letter.

1. **Accumulation time of hazardous waste, OAC 3745-52-34 (A)(2):** The date upon which each period of accumulation and/or treatment begins is clearly marked and visible for inspection on each container.

ABX Air failed to comply with this rule in that the following containers were not properly marked as required by this rule:

- a. A container (55-gallon drum) located in the hazardous waste storage area containing off-spec paint waste was not marked with an accumulation date.
- b. The container (box) in the hazardous waste storage area used to collect paint waste material was not marked with an accumulation date.

On December 20, 2006 ABX Air, Inc., submitted photographs of properly labeled containers as required by this rule. **ABX Air has returned to compliance for this violation.**

2. **Accumulation time of hazardous waste, OAC 3745-52-34 (A)(3)**: While being accumulated on-site each container and tank is labeled or marked clearly with the words "Hazardous Waste"

ABX Air failed to comply with this rule in that the following containers and tanks were not properly labeled as required by this rule:

- a. A container (55-gallon drum) located in the hazardous waste storage area containing off-spec paint waste was not labeled or marked with the words "Hazardous Waste".
- b. Base shop's rinse water tank inside the cleaning room was not labeled or marked with the words "Hazardous Waste".
- c. Hangar 1005 rinse water tank was not labeled or marked with the words "Hazardous Waste".

On December 20, 2006 ABX Air submitted a photograph of a properly labeled container as required by this rule. However to return to compliance ABX Air must still label each tank with the words "Hazardous Waste" and submit documentation to demonstrate compliance with this rule.

3. **Management of Containers, OAC 3745-66-73(B)**: A container holding hazardous waste shall not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.

ABX Air failed to comply with this rule in that plastic bags of paint related waste were being stored on top of the storage container (box) in the hazardous waste storage area.

To return to compliance ABX Air must store plastic bags of paint related material in the storage container (box) or another type of container and submit documentation to this office demonstrating compliance with this rule.

4. **Tank Inspections, OAC 3745-66-95**: The owner or operator must inspect, where present, at least once each operating day: (1) Overfill/spill control equipment; (2) The aboveground portions of the tank system; (3) Data gathered from monitoring equipment; (4) construction material and the area immediately surrounding the externally portion of the tank system including secondary containment structures to detect corrosion or signs of a release.

Ms. Tanya Carey
January 10, 2007
Page 3

ABX Air failed to comply with this rule in that they currently are not conducting daily inspections of their tank systems. Ohio EPA interprets the requirement to inspect a tank once each operating day to be once each day the tank system is being used to manage (store) hazardous waste.

To return to compliance ABX Air must begin conducting daily inspections on all hazardous waste tank systems at their facility and submit documentation to this office to demonstrate compliance with this rule.

As we discussed during the inspection, you may be able to reduce the waste your company generates. If you find ways to recycle, reduce or eliminate the amount of waste that your company generates you may be able to reduce treatment and disposal costs as well as regulatory requirements. Ohio EPA has helpful information about this at the following web address: <http://www.epa.state.oh.us/ocapp/ocapp/>.

Enclosed you will find a copy of the checklists that we completed as a result of the inspection. Should you have any questions, please feel free to call me at (937) 285-6070. You can find copies of the rules and other information on the division's web page at: <http://www.epa.state.oh.us/dhwm/>.

Sincerely,



Jeffrey R. Smith
Division of Hazardous Waste Management

cc: Dinah Crawford, SWDO-DHWM/SWDO File

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

JS/mab



E-mail this completed form to tammy.mcconnell@epa.state.oh.us or mail it to Tammy McConnell, Central Office	Ohio Environmental Protection Agency RCRA SUBTITLE C SITE IDENTIFICATION/VERIFICATION FORM		For Ohio EPA use only						
2. Site EPA ID No.	EPA ID Number: OHD099867038								
3. Site Name	Name: ABX Air, Inc.		Website (optional):						
4. Site Location Information	Street Address: 145 Hunter Drive								
	City, Town, or Village: Wilmington	State: OH							
	County Name: Clinton	Zip Code: 45177-9390							
5. Site Land Type (check only one)	<input type="checkbox"/> Private	<input type="checkbox"/> County	<input type="checkbox"/> District	<input type="checkbox"/> Federal	<input type="checkbox"/> Indian	<input type="checkbox"/> Municipal	<input type="checkbox"/> State	<input type="checkbox"/> Other	
6. NAICS code(s) www.census.gov/epcd/www/naics.html	A.		B.						
	C.		D.						
7. Facility Representative: Additional names can be recorded in number 12. Only provide address information if it is different than the site address.	First Name: Tanya		MI:	Last Name: Carey					
	Phone Number: (937)382-5591			Phone Number Extension:					
	E-Mail Address:								
	Fax Number:				Fax Number Extension:				
	Street or P.O. Box:								
	City, Town or Village:								
	State:			Country:			Zip Code:		
8. Legal Owner and Operator of the Site List Additional Owners and/or Operators in the Comment Section or on another copy of this form page.	A. Name of Site's Legal Owner: DHL Express (USA, Inc.)		Date Became Owner (mm/dd/yyyy):						
	Owner Type: Mark with an X	<input checked="" type="checkbox"/> Private	<input type="checkbox"/> County	<input type="checkbox"/> District	<input type="checkbox"/> Federal	<input type="checkbox"/> Indian	<input type="checkbox"/> Municipal	<input type="checkbox"/> State	<input type="checkbox"/> Other
	Street or P.O. Box: 1200 South Pine Island Road								
	City, Town, or Village: Plantation		Owner Phone #:						
	State: FL		Country:			Zip Code:			
	B. Name of Site's Operator: ABX Air, Inc.		Date Became Operator (mm/dd/yyyy):						
	Operator Type: Mark with an X	<input checked="" type="checkbox"/> Private	<input type="checkbox"/> County	<input type="checkbox"/> District	<input type="checkbox"/> Federal	<input type="checkbox"/> Indian	<input type="checkbox"/> Municipal	<input type="checkbox"/> State	<input type="checkbox"/> Other
	Street or P.O. Box: 145 Hunter Drive								
	City, Town, or Village: Wilmington		Operator Phone #:						
	State: Ohio		Country: Clinton			Zip Code: 45177-9390			
9. Violations Cited?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No						
10. Type of Regulated Waste Activity (Mark "X" in all of the appropriate boxes.) <input type="checkbox"/> Not Regulated									

10. Type of Regulated Waste Activity (Mark "X" in all of the appropriate boxes.)

A. Hazardous Waste Activities		C. Used Oil Activities	
<input checked="" type="checkbox"/> a. Large Quantity Generator (LQG):	<input type="checkbox"/> 5. Exempt Boiler and/or Industrial Furnace	<input type="checkbox"/> a. Small Quantity On-site Burner Exemption	
<input type="checkbox"/> b. Small Quantity Generator (SQG)	<input type="checkbox"/> 6. Underground Injection Control Facility	<input type="checkbox"/> b. Smelting, Melting, Refining Furnace Exemption	
<input type="checkbox"/> c. Conditionally Exempt Small Quantity Generator	<input type="checkbox"/> 7. Hazardous Waste Transporter		
<input type="checkbox"/> d. United States Importer of Hazardous Waste			
<input type="checkbox"/> e. Mixed Waste (hazardous and radioactive) Generator			

B. Universal Waste Activities	C. Used Oil Activities															
<input checked="" type="checkbox"/> 1. Small Quantity Handler of Universal Waste (Indicate types of universal waste generated and/or accumulated (check all boxes that apply):	<input checked="" type="checkbox"/> 1. Used Oil Generator															
<input type="checkbox"/> 2. Large Quantity Handler of Universal Waste (accumulates 5,000 kg or more).	<input type="checkbox"/> 2. Used Oil Transporter Indicate Type(s) of Activity(ies) <input type="checkbox"/> Transporter <input type="checkbox"/> Transfer Facility															
<input type="checkbox"/> 3. Destination Facility for Universal Waste (Check all boxes below that apply for each of the three types of facilities above.)	<input type="checkbox"/> 3. Used Oil Processor and/or Re-refiner Indicate Type(s) of Activity(ies) <input type="checkbox"/> Processor <input type="checkbox"/> Re-refiner															
<table border="1"> <thead> <tr> <th></th> <th>Generated</th> <th>Accumulated</th> </tr> </thead> <tbody> <tr> <td>A. Batteries</td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>B. Pesticides</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>C. Thermostats</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>D. Lamps</td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>		Generated	Accumulated	A. Batteries	<input checked="" type="checkbox"/>	<input type="checkbox"/>	B. Pesticides	<input type="checkbox"/>	<input type="checkbox"/>	C. Thermostats	<input type="checkbox"/>	<input type="checkbox"/>	D. Lamps	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 4. Off-Specification Used Oil Burner
	Generated	Accumulated														
A. Batteries	<input checked="" type="checkbox"/>	<input type="checkbox"/>														
B. Pesticides	<input type="checkbox"/>	<input type="checkbox"/>														
C. Thermostats	<input type="checkbox"/>	<input type="checkbox"/>														
D. Lamps	<input checked="" type="checkbox"/>	<input type="checkbox"/>														
	<input type="checkbox"/> 5. Used Oil Fuel Marketer - Indicate Type(s) of Activity(ies) <input type="checkbox"/> a. Marketer Who Directs Shipment of Off-Specification Oil <input type="checkbox"/> b. Used Oil to Off-Specification Used Oil Burner															

11. Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at your site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more space is needed. If there are more than 7 waste codes and they are the same as listed in the most recent RCRAinfo source record, you do not need to list them all. Instead just indicate the date of the most recent source record.

--	--	--	--	--	--

12. Comments: Use this area to describe whether the inspection was announced, whether the waste is stored in tanks or containers, etc.

N	Announced ?	Additional Facility Representatives:
Y	Tanks?	Other comments:
Y	Containers?	

13.	Name of Inspector(s)	Name of Inspector(s)	Date of Inspection/ Time (mm-dd-yyyy) (HH:MM)
	Jeff Smith -SWDO/DHWM	Jim Pellegrino - SWDO/OCAPP	12/12/06 - 9:30am

14. OPTIONAL CERTIFICATION. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of owner, operator, or an authorized representative	Name and Title (Print)	Date (mm-dd-yyyy)

PROCESS, WASTE, P2 SUMMARY SHEET

Facility Name: ABX Air Inc.

Facility Type: LQG

Date of Inspection: 12/12/07

EPA ID#: OHD099867038

Waste Generated			On- or Off-Site Management		P2 Activities		
Process/Activity Generating Waste (e.g. plating bath, machining, baghouse, painting, general maintenance, etc)	Waste Description (e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applic.	QTY Generated per Month, Type of Accumulation (container, tank, etc) and location of waste accumulation area	Type of On-Site Treatment (recycle, wwt, etc)	Name, state, and type of activity occurring at the off-site facility.	Current P2 Activities	P2 Opportunities	
1	Corrosion inhibitor for AirCraft parts	Spent Alodine D002, D007	Approx. 80 pounds/containers	na	Heritage Environmental Services, LLC, Indiana, TSD	NR	
2	Blasting paint of Parts	Blaster Sand D006, D007	Approx 125 Pounds/ container	na	Heritage Environmental Services, LLC, Indiana, TSD	NR	
3	Out of Date or Broken Aerosol Cans	Aerosol Cans D001, F003, F005	Approx. 60 pounds/containers	na	Heritage Environmental Services, LLC, Indiana, TSD	NR	
	Plating metal Parts, spent bath and rinse	Cadium Plating	Approx. 30 pounds/containers	na	Heritage Environmental Services, LLC, Indiana, TSD	NR	
5	Wipers from Cd plating line	Cadium plating solids	Approx. 16 pounds/containers	na	Heritage Environmental Services, LLC, Indiana, TSD	NR	

6	Shelf life or bad paint related materials	Off Spec or old paint related materials D001, D005, D006, D007, D008, D035, U220	Approx. 80 pounds/containers	na	Heritage Environmental Services, LLC, Indiana, TSD	NR	
7	Paint Booth operations	Paint Booth Filters D007, F005	Approx. 350 pounds/containers	na	Heritage Environmental Services, LLC, Indiana, TSD	NR	
8	Removing paint from parts	Paint Stripper Solid D007, D035, F002	Approx. 50 pounds/containers	na	Heritage Environmental Services, LLC, Indiana, TSD	NR	
9	Cleaning Paint Guns	Paint Thinner with Solids D005, D006, D007, D008, D035, F003, F005	Approx. 350 pounds/containers	na	Heritage Environmental Services, LLC, Indiana, TSD	NR	
10	Fuel Filter, Gasoline spill clean up absorbents	Gasoline w/debris D018	Approx. 80 pounds/containers	na	Heritage Environmental Services, LLC, Indiana, TSD	NR	
11	Bad Batteries -	Leaking or exploded batteries D002, D008	Approx. 5 pounds/containers	na	Heritage Environmental Services, LLC, Indiana, TSD	NR	

12	Spill Cleanup from wide variety of Packages during sorting process	Lab Packs D001, D002, F002, F003, U007, U080, U122, U134, U220	Approx. 250 pounds/ containers	na	Heritage Environmental Services, LLC, Indiana, TSD	NR	
13	Storm water treatment systems test	Waste COD Vials D002, D007, D009, D011	Approx. 7 pounds/ containers	na	Heritage Environmental Services, LLC, Indiana, TSD	NR	
	Broken bulbs from Shipment through DHL or maintenance breaks	Broken fluorescent bulbs D009	Approx. 80 pounds/ containers	na	Heritage Environmental Services, LLC, Indiana, TSD	NR	
15	Cleaning of Aircraft parts	Rinse water from Aircraft cleaning D006, D007	Approx. 5000 pounds/ containers	na	Perma-Fix of Dayton, Inc. TSD	NR	
16	Paint Gun Cleaning with Safety Kleen cleaner	Paint Related Material D001, D018, D035, D038, D039, D040, F003, F005	Approx. 30 pounds/ containers	na	Safety Kleen Systems, Inc. Illinois TSD	NR	

REMARKS--GENERAL INFORMATION

General Process Information: General maintenance and washing of aircraft and ground support equipment. ABX has painting operations and a small cadmium plating operation for aircraft parts.

Regulatory/Enforcement History (if applicable): Director's F&Os signed 7/03.

Additional P2 remarks and information:

Would this facility be interested in a P2 assessment? **Yes*** *If yes, refer promptly to your district P2 coordinator.
Office of Compliance Assistance and Pollution Prevention - 1-800-329-7518 or p2mail@epa.state.oh.us or www.epa.state.oh.us/ocapp/ocapp.html

Other:

**LARGE QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: <100Kg. (Approximately 25-30 gallons) of waste in a calendar month.

SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.

LQG: >1,000 Kg. (~300 gallons) of waste in a calendar month or >1 Kg. Of acutely hazardous waste in a calendar month.

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

GENERAL REQUIREMENTS

1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11] Yes No N/A
2. Has the generator obtained a U.S. EPA identification number? [3745-52-12] Yes No N/A
3. Were annual reports filed with Ohio EPA on or before March 1st? [3745-52-41(A)] Yes No N/A
4. Has the generator transported or caused to be transported hazardous waste to **other** than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)] Yes No N/A
5. Has the generator disposed of hazardous waste **on-site without a permit** or at another facility **other** than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E) & (F)] Yes No N/A

6. Does the generator accumulate hazardous waste? Yes No N/A

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

7. Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02 (E) & (F)? Yes No N/A

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G) & (H).

8. Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)]
 - a. Container that meets 3745-66-70 to 3745-66-77? Yes No N/A
 - b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C) and Yes No N/A
 - c. Drip pads that meet 3745-69-40 to 3745-69-45? Yes No N/A
 - d. Containment building that meets 3745-256-100 to 3745-256-102? Yes No N/A

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

9. Does the generator export hazardous waste? If so: Yes No N/A
 - a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)] Yes No N/A
 - b. Has the generator complied with special manifest requirements? [3745-52-54] Yes No N/A
 - c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55] Yes No N/A

20. Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)] Yes No N/A
21. Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)] Yes No N/A
22. Does the generator provide annual refresher training to employees? [3745-65-16(C)] Yes No N/A
23. Does the generator keep records including: job titles [D(1)], job descriptions [D(2)], type and amount of training given to each person [D(3)] and documentation of completed training or job experience required [D(4)]? [3745-65-16(D)] Yes No N/A
24. Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)] Yes No N/A

NOTE: *The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.*

<u>Job Performed</u>	<u>Name of Employee</u>	<u>Date Trained</u>
Utility Mech	Ms. Leininger	1/18/2006
A/C Utility Mech	Ms. Flowers	1/18/2006
SR A/C Painter	Mr. Canton	1/18/2006

CONTINGENCY PLAN

25. Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)] Yes No N/A
26. Does the plan describe the following:
- a. Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste [3745-65-52(A)]? Yes No N/A
- b. Arrangements with emergency authorities [3745-65-52(C)]. Yes No N/A
- c. A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)] Yes No N/A
- d. A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)] Yes No N/A
- e. An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)] Yes No N/A

NOTE: *If the facility already has a "Spill Prevention, Control and Counter measures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]*

27. Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53 (A) & (B)] Yes No N/A

28. Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54] Yes No N/A

29. Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55] Yes No N/A

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

EMERGENCY PROCEDURES

30. Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so: Yes No N/A

a. Was the contingency plan implemented? [3745-65-51(B)] Yes No N/A

b. Did the facility follow the emergency procedures in 3745-65-56(A) through (H)? Yes No N/A

c. Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)? Yes No N/A

NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

PREPAREDNESS AND PREVENTION

31. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31] Yes No N/A

32. Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:

a. Internal alarm system? [3745-65-32(A)] Yes No N/A

b. Emergency communication device? [3745-65-32(B)] Yes No N/A

c. Portable fire control, spill control and decon equipment? [3745-65-32(C)] Yes No N/A

d. Water of adequate volume/pressure? [3745-65-32(D)] Yes No N/A

NOTE: Verify that the equipment is listed in the contingency plan.

33. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33] Yes No N/A

34. Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33] Yes No N/A

35. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-34(A))? [3745-65-34(A)] Yes No N/A

36. If there is only one employee on the premises is there immediate access to a device (ex.phone, hand held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32) [3745-65-34(B)] Yes No N/A
37. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes No N/A
38. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)] Yes No N/A
39. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes No N/A

SATELLITE ACCUMULATION AREA REQUIREMENTS

40. Does the generator ensure that satellite accumulation area(s):
- a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes No N/A
- b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes No N/A
- c. Do not exceed one quart of acutely hazardous waste at anyone time? [3745-52-34(C)(1)] Yes No N/A
- d. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)] Yes No N/A
- e. Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes No N/A
41. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so: Yes No N/A
- a. Did the generator comply with 3745-52-34(A)(1)through(4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes No N/A
- b. Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] Yes No N/A
- c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes No N/A

NOTE: *The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.*

USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS

42. Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)] Yes No N/A
43. Is the accumulation date on each container? [3745-52-34(A)(2)] Yes No N/A
44. Are hazardous wastes stored in containers which are:

- a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes No N/A
- b. In good condition? [3745-66-71] Yes No N/A
- c. Compatible with wastes stored in them? [3745-66-72] Yes No N/A
- d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes No N/A

NOTE: Record location on process summary sheets and photograph the area.

45. Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORC§1.44(A) "Week" means seven 7 consecutive days. Yes No N/A

- a. Are inspections recorded in a log or summary? [3745-66-74] Yes No N/A

46. Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76] Yes No N/A

47. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes No N/A

48. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)] Yes No N/A

49. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)] Yes No N/A

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

50. If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)] Yes No N/A

NOTE: Please provide a description of the unit and documentation provided by the generator to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]

PRE-TRANSPORT REQUIREMENTS

51. Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes No N/A

52. Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes No N/A

53. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes No N/A

USED OIL INSPECTION CHECKLIST (Short Version)

NOTE: *This checklist does not include requirements for used oil transporters and transfer facilities, processors and re-refiners, burners, and marketers.*

PROHIBITIONS

1. Is used oil being managed in a surface impoundment or waste pile? If so: Yes No N/A RMK#
Is the surface impoundment or waste pile being regulated under OAC 3745-54 to 3745-57 and 3745-205 or 3745-65 to 3745-69 and 3745-256? [3745-279-12(A)] Yes No N/A RMK#
2. Is used oil being used as a dust suppressant? [3745-279-12(B)] Yes No N/A RMK#
3. Is off-specification used oil fuel burned for energy recovery only in devices specified in 3745-279-12(C)? Yes No N/A RMK#

USED OIL GENERATOR STANDARDS

4. Does the generator mix hazardous waste with used oil only as provided in 3745-279-10(B)? [2745-279-21(A)] Yes No N/A RMK#
5. Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)] Yes No N/A RMK#
6. Does the generator only store used oil in tanks, containers, or units subject to OAC 3745-54 to 3745-57 and 3745-205 or 3745-65 to 3745-69 and 3745-256? [3745-279-22(A)] Yes No N/A RMK#
7. Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)] Yes No N/A RMK#
8. Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)] Yes No N/A RMK#
9. Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]
- a. Stopped the release? Yes No N/A RMK#
- b. Contained the release? Yes No N/A RMK#

- c. Cleaned up and properly managed the used oil and other materials? Yes ___ No N/A RMK# ___
- d. Repaired or replaced the containers or tanks prior to returning them to service, if necessary? Yes ___ No N/A RMK# ___
10. Does the generator burn used oil in used fired space heaters? [3745-279-23] If so: Yes ___ No N/A ___ RMK# ___
- a. Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators? Yes ___ No N/A RMK# ___
- b. Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour? Yes ___ No N/A RMK# ___
- c. Are the combustion gases from heater vented to the ambient air? Yes ___ No N/A RMK# ___
11. Does the generator have the used oil hauled only by transporters that have obtained U.S. EPA ID#, unless the generator qualifies for an exemption pursuant to 3745-279-24 (self transportation or tolling agreements)? [3745-279-24] Yes No N/A ___ RMK# ___

USED OIL COLLECTION CENTERS AND AGGREGATION POINTS

12. Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30] Yes ___ No N/A RMK# ___
13. Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31] Yes ___ No N/A RMK# ___
14. Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32] Yes ___ No N/A RMK# ___

WASTE EVALUATION

15. Have all wastes generated at the facility been evaluated? [3745-52-11] Yes No N/A ___ RMK# ___

C:\Jeff Work\ABX Inc\USED OIL.SHORT.11.2004.fin.megaset[1]

REMARKS

SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS

Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more

Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less

PROHIBITIONS

1. Did the SQUWH dispose of universal waste? [3745-273-11(A)] Yes No N/A ___ RMK# ___
2. Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)] Yes No N/A ___ RMK# ___

WASTE MANAGEMENT & LABELING/MARKING

UNIVERSAL WASTE BATTERIES

3. Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)] Yes No N/A ___ RMK# ___
4. If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)] Yes No N/A ___ RMK# ___
5. Does the SQUWH conduct any of the following activities:
- a. Sort batteries by type? Yes No ___ N/A ___ RMK# ___
 - b. Mix battery types in one container? Yes ___ No N/A ___ RMK# ___
 - c. Discharge batteries to remove the electric charge? Yes ___ No N/A ___ RMK# ___
 - d. Regenerated used batteries? Yes ___ No N/A ___ RMK# ___
 - e. Disassemble them into individual batteries or cells? Yes ___ No N/A ___ RMK# ___
 - f. Remove batteries from consumer products? Yes ___ No N/A ___ RMK# ___

g. Remove the electrolyte from the battery?

Yes ___ No N/A ___ RMK# ___

If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)?
[3745-273-13(A)(2)]

Yes No ___ N/A RMK# ___

6. If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)]

Yes ___ No N/A RMK# ___

a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]

Yes ___ No N/A RMK# ___

b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]

Yes ___ No N/A RMK# ___

7. Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]

Yes No N/A ___ RMK# ___

UNIVERSAL WASTE LAMPS

8. Does the SQGUHW contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]

Yes No N/A ___ RMK# ___

9. Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]

Yes ___ No N/A RMK# ___

10. Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)" [3745-273-14(E)] Yes No N/A RMK#

NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.

ACCUMULATION TIME

11. Is the waste accumulated for less than one year? [3745-273-15(A)] If not: Yes No N/A RMK#

a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)] Yes No N/A RMK#

NOTE: Accumulation is defined as date generated or date received from another handler.

12. Is the length of time the universal waste is stored documented by one of the following: [3745-273-15(C)] Yes No N/A RMK#

a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)] Yes No N/A RMK#

b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)] Yes No N/A RMK#

c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)] Yes No N/A RMK#

d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)] Yes No N/A RMK#

e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)] Yes No N/A RMK#

- f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)]

Yes ___ No N/A ___ RMK# ___

EMPLOYEE TRAINING

13. Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]

Yes No N/A ___ RMK# ___

RESPONSE TO RELEASES

14. Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]

Yes No N/A ___ RMK# ___

15. Is the material released characterized? [3745-273-17(B)]

Yes No N/A ___ RMK# ___

16. If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)]

Yes No N/A ___ RMK# ___

OFF-SITE SHIPMENTS

NOTE: *If a SQUWH self-transport waste, then they must comply with the Universal Waste transporter requirements.*

17. Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]

Yes No N/A ___ RMK# ___

NOTE: *SQUWHs are prohibited to send waste to any other facility.*

18. If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)]

Yes No N/A ___ RMK# ___

19. Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)]

Yes No N/A ___ RMK# ___

20. If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do one of the following:
- a. Receive the waste back? [3745-273-18(E)(1)] Yes ___ No ___ N/A X RMK# ___
- b. Agree to where the shipment will be sent? [3745-273-18(E)(2)] Yes ___ No ___ N/A X RMK# ___
21. If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss one of the following:
- a. Sending the waste back to the originating handler? [3745-273-18(F)(1)] Yes ___ No ___ N/A X RMK# ___
- b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)] Yes ___ No ___ N/A X RMK# ___
22. If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)] Yes ___ No N/A X RMK# ___
23. If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)] Yes ___ No N/A X RMK# ___

EXPORTS

24. Is waste being sent to a foreign destination? If so: Yes ___ No X N/A ___ RMK# ___
- a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)] Yes ___ No N/A X RMK# ___
- b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)] Yes ___ No N/A X RMK# ___
- c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)] Yes ___ No N/A X RMK# ___

REMARKS

TANK SYSTEM REQUIREMENTS (OAC 3745-66-91 TO 3745-66-100)

(Please refer to the rules before or while completing this checklist.)

NOTE: *New Tank System - Installation commencing after July 14, 1986.*
Existing Tank System - Installation or operation commencing on/before July 14, 1986.

1. For an existing or new tank system(s) has secondary containment been provided? [3745-66-93(A)(1) to (A)(5)] Yes No N/A RMK#

- NOTES:**
- A. *Secondary containment must be provided for all new tank systems or components, prior to their being put into service. [3745-66-93(A)(1)]*
 - B. *For an existing tank system(s) of **known and documentable age** secondary containment is required to be provided within two years after January 12, 1987, or when the tank system has reached 15 years of age, whichever came later. [3745-66-93(A)(3)]*
 - C. *Secondary containment is required for all existing tanks for which the **age cannot be documented**. The tanks were required to have secondary containment within eight years of January 12, 1987 or when the facility turned 15 years of age, whichever came later. [3745-66-93(A)4]*
 - D. *Tank systems that store/treat materials that become hazardous waste after January 12, 1987, must have secondary containment required within the time intervals in OAC 3745-66-93(A)(1) to (A)(4). The date the material became a hazardous waste must be used in place of January 12, 1987. [3745-66-93(A)(5)]*
 - E. *If the tank system has no secondary containment, or a variance from secondary containment requirements has been granted, skip to the middle of page 6 of this Tank Systems Checklist; (Tank Systems without secondary containment).*

2. Is the secondary containment one of the following:

- a. An External Liner [3745-66-93(E)(1)(a) - (1)(f)] If so, Yes No N/A RMK#
 - i. Is liner designed or operated to contain 100% of the capacity of the largest tank? Yes No N/A RMK#
 - ii. Is liner designed and operated to prevent run-on and infiltration or the collection system has excess capacity to contain run-on and infiltration from a 25-year, 24-hour storm? Yes No N/A RMK#
 - iii. Is liner free of cracks and gaps? Yes No N/A RMK#
 - iv. Does liner completely surround the tank and cover all earth likely to be contacted by waste during a release? Yes No N/A RMK#
 - v. Are chemically resistant water stops in place at all joints? (*concrete liners only*) Yes No N/A RMK#

vi. Is there a compatible interior coating or lining to prevent migration of waste into the concrete? (*concrete liners only*)

Yes ___ No N/A RMK# ___

b. **Vault System?** [3745-66-93(E)(2)(a) - (2)(f)] If so,

Yes ___ No ___ N/A RMK# ___

i. Is vault system designed to contain 100% of the capacity in the largest tank?

Yes ___ No N/A RMK# ___

ii. Is liner designed and operated to prevent run-on and infiltration or the collection system has excess capacity to contain run-on and infiltration from a 25-year, 24-hour storm?

Yes ___ No N/A RMK# ___

iii. Are chemically resistant water stops in place at all joints?

Yes ___ No N/A RMK# ___

iv. Is there a compatible interior coating to prevent migration into the concrete?

Yes ___ No N/A RMK# ___

v. For **ignitable or reactive waste**: Is the vault system provided with means to prevent against the formation or ignition of vapors?

Yes ___ No N/A RMK# ___

vi. Is vault system provided with an exterior moisture barrier?

Yes ___ No N/A RMK# ___

c. **Double-Walled Tank?** [3745-66-93(E)(3)(a) - (3)(c)] If so,

Yes No ___ N/A ___ RMK# ___

i. Is double-walled tank designed as an integral structure to contain any release from the inner tank?

Yes No N/A ___ RMK# ___

ii. If **metal**, are the primary tank interior and outer shell exterior surfaces protected from corrosion?

Yes No N/A ___ RMK# ___

iii. Is double-walled tank provided with a continuous leak detection system able to detect a release within 24 hours or at the earliest practicable time?

Yes No N/A ___ RMK# ___

3. Is the secondary containment system for the tank(s) an equivalent device as described in 3745-66-93(D)(4) which has been approved by the director? [3745-66-93(D)(E)]

Yes No ___ N/A ___ RMK# ___

SECONDARY CONTAINMENT DESIGN/OPERATION/INSTALLATION (OAC 3745-66-93(B)(C))

4. Has each secondary containment system been designed, installed and operated to prevent any migration of wastes or liquid to the soil, ground water, or surface water and is it capable of detecting and collecting releases and accumulated liquids? [3745-66-93(B)] Yes No N/A ___ RMK# ___
5. Does the secondary containment system meet the following minimum requirements of 3745-66-93(C):
- a. Constructed or lined with compatible materials of sufficient strength to prevent failure? Yes No N/A ___ RMK# ___
- b. Placed on a foundation or base capable of providing support? Yes No N/A ___ RMK# ___
- c. Provided with a leak detection system designed/operated to detect failure to primary or secondary containment or any release of hazardous waste within 24 hours or at earliest practicable time? Yes No N/A ___ RMK# ___
- d. Sloped or designed to drain and remove liquid resulting from leaks, spills or precipitation? Yes No N/A ___ RMK# ___
- e. Any liquid which accumulates in the containment unit resulting from spills, leaks or precipitation removed within 24 hours or in a timely manner? Yes No N/A ___ RMK# ___

ANCILLARY EQUIPMENT REQUIREMENTS (OAC 3745-66-93(F))

6. Is ancillary equipment provided with secondary containment (such as double-walled piping, jacketing or a trench)? **If not**, is the ancillary equipment: Yes ___ No N/A ___ RMK# ___
- a. Inspected daily? **AND**; Yes No N/A ___ RMK# ___
- b. Is ancillary equipment one of the following:
- i. Above ground piping (exclusive of flanges, joints, valves and connections)? Yes No N/A ___ RMK# ___
- ii. Welded flanges, welded joints and/or welded connections? Yes ___ No N/A RMK# ___
- iii. Sealless or magnetic coupling pumps and/or sealless valves? Yes ___ No N/A RMK# ___
- iv. Pressurized above ground piping systems with automatic shut-off devices (e.g., excess flow check valves, flow metering shutdown, and/or loss of pressure-actuated shut-off devices)? Yes ___ No N/A RMK# ___

REMARKS

NEW TANK SYSTEM REQUIREMENTS (OAC 3745-66-92)

1. Is there a written assessment attesting that the design, installation and structural integrity of the system is adequate for the management of hazardous waste(s)? [3745-66-92(A)] Yes No N/A RMK#
2. Does the written assessment include the following: [OAC 3745-66-92(A)]
- a. Certification by an independent, registered, professional engineer? Yes No N/A RMK#
 - b. Consideration of the design standards of the system? Yes No N/A RMK#
 - c. Consideration of the hazardous characteristics of the waste(s)? Yes No N/A RMK#
 - d. An evaluation by a corrosion expert (*if the external system/components are metal*)? Yes No N/A RMK#
 - e. A determination of design and operational measures that will be needed to protect the tank system from potential damage (*for underground tank components*)? Yes No N/A RMK#
 - f. Design considerations to ensure that the tank foundations will maintain the load of a full tank? Yes No N/A RMK#
 - g. Design considerations for anchoring the unit to prevent floatation (*for tanks situated in a seismic fault zone or saturated zone*)? Yes No N/A RMK#
 - h. Design considerations to ensure that the tank system will withstand the effects of frost heave (*for underground tank systems*)? Yes No N/A RMK#
3. Are there written statements by those person who supervised installation or certified design of the new tank system, that the tank system was properly installed and designed and that required repairs were performed? [3745-66-92(G)] Yes No N/A RMK#

Do the written statements address all of the following:

- a. Inspection for damage and/or inadequate construction and installation was conducted? [3745-66-92(B)] Yes No N/A RMK#
- b. Statement that deficiencies were corrected before the tank system was covered or put into use? [3745-66-92(B)] Yes No N/A RMK#
- c. Proper backfilling? [3745-66-92(C)] Yes No N/A RMK#
- d. Tightness test; if the tank was found not to be tight, does the statement indicate that proper repairs were made? [3745-66-92(D)] Yes No N/A RMK#
- e. Proper support and protection of ancillary equipment? [3745-66-92(E)] Yes No N/A RMK#
- f. Supervision of the installation of field fabricated corrosion protection? [3745-66-92(F)] Yes No N/A RMK#

TANK SYSTEMS WITHOUT SECONDARY CONTAINMENT (OAC 3745-66-91)

1. For existing tank system, without secondary containment: Is there a written assessment on file which includes the following considerations: [3745-66-91(A)(B)] Yes No N/A RMK#
- a. Design standards? [3745-66-91(B)(1)] Yes No N/A RMK#
- b. The characteristics of hazardous waste(s) that have been or will be handled? [3745-66-91(B)(2)] Yes No N/A RMK#
- c. Corrosion protection measures? [3745-66-91(B)(3)] Yes No N/A RMK#
- d. The age of the tank system has been estimated or documented? [3745-66-91(B)(4)] Yes No N/A RMK#
- e. A leak test has been conducted? (*For non-enterable underground tanks*) [3745-66-91(B)(5)(a)] Yes No N/A RMK#
- f. A leak test or an internal inspection by qualified P.E. has been conducted? (*For other than non-enterable underground tanks and for ancillary equipment*) [3745-66-91(B)(5)(b)] Yes No N/A RMK#
- g. Is assessment certified by an independent, registered P.E.? [3745-66-91(A)] Yes No N/A RMK#

2. Have the tests specified in 1e and 1f been conducted annually on the tanks and ancillary equipment until secondary containment is provided? [3745-66-93(I)] **If so,** Yes ___ No N/A RMK# ___
- a. Have tests been certified by an independent, registered P.E.? Yes ___ No N/A RMK# ___
3. For tanks without secondary containment used to store or treat wastes which become hazardous wastes after July 14, 1986, has the assessment been completed within 12 months of the date the waste became a hazardous waste? [3745-66-91(C)] Yes ___ No N/A RMK# ___

TANK SYSTEM - GENERAL OPERATING REQUIREMENTS (OAC 3745-66-94)

1. Does the o/o follow the general operating requirements below:
- a. Does the o/o prevent placement of hazardous waste or treatment reagents in tank or secondary containment if such placement can cause the system to leak, rupture, corrode, or otherwise fail? [3745-66-94(A)] Yes No N/A ___ RMK# ___
- b. Does the o/o use appropriate controls to prevent spills or overflows from the system (e.g., check valves, dry disconnect couplings, high level alarms, etc.)? [3745-66-94(B)] Yes No N/A ___ RMK# ___
- c. If a leak or spill has occurred in the tank system, has the o/o complied with 3745-66-96? [3745-66-94(C)] Yes No N/A ___ RMK# ___

TANK SYSTEM - INSPECTION REQUIREMENTS (OAC 3745-66-95)

1. Has the o/o documented the inspections required in 3745-66-95, in the operating record, including inspection of the following:
- a. Spill control equipment (daily)? [3745-66-95(A)(1)] Yes No N/A ___ RMK# ___
- b. Above ground portion of tank (daily)? [3745-66-95(A)(2)] Yes No N/A ___ RMK# ___
- c. Data from leak detection equipment (daily)? [3745-66-95(A)(3)] Yes No N/A ___ RMK# ___

- d. Construction materials and area immediately surrounding the tanks for signs of erosion or release of hazardous waste (daily)? [3745-66-95(A)(4)] Yes No N/A RMK#
- e. Where applicable, the cathodic protection system to confirm proper operation within six months of initial installation and annually thereafter? [3745-66-95(B)(1)] Yes No N/A RMK#
- f. Where applicable, all sources of impressed current at least bi-monthly? [3745-66-95(B)(2)] Yes No N/A RMK#

TANK SYSTEMS STORING IGNITABLE OR REACTIVE WASTES (OAC 3745-66-98 AND 3745-66-99)

1. For tanks used to treat or store ignitable or reactive wastes, has the o/o complied with **one of the following**: [3745-66-98(A)]
- a. Is the waste treated immediately after placement in the tank so that the resultant mixture is no longer ignitable or reactive and the o/o has conducted such activities in compliance with 3745-65-17(B)? [3745-66-98(A)(1)]; **OR** Yes No N/A RMK#
- b. Is the waste stored or treated to protect it from materials or conditions which may cause ignition or reaction? [3745-66-98(A)(2)]; **OR** Yes No N/A RMK#
- c. The tank is used solely for emergencies? [3745-66-98(A)(3)] Yes No N/A RMK#
2. If ignitable or reactive waste is stored or treated, are protective distances maintained between waste management areas and any public streets, alleys or adjoining property lines as required by the NFPA Flammable and Combustible Liquids Code (1996)? [3745-66-98(B)] Yes No N/A RMK#
3. Has the o/o placed incompatible wastes or materials into the same tank system, or into a tank system that has not been decontaminated and which previously held an incompatible waste or material? [3745-66-99] Yes No N/A RMK#
- a. **If so**, have the requirements of 3745-65-17(B) been met? Yes No N/A RMK#

TANK SYSTEM - WASTE ANALYSIS REQUIREMENTS (OAC 3745-66-100)

1. In addition to conducting the waste analysis required by 3745-65-13, when the tank system is used to store or treat a waste which is substantially different or uses a substantially different process than previously used, has the o/o done one of the following: [3745-66-100] Yes ___ No ___ N/A RMK# ___
- a. Conducted waste analysis and trial treatment or storage tests? [3745-66-100(A)]; OR Yes ___ No ___ N/A RMK# ___
- b. Obtained written documentation on similar waste under similar operating conditions to show that the proposed storage/treatment will meet the requirements of OAC 3745-66-94? [3745-66-100(B)] Yes ___ No ___ N/A RMK# ___

TANK SYSTEMS FOUND TO BE LEAKING OR UNFIT FOR USE (OAC 3745-66-96)

1. Has there been a leak or spill from any tank system or has any tank system been found unfit for use? *If so*, did the o/o: Yes ___ No N/A ___ RMK# ___
- a. Immediately cease flow of material into tank and investigate the cause of the release? [3745-66-96(A)] Yes ___ No N/A RMK# ___
- b. Remove waste from tank system to prevent further release within 24 hours of detection or earliest practicable time? [3745-66-96(B)(1)] Yes ___ No N/A RMK# ___
- c. Remove all material released into secondary containment system within 24 hours or as timely as possible to prevent harm to human health and the environment? [3745-66-96(B)(2)] Yes ___ No N/A RMK# ___
- d. Immediately conduct a visual inspection of the release? [3745-66-96(C)] Yes ___ No N/A RMK# ___
- e. Prevent further migration of the leak or spill to soils or surface waters? [3745-66-96(C)(1)] Yes ___ No N/A RMK# ___
- f. Properly dispose of any visibly contaminated soil or surface water? [3745-66-96(C)(2)] Yes ___ No N/A RMK# ___
- g. Report the release to the director within 24 hours unless it was less than one pound and was cleaned up immediately? [3745-66-96(D)(1)(2)] Yes ___ No N/A RMK# ___
- h. Submit a written report of the incident to the director within 30 days of the release? [3745-66-96(D)(3)] Yes ___ No N/A RMK# ___

- i. Remediate the spill and repair the unit prior to returning it to service? [3745-66-96(E)] Yes ___ No N/A RMK# ___
- j. For a release from a tank system without secondary containment, did the o/o provide secondary containment meeting the requirements of 3745-66-93 for the unit prior to putting it back into service? [3745-66-96(E)(4)] Yes ___ No N/A RMK# ___

NOTE: *The requirements noted 1.j. do not apply if the release was from an above ground component of the tank which can be inspected visually after being put back into service.*

2. In the event that the repairs to the tank system were major (replacement of liner, repair of ruptured primary or secondary containment structure), did the o/o obtain a certification from an independent, registered P.E. attesting that the repaired unit is capable of handling hazardous waste? [3745-66-96(F)] Yes ___ No N/A RMK# ___
- a. Was a copy of the certification submitted to the director within seven days after returning the system to use? [3745-66-96(F)] Yes ___ No N/A RMK# ___
3. If the o/o was unable to repair and return the unit to service as described in 1.a through 1.e, was the tank system closed in accordance with 3745-66-97? [3745-66-96(E)(1)] Yes ___ No N/A RMK# ___
4. Does the o/o have a tank system **with a variance from secondary containment** from which a release has occurred but has not migrated beyond the zone of engineering control? **If so,** Yes ___ No ___ N/A RMK# ___
- a. Has the o/o complied with 3745-66-96(A) through (F) and decontaminated soils? [3745-66-93(G)(3)] Yes ___ No N/A RMK# ___
- b. If soils cannot be contaminated/removed, has the o/o complied with 3745-66-97(B)? [3745-66-93(G)(3)] Yes ___ No N/A RMK# ___
5. Does the o/o have a tank system **with a variance from secondary containment** from which a release occurred and has migrated from the zone of engineering control? **If so,** Yes ___ No ___ N/A RMK# ___
- a. Has the o/o complied with 3745-66-96(A) through (D), prevented migration, and decontaminated soil? [3745-66-93(G)(4)] Yes ___ No N/A RMK# ___

**LARGE QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: ≤100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.
 LQG: ≥ 1,000 Kg. (300 gallons) of waste in a calendar month or ≥ 1 Kg. of acutely hazardous waste in a calendar month.
 NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

GENERAL REQUIREMENTS

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
2.	Are records of waste determination being kept for at least 3 years? [3745-52-40(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
3.	Has the generator obtained a U.S. EPA identification number? [3745-52-12]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Were annual reports filed with Ohio EPA on or before March 1 st ? [3745-52-41(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
5.	Are annual reports kept on file for at least 3 years? [3745-52-40(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
6.	Has the generator transported or caused to be transported hazardous waste to other than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
7.	Has the generator disposed of hazardous waste on-site without a permit or at another facility other than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E) & (F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
8.	Does the generator accumulate hazardous waste?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

9.	Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02 (E) & (F)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	---	---

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G) & (H).

10.	Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)]	
a.	Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
b.	Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
c.	Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
d.	Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

11.	Does the generator export hazardous waste? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Has the generator notified U.S. EPA of export activity? [3745-52-53(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Has the generator complied with special manifest requirements? [3745-52-54]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Has an annual report been submitted to U.S. EPA? [3745-52-56]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

[Facility Name/Inspection Date]
 [ID number]
 LQG/June 2008
 Page 1 of 1

e.	Are export related documents being maintained on-site? [3745-52-57(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
MANIFEST REQUIREMENTS		
12.	Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Have items (1) through (20) of each manifest been completed? [3745-52-20(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)]</i>		
14.	Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)].</i>		
15.	If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1) & (2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.</i>		
17.	If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
18.	If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
19.	Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.</i>		
PERSONNEL TRAINING		
20.	Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
21.	Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)(a-f)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
22.	Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
23.	Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
24.	Does the generator provide annual refresher training to employees? [3745-65-16(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
25.	Does the generator keep records and documentation of:	
a.	Job titles? [3745-65-16D(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

[Facility Name/Inspection Date]

[ID number]

LQG/June 2008

Page 2 of 2

b.	Job descriptions? [3745-65-16D(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Type and amount of training given to each person? [3745-65-16D(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Completed training or job experience required? [3745-65-16D(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
26.	Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained

CONTINGENCY PLAN

27.	Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
28.	Does the plan describe the following:	
a.	Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste? [3745-65-52(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
b.	Arrangements with emergency authorities? [3745-65-52(C)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
c.	A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
d.	A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
e.	An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the facility already has a "Spill Prevention, Control and Countermeasures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]

29.	Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53 (A) & (B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
30.	Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
31.	Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

EMERGENCY PROCEDURES

32.	Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Was the contingency plan implemented? [3745-65-51(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

b.	Did the facility follow the emergency procedures in 3745-65-56(A) through (H)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

PREPAREDNESS AND PREVENTION

33.	Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
34.	Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:	
a.	Internal communications or alarm system? [3745-65-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Emergency communication device? [3745-65-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Portable fire control, spill control and decon equipment? [3745-65-32(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Verify that the equipment is listed in the contingency plan.

35.	Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
36.	Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
37.	Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
38.	If there is only one employee on the premises, is there immediate access to a device (eg., phone, hand held two-way radio) capable of summoning external emergency assistance (unless not required under 3745-65-32)? [3745-65-34(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
39.	Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
40.	Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
41.	Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

SATELLITE ACCUMULATION AREA REQUIREMENTS

42.	Does the generator ensure that satellite accumulation area(s):	
a.	Are at or near a point of generation? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
f.	Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

[Facility Name/Inspection Date]

[ID number]

LQG/June 2008

Page 4 of 4

43.	Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded?[3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS

44.	Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
45.	Is the accumulation date on each container? [3745-52-34(A)(2)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
46.	Are hazardous wastes stored in containers which are:	
a.	Closed (except when adding/removing wastes)? [3745-66-73(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
b.	In good condition? [3745-66-71]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Compatible with wastes stored in them? [3745-66-72]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Handled in a manner which prevents rupture/leakage? [3745-66-73(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Record location on process summary sheets, photograph the area, and record on facility map.

47.	Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORC§1.44(A) "Week" means 7 consecutive days.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Are inspections recorded in a log or summary? [3745-66-74]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
48.	Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
49.	Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
50.	If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
51.	If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

52.	If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
-----	--	--

NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day

tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]

PRE-TRANSPORT REQUIREMENTS

53.	Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
54.	Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
55.	Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS		
Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more		
Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less		
PROHIBITIONS		
1.	Did the SQUWH dispose of universal waste? [3745-273-11(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
2.	Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
WASTE MANAGEMENT & LABELING/MARKING		
UNIVERSAL WASTE BATTERIES		
3.	Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
4.	If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
5.	Does the SQUWH conduct any of the following activities:	
	a. Sort batteries by type?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Mix battery types in one container?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Discharge batteries to remove the electric charge?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d. Regenerated used batteries?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	e. Disassemble them into individual batteries or cells?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	f. Remove batteries from consumer products?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	g. Remove the electrolyte from the battery?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
6.	If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
UNIVERSAL WASTE LAMPS		
8.	Does the SQUWH contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
9.	Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

[Facility Name/Inspection Date]

[ID Number]

	releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]	
10.	Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)"? [3745-273-14(E)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p>NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.</p>		
ACCUMULATION TIME		
11.	Is the waste accumulated for less than one year? [3745-273-15(A)] If not:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<p>NOTE: Accumulation is defined as date generated or date received from another handler.</p>		
12.	Is the length of time the universal waste is stored documented by <u>one</u> of the following: [3745-273-15(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
EMPLOYEE TRAINING		
13.	Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
RESPONSE TO RELEASES		
14.	Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the material released characterized? [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
OFF-SITE SHIPMENTS		
<p>NOTE: If a SQUWH self-transportes waste, then they must comply with the Universal Waste transporter requirements.</p>		
17.	Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

[Facility Name/Inspection Date]
[ID Number]

NOTE: SQUWHs are prohibited to send waste to any other facility.		
18.	If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
19.	Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
20.	If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do <u>one of the following</u> :	
	a. Receive the waste back? [3745-273-18(E)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Agree to where the shipment will be sent? [3745-273-18(E)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
21.	If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss <u>one of the following</u> :	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. Sending the waste back to the originating handler? [3745-273-18(F)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
22.	If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
23.	If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
EXPORTS		
24.	Is waste being sent to a foreign destination? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

[Facility Name/Inspection Date]

[ID Number]



11-11-11

**USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

PROHIBITIONS

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: For example, used oil contaminated scrap metal stored in a pile.

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., If generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Stopped the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Contained the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

ON-SITE BURNING IN SPACE HEATER

10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).

GENERATOR TRANSPORTATION

11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).

COLLECTION CENTERS AND AGGREGATION POINTS

13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.