



State of Ohio Environmental Protection Agency

Southwest District Office

401 E. Fifth St.
Dayton, Ohio 45402

TELE: (937) 285-6357 FAX: (937) 285-6249
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

Kautex Textron - General
010 CA
File
~~Case~~

January 30, 2009

Kautex Textron
Caryl Marvin
474 S. Nelson Avenue
Wilmington, Ohio 45177

RE: Return to Compliance – OHD004254983

Dear Ms. Marvin:

Thank you for your January 29, 2009, response to Ohio EPA's January 13, 2009, Notice of Violation letter. The documentation you submitted included training records, an updated contingency plan, and inspection records. My review of this documentation reveals that Kautex Textron has adequately demonstrated abatement of the following violations discovered during the November 24, 2008 and January 5, 2009, inspections:

1. Personnel Training, OAC 3745-65-16(C)
2. Content of contingency plan, OAC 3745-65-52(A), (C), and (F)
3. Testing and maintenance of equipment, OAC 3745-65-33
4. Inspections, OAC 3745-66-74

If you have any questions please call me at (937) 285-6093.

Sincerely,

Cathy L. Altman
Division of Hazardous Waste Management

cc: Dinah Crawford, DHWM-SWDO/SWDO File

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.





2302

Cessation of Regulated Operations

NOV

CLINTON

KAUTEX INC. D/B/A KAUTEX TEXTRON



State of Ohio Environmental Protection Agency

Southwest District Office

401 E. Fifth St.
Dayton, Ohio 45402

TELE: (937) 285-6357 FAX: (937) 285-6249
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

CRO
Kautex Textron

October 27, 2009

Ms. Caryl Marvin
Kautex Textron
474 S. Nelson Avenue
Wilmington, Ohio 45177

RE: Cessation of Regulated Operations – Kautex Textron
474 S. Nelson Avenue, Wilmington, Ohio
OHD004254983

Dear Ms. Marvin:

Thank you for assisting me on my October 26, 2009, inspection of Kautex Textron's Wilmington, Ohio facility. The purpose of the inspection was to determine Kautex Textron's compliance with Ohio's Cessation of Regulated Operations (CRO) laws and rules as found under Chapter 3752 of the Ohio Revised Code (ORC) and Chapter 3745-352 of the Ohio Administrative Code (OAC). The inspection included a walk-through of the facility and the inspection of remaining stationary items. Based on the inspection, Ohio EPA has determined that Kautex Textron has violated the following State CRO regulations:

1. **ORC 3752.07 Securing building, structure or outdoor location against unauthorized entry, OAC 3745-352-30(B), Posting warning signs:** You must post warning signs in publicly visible locations about each building or structure and each outdoor location of operation. Minimally, you must post warning signs at all facility access locations. You must have enough warning signs to alert persons that the building, structure, or outdoor location contains or is contaminated with regulated substances. These warning signs must prohibit trespassing and state: "The building, structure or outdoor location of operation contains or is contaminated with regulated substances that may endanger public health or safety if released into the environment."

Kautex Textron had no trespassing signs but did not have signs with the above required wording. **Therefore, Kautex Textron is in violation of ORC 3752.07 and OAC 3745-352-30(B).**



According to OAC 3745-352-20(A)(1)(b), Kautex Textron must secure the facility in accordance with OAC 3745-352-30 until you have performed the measures required under paragraphs (A)(2)(d) to (A)(2)(f) of this rule and the director has verified your compliance and has concurred with your certification made under paragraph (A)(2)(g) of this rule.

During my inspection on October 26, 2009, I determined that Kautex Textron performed the measures required under paragraphs (A)(2)(d) to (A)(2)(f), verified your compliance with paragraphs (A)(2)(d) to (A)(2)(f), and concurred with your certifications made under paragraph (A)(2)(g) of OAC 3745-252-20. Kautex Textron is no longer required to provide the security described above. **Therefore, Kautex Textron is no longer in violation of ORC 3752.07 and OAC 3745-352-30(B).**

To deactivate Kautex Textron's hazardous waste ID number, please send a letter to Kristina Durnell requesting the deactivation of the number. In the letter include Kautex Textron's ID number and the name of the site. You can send the letter to Ms. Durnell at the following address:

Ohio EPA, Division of Hazardous Waste Management
P.O. Box 1049
Columbus, Ohio 43216-1049

Enclosed please find a copy of the checklist completed during the inspection. If you have any questions, please call me at (937) 285-6093.

Sincerely,



Cathy L. Altman
Division of Hazardous Waste Management

cc: DHWM Data Entry/Facility File
Michael Jones, Clinton County Emergency Mangement

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.



State of Ohio Environmental Protection Agency

Southwest District Office

401 E. Fifth St.
Dayton, Ohio 45402

TELE: (937) 285-6357 FAX: (937) 285-6249
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

October 27, 2009

Ms. Caryl Marvin
Kautex Textron
474 S. Nelson Avenue
Wilmington, Ohio 45177

RE: Cessation of Regulated Operations – Kautex Textron
474 S. Nelson Avenue, Wilmington, Ohio
OHD004254983

Dear Ms. Marvin:

Thank you for assisting me on my October 26, 2009, inspection of Kautex Textron's Wilmington, Ohio facility. The purpose of the inspection was to determine Kautex Textron's compliance with Ohio's Cessation of Regulated Operations (CRO) laws and rules as found under Chapter 3752 of the Ohio Revised Code (ORC) and Chapter 3745-352 of the Ohio Administrative Code (OAC). The inspection included a walk-through of the facility and the inspection of remaining stationary items. Based on the inspection, Ohio EPA has determined that Kautex Textron has violated the following State CRO regulations:

1. **ORC 3752.07 Securing building, structure or outdoor location against unauthorized entry, OAC 3745-352-30(B), Posting warning signs:** You must post warning signs in publicly visible locations about each building or structure and each outdoor location of operation. Minimally, you must post warning signs at all facility access locations. You must have enough warning signs to alert persons that the building, structure, or outdoor location contains or is contaminated with regulated substances. These warning signs must prohibit trespassing and state: "The building, structure or outdoor location of operation contains or is contaminated with regulated substances that may endanger public health or safety if released into the environment."

Kautex Textron had no trespassing signs but did not have signs with the above required wording. **Therefore, Kautex Textron is in violation of ORC 3752.07 and OAC 3745-352-30(B).**

PERMANENT CESSATION OF REGULATED OPERATIONS CHECKLIST

INSPECTION INFORMATION			
NAME		AFFILIATION	PHONE NUMBER
Inspectors:	Cathy Altman	Ohio EPA	(937) 285-6093
Inspection Dates:	October 26, 2009	Time(s):	9:00
Inspection Announced?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	If so, how much advance notice given?	Two weeks
Facility: Rep(s)	Caryl Marvin, Kautex Textron		

30-DAY REQUIREMENTS

1.	Did the owner/operator of the reporting facility submit a notice of the cessation of all regulated operations (CRO) on a form prescribed by the Director to the following within 30 days of CRO: [ORC 3752.04 and OAC rule 3745-352-20(A)(1)(a)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Director of Ohio EPA?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Local Emergency Planning Committee?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Local Fire Department?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
2.	Did the owner/operator designate a contact person? [ORC §3752.05 and OAC rule 3745-352-20(A)(1)(c)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
3.	Did the owner/operator include the following information about the contact person: [ORC §3752.05(B) and OAC rule 3745-352-35(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Address of principal office of the owner/operator?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Business or residence address?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Telephone number of contact person?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Has the contact person changed? [ORC §3752.05(C) and OAC rule 3745-352-35(D)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
5.	If the contact person changed his/her address or telephone numbers, did the owner/operator or contact person provide the Director with the new address or telephone number? [ORC §3752.05(D) and OAC rule 3745-352-35(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: The owner/operator is also required to secure the facility and post warning signs within 30 days of CRO.

90-DAY REQUIREMENTS [ORC §3752.06]

6.	Did the owner/operator make a written certification to Ohio EPA's Director concerning the completion of the removal action within 90 days after CRO? [ORC §3752.06(A)(6) and OAC rule 3745-352-20(A)(2)(g)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: The owner/operator may receive approval from the Director to extend the 90-day period. [ORC §3752.06(B) and OAC rule 3745-352-20(A)(3)].</i>		
7.	Does the owner/operator hold a valid hazardous waste facility installation and operation permit or renewal permit or has obtained a generator identification number issued under the state's hazardous waste program? [ORC §3752.06(C) and OAC rule 3745-352-20(A)(2)(h)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

Kautex Textron/October 26, 2009
OHD004254983

8.	Did the owner/operator submit to the Director a copy of the most recent emergency and hazardous chemical inventory form that was submitted to the State Emergency Response Commission (SERC), including a statement indicating whether any asbestos-containing materials are present at the facility? [ORC §3752.06(A)(1) and OAC rule 3745-352-20(A)(2)(a)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Did the owner/operator submit to the Director a copy of the current hazardous chemical list or each material safety data sheet that the owner/operator is required to have on file with the SERC? [ORC §3752.06(A)(2) and OAC rule 3745-352-20(A)(2)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	Did the owner/operator submit a list of every stationary tank, vat, electrical transformer, and vessel of any type that contains or is contaminated with regulated substances and that is to remain at the facility? [ORC §3752.06(A)(3) and OAC rule 3745-352-20(A)(2)(c)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
11.	Did the owner/operator drain or remove all regulated substances from each stationary tank, vat, electrical transformer, and vessel and from all piping, which is to remain at the facility? [ORC §3752.06(A)(4) and OAC rule 3745-352-20(A)(2)(d)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	Did the owner/operator do the following:	
	a. Transfer the regulated substances to another facility owned or operated by the owner/operator? [ORC §3752.06(A)(4)(a) and OAC rule 3745-352-20(A)(2)(d)(i)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
OR		
	b. Transfer ownership of the regulated substances to another person through sale or otherwise? [ORC §3752.06(A)(4)(b) and OAC rule 3745-352-20(A)(2)(d)(ii)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
OR		
	c. Transfer the regulated substances off-site in compliance with applicable waste management laws? [ORC §3752.06(A)(4)(c) and OAC rule 3745-352-20(A)(2)(d)(iii)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Did the owner/operator remove from the facility all debris, non-stationary equipment and furnishings, non-stationary containers, and motor vehicles and rolling stock that contain or are contaminated with a regulated substance? [ORC §3752.06(A)(5) and OAC rule 3745-352-20(A)(2)(d)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
14.	Did the owner/operator do the following:	
	a. Transfer the debris, equipment, furnishings, containers, and motor vehicles and rolling stock to another facility owned and operated by the owner/operator? [ORC §3752.06(A)(5)(a) and OAC rule 3745-352-20(A)(2)(d)(i)].	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
OR		
	b. Transfer ownership of the debris, equipment, furnishings, containers, and motor vehicles, and rolling stock to another person through sale or otherwise? [ORC §3752.06(A)(5)(b) and OAC rule 3745-352-20(A)(2)(d)(ii)].	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
OR		
	c. Cause the debris, equipment, furnishings, and containers to be transported off-site in compliance with applicable waste management laws and regulations? [ORC §3752.06(A)(5)(c) and OAC rule 3745-352-20(A)(2)(d)(iii)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
15.	Did the owner/operator record in a log the standard industrial method used to remove the regulated substance from each item?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

Kautex Textron/October 26, 2009

OHD004254983

Owner/Operator Permanent Cessation Checklist/November 2008

Page 2 of 4

SECURITY & WARNING SIGNS REQUIREMENTS OF OWNER/OPERATOR [ORC §3752.07 AND OAC RULE 3745-352-30]

16.	Did the owner/operator secure the facility against unauthorized entry using one or more of the following as provided in OAC rule 3745-352-30(A)(1)-(5) within 30 days of CRO?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Boarded, locked or used other means to secure all windows, doors and other potential means of entry?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Fencing?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Lighting and a surveillance system?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Guard or security service?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	Demonstrated to the satisfaction of the Director or his/her designee that the proposed security measures secure against unauthorized entry?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
17.	Did the owner/operator post the appropriate warning signs in the following fashion within 30 days of CRO? [ORC §3752.07(A) and OAC rule 3745-352-30(B)]:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Prohibit trespassing and state: "The building, structure, or outdoor location of operations contains or is contaminated with regulated substances that may endanger public health or safety if released into the environment." [OAC rule 3745-352-30(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
b.	Are warning signs posted on or reasonable proximate to, the building, structure or outdoor location in sufficient number to alert people? [OAC rule 3745-352-30(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Posted on or reasonably proximate to, locations that contains ignitable regulated substances and includes the language, "No Smoking?" [OAC rule 3745-352-30(B)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Legible from a distance of at least 25 feet? [OAC rule 3745-352-30(B)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	Constructed to withstand weather and affixed to secure against removal? [OAC rule 3745-352-30(B)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
18.	Are entry barrier and warning signs maintained to secure against unauthorized entry by the following measures listed below: [OAC rule 3745-352-30(C)]	
a.	Inspected weekly or as agreed by the Director or his/her designee, county sheriff's department or local police department? [OAC rule 3745-352-30(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	The condition is recorded in an inspection log? [OAC rule 3745-352-30(C)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Prompt repair or replacement after discovery of damage, lost or removed? [OAC rule 3745-352-30(C)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

ADDITIONAL MULTI-MEDIA QUESTIONS

If the owner/operator holds a valid hazardous waste installation and operation permit or renewal permit or has obtained a generator identification number issued under the state's hazardous waste program, the following four questions may apply.

19.	If the facility has an U.S. EPA I.D. number, has the owner/operator submitted a deactivation request letter?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
		Kautex will be submitting a letter

NOTE: The inspector should submit a copy of the final CRO letter to Central Office's Regulatory and Information Services Section for I.D. deactivation. If the facility continues to need its I.D. number, the inspector should instruct the owner/operator to submit a deactivation request letter once the I.D. is no longer needed.

20.	Were there any <90 day accumulation units for hazardous waste?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	List Where Unit(s) Were/Are: Coating oven building	
21.	Did the owner/operator close his facility in a manner that: [OAC 3745-66-11]	
	a. Minimizes the need for further maintenance?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. Controls, minimizes, or eliminates, to the extent necessary to protect human health and the environment, post-closure escape of hazardous waste, hazardous constituents, leachate contaminated run-off, or hazardous waste decomposition products to the groundwater, or surface waters, or to the atmosphere?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. Complies with the closure requirements of OAC rules 3745-66-10 to 3745-66-20, 3745-66-97, 3745-67-28, 3745-67-58, 3745-67-80, 3745-68-10, 3745-68-51, 3745-68-81 and 3745-69-04?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
22.	During the partial and final closure periods, were all contaminated equipment, structures, and soil properly disposed or decontaminated unless otherwise specified in OAC rules 3745-66-97, 3745-67-28, 3745-67-58, 3745-67-80 or 3745-68-10?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p><i>NOTE: If necessary, the inspector should supply the owner/operator with the requirements for generator closure and inform them they must close all unit(s) and have documentation that closure was completed (LQGs only) A thorough hazardous waste inspection should be conducted for a subject TSD facility with more stringent requirements.</i> http://www.epa.state.oh.us/dhwm/guidancedocs.html#closure</p>		
	a. Were generated hazardous wastes handled in accordance with all applicable requirements of Chapter 3745-52 of the Administrative Code?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
23.	Will there be building demolition or renovation? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	Has a <i>Notification of Demolition and Renovation Form</i> been submitted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<p><i>NOTE: Facility demolition work (even partial demolition) requires notification to Ohio EPA or local air agency regardless of whether asbestos is involved as required by the National Emission Standard for Hazardous Air Pollutants (NESHAPS) Standard for Asbestos. Notification requirements are found in OAC 3745-20-03 and 40 CFR §61.145(b). The notification form is available from Ohio EPA's web page at</i> http://www.epa.state.oh.us/dapc/atu/asbestos/asbestos.html</p> <p><i>The inspector should check with DAPC or local air authority to determine if a notification form has been submitted. If notification was not submitted, the inspector should provide the form to the facility.</i></p>		
24.	Are there any wells on the property?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	If yes, where are the wells?	
	What are the wells used for?	
<p><i>NOTE: If a well is used for drinking water, the inspector should inform DDAGW.</i></p>		
25.	Is there open dumping of solid waste on the property?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
<p><i>NOTE: The inspector should inform DSIWM about open dumping of solid waste.</i></p>		