



State of Ohio Environmental Protection Agency

Southwest District

401 East Fifth Street
Dayton, Ohio 45402-2911

TELE: (937)285-6357 FAX: (937)255-6249
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

September 25, 2008

Mr. Daniel J. McCabe
Environmental Enterprises, Inc.
4650 Spring Grove Ave.
Cincinnati, Ohio 45232

**Re: Compliance Evaluation Inspection
Notice of Violation and Return to Compliance
Environmental Enterprises, Inc.
US EPA ID # OHD083377010
Ohio ID # 05-31-466**

Dear Mr. McCabe:

On September 23 and 24, 2008, Ohio Environmental Protection Agency (OEPA) conducted a Compliance Evaluation Inspection at Environmental Enterprises, Inc. (EEI) located at 4650 Spring Grove Avenue, in Cincinnati, Ohio. OEPA inspectors present were Jeff Stark and myself. The purpose of the inspection was to determine compliance with Ohio's environmental laws as found in Chapter 3734 of the Ohio Revised Code and Chapter 3745 of the Ohio Administrative Code (OAC) and specific terms and conditions set forth in your State of Ohio Hazardous Waste Facility Installation and Operation Permit.

The following violation was documented as a result of the inspection.

Violation and Return to Compliance

- 1) Part B Permit Application Section D.1a(2)
(ORC 3734.11, Permit Condition A.1.(a))

All containers of wastes entering the facility are labeled with a completed hazardous, non-hazardous or non-regulated waste label. Once the wastes have been accepted into the facility, a pre-numbered "Hazardous Waste Control Ticket" or bar code label is placed on each container. This record provides necessary information to enable EEI to manage and track the waste.

During the inspection, 1-55 gallon drum was observed in the main building Area 5 without a bar code label in violation of this Permit Application condition. The drum contained Ammonium Nitrate, Hydroxyacetic Acid, Inv 08-07543 and was assigned

Mr. Daniel J. McCabe
September 29, 2008
Page 2

hazardous codes D001, D007, D008. The drum was labeled at the time of the inspection and therefore, Environmental Enterprises is **Returned to Compliance**.

No other violations were found. The inspection checklists are enclosed. I appreciate your working with me on the inspection. If you have any questions, I can be reached directly at (937) 285-6594.

Sincerely,



Thomas E. Koch
Division of Hazardous Waste Management

cc: Dinah Crawford, SWDO-DHWM/SWDO File

Enclosures: Inspection Checklist(s)

TEK/rf

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Table of Contents

GENERAL PERMIT COMPLIANCE AND ACTIVITIES.....	<u>1</u>
PERMIT MODIFICATION, REVISION, REVOCATION	<u>3</u>
SITE ENTRY - AVAILABILITY OF RECORDS	<u>5</u>
RECORDKEEPING/OPERATING REQUIREMENTS.....	<u>6</u>
OPERATING RECORD.....	<u>6</u>
DOCUMENTS TO BE MAINTAINED AT FACILITY.....	<u>7</u>
ANNUAL REPORT REQUIREMENT	<u>8</u>
SAMPLING/MONITORING RECORDKEEPING REQUIREMENTS.....	<u>8</u>
WASTE MINIMIZATION REQUIREMENTS.....	<u>9</u>
GROUND WATER MONITORING.....	<u>10</u>
WASTE ACCEPTANCE AND GENERATION	<u>10</u>
OFF-SITE SHIPMENTS/MANIFEST REQUIREMENTS.....	<u>11</u>
WASTE ANALYSIS/WASTE ANALYSIS PLAN	<u>13</u>
GENERAL INSPECTION REQUIREMENTS	<u>14</u>
SECURITY REQUIREMENTS	<u>16</u>
FACILITY OPERATIONS	<u>16</u>
PERSONNEL TRAINING	<u>17</u>
REQUIRED EQUIPMENT	<u>18</u>
CONTINGENCY PLAN - EMERGENCY PROCEDURES.....	<u>19</u>
EMERGENCY COORDINATOR.....	<u>20</u>
IMPLEMENTATION OF CONTINGENCY PLAN	<u>22</u>
CLOSURE REQUIREMENTS	<u>24</u>
POST-CLOSURE MAINTENANCE.....	<u>25</u>
STORAGE OF HAZARDOUS WASTES IN CONTAINERS.....	<u>26</u>
CONDITION OF CONTAINERS.....	<u>26</u>
INSPECTIONS	<u>27</u>
CONTAINMENT SYSTEM	<u>27</u>
AISLE SPACE	<u>28</u>
LAND DISPOSAL RESTRICTION REQUIREMENTS	<u>28</u>
CORRECTIVE ACTION	<u>29</u>

GENERAL PERMIT COMPLIANCE AND ACTIVITIES

1. Has the expiration date of the permit passed? If so: Yes No N/A RMK#
- a. Is the permittee continuing any activity regulated by the permit after the expiration date of the permit? Yes No N/A RMK#
- b. Has the facility submitted an application for a permit renewal to the director no later than 180 days prior to the expiration date of the permit? [Condition A.6] Yes No N/A RMK#
2. Has the permittee submitted the annual permit fee, payable to "Treasurer, State of Ohio," to Ohio EPA on or before the anniversary of the date of issuance during the term of the permit? [Condition A.26] Yes No N/A RMK#
3. Is the permittee conducting any hazardous waste management activities (not otherwise exempt by law) which are not authorized by the permit? [Conditions A.1(b) and A.5] Yes No N/A RMK#
4. Have any provisions of the permit been identified as invalid? [Condition A.4] Yes No N/A RMK#
5. Has the facility identified any instances of noncompliance with the permit, ORC Chapter 3734, or the rules adopted thereunder, which may endanger human health or the environment? If so: Yes No N/A RMK#
- a. Did the facility immediately report the following to Ohio EPA's Emergency Response Unit? [Condition A.20]

I. Information concerning a release of any hazardous waste that may cause an endangerment to public drinking water supplies; and

Yes ___ No N/A RMK#

ii. Information concerning a release of hazardous waste, fire or explosion at the facility which could threaten human health or the environment outside the facility including a description of:

Yes ___ No N/A RMK#

A. Name, address and telephone number of the owner/operator?

Yes ___ No N/A RMK#

B. Name, address and telephone number of the facility?

Yes ___ No N/A RMK#

C. Name and quantity of material(s) involved?

Yes ___ No N/A RMK#

D. The extent of injuries, if any?

Yes ___ No N/A RMK#

E. An assessment of the actual or potential hazard to the environment and human health outside the facility?

Yes ___ No N/A RMK#

F. Estimated quantity and disposition of recovered material that resulted from the incident?

Yes ___ No N/A RMK#

6. Did the permittee provide a written report to Ohio EPA's Emergency Response Unit and DHWM within five days of becoming aware of the circumstances reported in Questions No. 5? If so, did the report contain: [Condition A.21]

Yes ___ No N/A RMK#

a. A description of the noncompliance and its cause (including exact dates and times)?

Yes ___ No N/A RMK#

b. Whether the noncompliance has been corrected and if not, the anticipated time noncompliance is expected to continue? and

Yes ___ No N/A RMK#

c. Steps taken or planned to minimize the impact on the environment and to reduce, eliminate and prevent recurrence of the noncompliance?

Yes ___ No N/A RMK#

NOTE: The permittee need not comply with the five day written report requirement if the director, upon good cause shown by the permittee, waives that requirement and the permittee submits a written report within 15 days of the time the permittee became aware of the circumstances. [Condition A.21].

7. Has the permittee identified other instances of noncompliance not provided for in Condition A.22, if so: Yes ___ No N/A RMK#
- a. Did the permittee report these instances to Ohio EPA, DHWM? [Condition A.22]? Yes ___ No N/A RMK#
- b. Do the reports provided contain the information set forth in Condition A.20? [Condition A.20] Yes ___ No N/A RMK#
- c. Has the permittee taken all steps necessary to minimize releases to the environment or prevent any adverse impact on human health or the environment? [Condition A.8] Yes ___ No N/A RMK#
8. Has the permittee planned any changes in the permitted facility or activity which may result in noncompliance with the conditions of the permit?: Yes ___ No N/A ___ RMK#
- a. If so, has the facility provided Ohio EPA with advance notice of such changes? [Condition A.17] Yes ___ No N/A RMK#
- NOTE:** Such notification does not waive the permittee's duty to comply with the permit. [Condition A.17]
9. Has the permittee become aware that it failed to submit any relevant facts in the permit or issuance proceedings or that it submitted incorrect or incomplete information in permit issuance proceedings or other submissions to Ohio EPA or the Hazardous Waste Facility Board (HWFB)? If so: Yes ___ No N/A ___ RMK#
- a. Has the permittee properly submitted such facts or corrected information to the appropriate entity? [Condition A.23] Yes ___ No N/A RMK#

PERMIT MODIFICATION, REVISION, REVOCATION

10. Has the permittee filed a request for a permit modification, revision or revocation since permit issuance? [Condition A.2] Yes No N/A RMK#
11. Has the permit, been transferred to a new owner/operator? If so: Yes No N/A RMK#
- a. Has the transfer been conducted in accordance with ORC Chapter 3734. and the rules adopted thereunder which includes the permittee notifying the new owner in writing of the requirements of ORC Chapter 3734. and the rules adopted thereunder and the applicable Ohio hazardous waste rules before transferring ownership? [Condition A.18] Yes No N/A RMK#
12. Has the permittee submitted reports in any compliance schedule of the permit to Ohio EPA no later than 14 days following each scheduled date, unless otherwise specified? [Condition A.19] Yes No N/A RMK#
13. Has the permittee furnished relevant information which Ohio EPA has requested to determine whether cause exists for modifying, revising, revoking or suspending the permit, to determine compliance with the permit? [Condition A.10] Yes No N/A RMK#
14. Has the facility furnished Ohio EPA, upon request, with copies of records required to be kept by the permit? [Condition A.10] Yes No N/A RMK#
15. Is the permittee maintaining records of all data used to complete the application and any amendments, revisions or modifications to the application? [Condition A.14(c)] Yes No N/A RMK#
16. Is the permittee retaining a complete copy of the approved application on-site? [Condition A.14(c)] Yes No N/A RMK#
17. Is the permittee planning any physical alterations or additions to any permitted portions of the facility? If so: Yes No N/A RMK#
- a. Has the permittee given notice to the director of such alterations/additions? [Condition A.15] Yes No N/A RMK#

SITE ENTRY - AVAILABILITY OF RECORDS

18. As specified in Condition A.11, has the permittee allowed the director or an authorized representative, upon proper identification to:

a. Enter at reasonable times upon the premises where a regulated activity is located or where records are kept under the conditions of the permit?

Yes No N/A ___ RMK#

b. Have access to and copy, at reasonable times, any records required to be kept under the conditions of the permit?

Yes No N/A ___ RMK#

c. Inspect, at any time, facilities, equipment (including control and monitoring equipment), practices or other operations regulated under the conditions of the permit?

Yes No N/A ___ RMK#

d. Sample, document, photograph or monitor, at reasonable times, any substances or parameter at the location of the facility to assure compliance with the permit or as otherwise authorized by ORC Chapter 3734. and the rules adopted thereunder?

Yes No N/A ___ RMK#

INSPECTION ITEMS FROM PART B APPLICATION

Note: *The inspector or permit writer may add questions pertaining to the permittee's application, as appropriate.*

REMARKS

RECORDKEEPING/OPERATING REQUIREMENTS

OPERATING RECORD

1. In accordance with OAC rules 3745-54-73 and 3745-54-74 and Condition B.20 of the permit, does the permittee maintain an Operating Record which contains the following information:
- a. A description of the quantity of each hazardous waste and the method(s) and date(s) of its treatment or storage? Yes No N/A ___ RMK#
 - b. The location of each hazardous waste and quantity at each location including cross-reference to specific manifest numbers? Yes No N/A ___ RMK#
 - c. Records and results of required waste analysis? Yes No N/A ___ RMK#
 - d. Summary reports and details of all incidents that required implementation of the contingency plan? Yes No N/A ___ RMK#
 - e. Records and results of required inspections? Yes No N/A ___ RMK#
 - f. Documents required to be maintained by LDR requirements of OAC Chapter 3745-270? Yes No N/A ___ RMK#
 - g. Monitoring, testing, or analytical data, and corrective action where required, from groundwater monitoring and required monitoring of surface impoundments, landfills, waste piles and land treatment units? [3745-54-73(B)(6)] Yes No N/A ___ RMK#
 - h. **For disposal facilities**, location and quantity of each hazardous waste record on a facility map and cross-references to manifest document numbers? [3745-54-73(B)(2)] Yes No N/A ___ RMK#

DOCUMENTS TO BE MAINTAINED AT FACILITY

2. In accordance with Condition A.28 of the permit, is the permittee maintaining the following documents at the facility:

- a. Waste analysis plan in accordance with OAC rule 3745-54-13? Yes No N/A ___ RMK#
- b. Contingency plan in accordance with OAC rule 3745-54-53? Yes No N/A ___ RMK#
- c. Closure plan in accordance with OAC rule 3745-55-12? Yes No N/A ___ RMK#
- d. Cost estimate for facility closure in accordance with OAC rule 3745-55-42? (Estimate only - adequacy will be evaluated by CO financial assurance personnel) [Condition B.35] Yes No N/A ___ RMK#
- e. Personnel training plan and records required by OAC rule 3745-54-16? [Condition B.6] Yes No N/A ___ RMK#
- f. Inspection schedules developed in accordance with OAC rules 3745-54-15, 3745-55-74 and 3745-55-95? [Condition B.5] Yes No N/A ___ RMK#
- g. Operating record in accordance with OAC rule 3745-54-73? [Condition A.28(a)(vi)] Yes No N/A ___ RMK#
- h. Post-closure plan, as required by OAC rule 3745-55-18(A)? Yes No N/A ___ RMK#
- i. Annually-adjusted cost estimate for facility closure and post-closure, as required by OAC rules 3745-55-42 and 3745-55-44? [Condition A.28(a)(viii)] Yes No N/A ___ RMK#

3. Is the permittee maintaining copies of all inspection logs at the facility for a period of at least three years from date of inspection? [Condition B.5]

Yes No N/A ___ RMK#

4. Have any of the documents in Question No. 2 been revised? [Condition A.15] If so:

Yes No ___ N/A ___ RMK#

a. Has the permittee submitted the revisions to Ohio EPA in accordance with OAC rule 3745-50-51?

Yes No N/A ___ RMK#

b. Have all requirements of OAC rule 3745-50-51 been met, including, where required, Ohio EPA approval?

Yes No N/A ___ RMK#

ANNUAL REPORT REQUIREMENT

5. Is the permittee complying with annual report requirements set forth in OAC rule 3745-54-75 and the additional report requirements set forth in OAC rule 3745-54-77? [Condition B.24]

Yes No N/A ___ RMK#

SAMPLING/MONITORING RECORDKEEPING REQUIREMENTS

6. In compliance with Condition A.12(b) of the permit, do the permittee's records of monitoring information specify the:

a. Date(s), exact place(s), time(s) and method(s) of sampling or measurement?

Yes No N/A ___ RMK#

b. Individual(s) who performed the sampling or measurement?

Yes No N/A ___ RMK#

c. Date(s) analyses were performed?

Yes No N/A ___ RMK#

d. Individual(s) who performed the analyses?

Yes No N/A ___ RMK#

e. Analytical technique(s) or method(s) used?

Yes No N/A ___ RMK#

f. Results of such analyses?

Yes No N/A RMK#

7. Have the methods used to obtain a representative sample of the waste to be analyzed included the appropriate SW-846 method or an equivalent method specified in the approved waste analysis plan? [Condition 12(a)]

Yes No N/A RMK#

8. In accordance with Condition A.14 of the permit, is the permittee retaining records of monitoring information as required by the permit for at least three years from the date of sampling, including:

a. All calibration and maintenance records.

Yes No N/A RMK#

9. Has Ohio EPA requested submittal of any reports or other information from the permittee? If so:

Yes No N/A RMK#

a. Have the submittals been signed and certified according to OAC rule 3745-50-42? [Condition A.13]

Yes No N/A RMK#

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.

REMARKS

WASTE MINIMIZATION REQUIREMENTS

1. Does the permittee certify at least once every year that a program is in place to reduce the volume and toxicity of hazardous waste generated in accordance with Condition A.29(a) and OAC rule 3745-54-73?

Yes No N/A RMK#

2. Did the permittee submit the waste minimization report to Ohio EPA, OCAPP and SWDO-DHWM within 180 days of journalization of this permit? and updates biennially thereafter? [Condition A.29(c)]

Yes No N/A RMK#

3. Has the permittee reduced the amount of waste (hazardous waste, solid waste, air emission, waste water discharges, etc.) this year generated at their facility by implementing pollution prevention/waste minimization?

Yes No N/A RMK#

If so, what amount of waste has the permittee reduced this year? _____

4. Has the permittee's company saved much money this year by implementing pollution prevention (reducing raw material usage, disposal fees, energy savings, etc.)?

Yes No N/A RMK#

If so, how much money has the permittee's company saved this year? _____

NOTE: If this facility is inspected two times a year, the information obtained in questions 3 & 4 only needs to be collected one time for the calendar year.

REMARKS

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.

REMARKS

WASTE ACCEPTANCE AND GENERATION

1. Is the permittee storing any containers of hazardous waste received from any off-site source that permittee is not permitted to store? [Condition A.1.]

Yes ___ No N/A ___ RMK#

2. Has the permittee arranged to receive hazardous waste from a foreign or off-site source that the permittee is not permitted to store? [Condition A.1.]

Yes No N/A ___ RMK#

3. Has the permittee notified the director at least four weeks prior to the date the permittee expects to receive hazardous waste from a foreign source, as required by OAC rule 3745-54-12(A)? [Condition B.2(a)]

Yes ___ No N/A RMK#

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.

REMARKS

OFF-SITE SHIPMENTS/MANIFEST REQUIREMENTS

1. Is the permittee complying with the following manifest requirements set forth in OAC Chapter 3745-52 and OAC rules 3745-54-70, 3745-54-71, 3745-54-72 and 3745-54-76:

- a. All hazardous wastes shipped off-site have been accompanied by a completed manifest, U.S. EPA Form 8700-22 and, if necessary, U.S. EPA Form 8700-22A in compliance with OAC rule 3745-52-20(A)?

Yes No N/A ___ RMK#

b. The manifest form used contains all information required by OAC rule 3745-52-20 and the minimum number of copies required by OAC rule 3745-52-22?

Yes No N/A ___ RMK#

c. The permittee has designated at least one permitted disposal facility and has/will designate an alternate facility or instructions to return waste in compliance with OAC rule 3745-52-20(B)(C)(D)?

Yes No N/A ___ RMK#

d. Prepared manifests have been signed by the permittee and initial transporter in compliance with OAC rule 3745-52-23?

Yes No N/A ___ RMK#

2. As a permittee that generates hazardous waste, are signed copies of all hazardous waste manifests and any documentation required for exception reports retained for at least three years at the facility as required by OAC rules 3745-52-40 and 3745-54-71(A)(5)?

Yes No N/A ___ RMK#

NOTE: If the permittee is generating hazardous waste, remember to attach a complete generator checklist.

3. Does the permittee use only properly registered transporters when removing hazardous wastes? [Condition A.16]

Yes No N/A ___ RMK#

Transporters:

4. Does the permittee give one copy of the manifest to the transporter, send one copy to the generator within 30 days, and keep one copy for at least three years? [3745-54-71(A)]

Yes No N/A ___ RMK#

a. If shipping papers are used in lieu of manifests (bulk shipments, etc.), are the same requirements met? [3745-54-71(B)]

Yes No N/A ___ RMK#

- b. Are any significant discrepancies in the manifest, as defined in 3745-54-72(A) noted in writing on the manifest document? Yes No N/A ___ RMK#
5. Have any manifest discrepancies been reconciled within 15 days as required by 3745-54-72(B)? If not: Yes No N/A ___ RMK#
- a. Has the owner/operator submitted the required information to the director? Yes No N/A ___ RMK#
6. If the facility has accepted any unmanifested hazardous wastes from off-site sources for treatment, storage, or disposal, has an unmanifested waste report containing all the information required by 3745-54-76(A) been submitted to the director within 15 days? Yes No N/A ___ RMK#

WASTE ANALYSIS/WASTE ANALYSIS PLAN

1. Does the permittee have a detailed chemical and physical analysis of waste streams which contains all information of the waste in accordance with OAC Chapters 3745-54 to 3745-57, 3745-218 and 3745-270 and the terms and conditions of the permit? [Condition B.3] Yes No N/A ___ RMK#
2. Does the permittee follow the procedures described in the WAP (Application ___)? [Condition B.3] Yes No N/A ___ RMK#
3. In accordance with OAC rule 3745-54-13(A)(3), does the permittee repeat the waste analysis when the process or operation generating the hazardous waste has changed, or at least annually? [Condition B.3] Yes No N/A ___ RMK#
4. **FOR OFF-SITE FACILITIES:** Are the sampling methods and procedures specified in the permittee's WAP that will be used to inspect and, if necessary, analyze each movement of hazardous waste received at the facility to ensure that it matches the identification of the waste on the manifest [3745-54-13(c)]? Yes No N/A ___ RMK#

5. **Where applicable:** The methods which will be used to meet additional waste analysis requirements for specific waste management methods specified in rules 3745-54-17, 3745-57-14, 3745-57-41 and 3745-270-07 of the OAC? [3745-54-13(B)(6)]

6. Does the permittee place the results of all waste analyses in the facility operating record in accordance with OAC rule 3745-54-73?

Yes No N/A RMK#

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.

REMARKS

GENERAL INSPECTION REQUIREMENTS

NOTE: Inspector may attach a copy of the inspection procedures and schedules. If so, the attached document is referenced as Appendix ____.

1. Is the permittee following the inspection procedures and schedules as set forth in the permit (Section F of the approved Part B permit application) and the requirements of OAC rules 3745-54-15(A), (C) and (D)? [Condition B.5]

Yes No N/A RMK#

2. Is the permittee following the approved inspection schedule for inspecting: monitoring equipment, safety equipment, emergency equipment, security devices and operating and structural equipment as specified in OAC rule 3745-54-15(B)?

Yes No N/A RMK#

a. Is the schedule kept at the facility? [OAC rule 3745-54-15(B)(2)]

Yes No N/A RMK#

3. Does the permittee remedy deterioration or any malfunctions discovered by an inspection as required by OAC rule 3745-54-15(c)? [Condition B.5]

Yes No N/A RMK#

4. In accordance with OAC rule 3745-54-15(D) and Condition B.5 of the permit, do inspection records contain the following information:

a. Date and time of inspection?

Yes No N/A ___ RMK#

b. Name of inspector?

Yes No N/A ___ RMK#

c. Notation of observations made?

Yes No N/A ___ RMK#

d. Date and nature of any repairs or other remedial actions?

Yes No N/A ___ RMK#

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.

REMARKS

SECURITY REQUIREMENTS

1. Is the permittee complying with the following security provisions of OAC rule 3745-54-14 and Condition B.4 of the permit: [Section F of the Part B permit application]

a. Does the permittee have a 24-hour surveillance system which continuously monitors and controls entry onto the active portion of the facility?

Yes No N/A ___ RMK#

b. An artificial or natural barrier (in good repair) which completely surrounds the active portion of the facility?

Yes No N/A ___ RMK#

c. A means to control entry, at all times, through gates or other entrances, to the active portion of the facility?

Yes No N/A ___ RMK#

2. In accordance with OAC rule 3745-54-14(C), does the permittee have signs reading "Danger - Unauthorized Personnel Keep Out" posted at entrances of the active portions of the facility.

FACILITY OPERATIONS

3. Is construction, maintenance and operation of the facility being conducted to minimize the possibility of a fire, explosion, or unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, ground or surface water? [OAC rule 3745-54-31; Condition B.1]

Yes No N/A RMK#

4. Does the permittee properly maintain and operate the facility to achieve compliance with the terms and conditions of the permit including: [Condition A.9]

a. Effective management practices?

Yes No N/A RMK#

b. Adequate funding?

Yes No N/A RMK#

c. Adequate operator staffing and training?

Yes No N/A RMK#

d. Adequate laboratory and process controls?

Yes No N/A RMK#

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.

REMARKS

PERSONNEL TRAINING

EEI continually updates training program and provides thorough training.

1. Is the permittee conducting personnel training in accordance with the conditions of the permit and with the following requirements of OAC rule 3745-54-16? [Condition B.6] Yes No N/A ___ RMK#
- a. The facility provides personnel training which includes instruction in safe equipment operation and emergency procedures and implementation of the contingency plan? [OAC rule 3745-54-16(A)(B)(C)] Yes No N/A ___ RMK#
- b. The facility provides personnel training to new employees within six months after their date of employment as required by OAC rule 3745-54-16(B)? Yes No N/A ___ RMK#
- c. The facility provides an annual refresher training course as required by OAC rule 3745-54-16(C)? Yes No N/A ___ RMK#
2. Is the permittee maintaining personnel training records as required by OAC rule 3745-54-16(D) and of the approved application, including: written job titles, job descriptions and documented employee training records? [Condition B.6] Yes No N/A ___ RMK#

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.

REMARKS

REQUIRED EQUIPMENT

NOTE: Inspector may attach a list of emergency equipment. If so, the attachment document is referenced as Appendix ____.

1. Has the permittee equipped the facility with the following emergency equipment as required by OAC rule 3745-54-32 and Condition B.8 of the permit:

- a. An internal communications or alarm system? Yes No N/A ___ RMK#
- b. A device such as a telephone which is capable of summoning emergency assistance from local emergency authorities? Yes No N/A ___ RMK#
- c. Portable fire extinguishes and/or fire control equipment, spill control and decontamination equipment? Yes No N/A ___ RMK#
- d. Water in adequate volume and pressure to supply water hose streams, foam producing equipment, automatic sprinklers or water spray systems? Yes No N/A ___ RMK#
2. Is the permittee inspecting, testing and maintaining the equipment specified in Question No. 1 to ensure its proper operating in accordance with OAC rule 3745-54-33 and Condition B.9 of the permit? Yes No N/A ___ RMK#
3. Whenever hazardous waste is being managed at the facility, has the permittee provided all personnel involved in the operation with immediate access to an internal alarm or emergency communication device as required by OAC rule 3745-54-34 and Condition B.10 of the permit? Yes No N/A ___ RMK#

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: *The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.*

REMARKS

CONTINGENCY PLAN - EMERGENCY PROCEDURES

1. In compliance with Condition B.12 of the permit and OAC rule 3745-54-37(A) and (B), does the permittee:
- a. Familiarize emergency response agencies with the layout of the facility, associated hazards, places where personnel will normally be working, entrances and possible evacuation routes? Yes No N/A RMK#
 - b. Inform such agencies of safety equipment, supplies, proper emergency safety procedures that are applicable to the facility? Yes No N/A RMK#
 - c. Familiarize the local hospital listed in the approved application with the properties of hazardous waste handled at the facility and the types of injuries or illness that could result from fires, explosions or releases at the facility? Yes No N/A RMK#
2. Has a state or local agency declined to enter into the arrangements set forth in OAC rule 3745-54-37(A)? If so:
- a. Has the permittee documented the refusal in the operating record as required by OAC rule 3745-54-37(B)? [Condition B.12(b)] Yes No N/A RMK#
3. Has the permittee, in accordance with OAC rule 3745-54-53 submitted a copy of the approved contingency plan (including amendments, revisions or changes) to all local authorities, agencies and response contractors designated in the approved contingency plan? [Condition B.17] Yes No N/A RMK#
4. Has the permittee notified all parties identified in the contingency plan in writing of amendments, modifications, or revisions to the plan within ten days of the effective date of the change in the plan? [Condition B.12(c)] Yes No N/A RMK#
5. Has the permittee submitted a copy of the approved contingency plan and all revisions, amendments and modifications to the Ohio EPA, Division of Emergency and Remedial Response (DERR) in accordance with OAC rule 3745-54-53? [Condition B.17] Yes No N/A RMK#
6. Is the permittee reviewing the approved contingency plan at least annually and amending the plan immediately if needed in compliance with OAC rule 3745-54-54? [Condition B.16] Yes No N/A RMK#

NOTE: Also see Question No. 4 of Recordkeeping Requirements to verify that any changes to the contingency plan were submitted in accordance with OAC rule 3745-50-51.

EMERGENCY COORDINATOR

7. In accordance with OAC rule 3745-54-55 and Condition B.18 of the permit, is an emergency coordinator on premises or on call at all times? Yes No N/A ___ RMK#
8. In accordance with OAC rule 3745-54-55 and Condition B.18 of the permit, is/are the emergency coordinator(s) at the facility familiar with the following:
- a. Contingency plan? Yes No N/A ___ RMK#
 - b. Facility operations/activities? Yes No N/A ___ RMK#
 - c. Waste characterization and location? Yes No N/A ___ RMK#
 - d. Location of all records in the facility? Yes No N/A ___ RMK#
 - e. Facility layout? Yes No N/A ___ RMK#
9. In accordance with OAC rule 3745-54-55, does/do the emergency coordinator(s) have the authority to commit the resources needed to carry out the contingency plan? [Condition B.18] Yes No N/A ___ RMK#

10. Does the permittee have a contingency plan for the facility that: [OAC rule 3745-54-52 and Condition B.14]

a. Describes the actions facility shall take to comply with OAC rules 3745-54-51 through 3745-54-56 in response to fires, explosions, or any unplanned sudden or nonsudden release of hazardous waste or hazardous waste constituents to air, soil or surface water at the facility?

Yes No N/A RMK#

b. Describes arrangements agreed to by local police, fire departments, hospitals, contractors and Ohio EPA and the local emergency response team to coordinate emergency services?

Yes No N/A RMK#

c. Includes an up-to-date list of names, addresses and phone numbers (office and home) for all persons qualified to act as emergency coordinator in the order that they will assume responsibility for coordination of emergency response?

Yes No N/A RMK#

d. Includes a list of all emergency equipment, including fire extinguishing systems, spill control equipment, communications and alarm systems and decontamination equipment?

Yes No N/A RMK#

e. Includes the location and a physical description of each item on the list referenced in Question No. 10(d), and a brief outline of its capabilities?

Yes No N/A RMK#

f. Includes an ^{evacuation} ~~evaluation~~ plan for facility personnel describing signals to be used to begin evacuation, evacuation routes, and alternate evacuation routes, in situations where the primary routes could be blocked by releases of hazardous waste?

Yes No N/A RMK#

REMARKS

IMPLEMENTATION OF CONTINGENCY PLAN

11. Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents at the facility including spill or release of hazardous waste or hazardous waste constituents greater than or equal to 55 gallons; any spill or release of hazardous waste or hazardous waste constituents less than 55 gallons may result in a fire or explosion hazard as determined by the Emergency Coordinator; or any spill on-site that may potentially cause on or off-site soil and/or ground or surface water contamination; any spill or release of hazardous waste or hazardous waste constituents that is reported to the National Response Center or local (city or county) emergency response center because the spill exceeded the "RQ" limits; any fire involving hazardous waste; any explosion involving hazardous waste; since the date of the last inspection? If so:

Yes ___ No N/A ___ RMK#

a. Did the permittee immediately implement the approved contingency plan and follow the emergency procedures described in OAC rule 3745-54-56? [Conditions B.13 and B.19]

Yes ___ No N/A RMK#

b. Did the permittee immediately notify Ohio EPA's emergency response team using the 24-hour toll free number (800)282-9378 providing the following information: [OAC rule 3745-54-56(D)(2)]

i. Name and telephone number of the reporter?

Yes ___ No N/A RMK#

ii. Name and address of the facility?

Yes ___ No N/A RMK#

iii. Time and type of incident?

Yes ___ No N/A RMK#

iv. Name and quantity of materials involved?

Yes ___ No N/A RMK#

v. The extent of injuries?

Yes ___ No N/A RMK#

- vi. The possible hazards to human health or the environment outside the facility? Yes No N/A RMK#
- c. Did the permittee collect and manage as hazardous waste all liquid or solid material resulting from fire, explosion, released material or emergency response materials until such time as the permittee can demonstrate to Ohio EPA that such waste are not hazardous wastes? [Condition B.15] Yes No N/A RMK#
- d. Within 15 days of the incident did the permittee submit to the director a written report of the incident? If so: Yes No N/A RMK#
 - i. Did the report contain the elements set forth in OAC rule 3745-54-56(J)? [Condition B.19] Yes No N/A RMK#
- e. Did the permittee note in the operating record the time, date and details of any incident that required the implementation of the approved contingency plan as required by OAC rule 3745-54-56(J)? [Condition B.19] Yes No N/A RMK#

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.

REMARKS

CLOSURE REQUIREMENTS

- 1. Does the permittee maintain the approved closure plan at the facility? [Condition B.28] Yes No N/A RMK#
- 2. Is the permittee keeping at the facility and submitting annually to Ohio EPA, the latest closure cost estimate as required by OAC rule 3745-55-42(D) [Condition B.35] Yes No N/A RMK#
- 3. Has the permittee amended the closure plan? If so:
 - a. Has the plan been amended in accordance with OAC rule 3745-55-18(D)? [Condition B.27] Yes No N/A RMK#

NOTE: Also see Recordkeeping Requirements (Question #4) in order to verify that any changes to the

closure plan were submitted in accordance with OAC rule 3745-50-51.

REMARKS

STORAGE OF HAZARDOUS WASTES IN CONTAINERS

NOTE: *The requirements of Condition C do not apply to the permittee's activities as a generator accumulating hazardous waste for <90 days per OAC rule 3745-52-34(A). Please complete the applicable sections of the Generator Requirements checklist to document compliance with activities associated with <90 day accumulation of wastes.*

CONDITION OF CONTAINERS

1. Are containers holding hazardous wastes in good condition as required by OAC 3745-55-71? [Condition C.5] If not:

Yes No N/A RMK#

a. Did the permittee transfer the hazardous waste from such a container to one that is in good condition or otherwise manage the waste in a manner that complies with the conditions of the permit? [Condition C.5]

Yes No N/A RMK#

2. Does the permittee ensure that all containers used at the facility are compatible with the hazardous waste to be stored in them as required by OAC rule 3745-55-72? [Condition C.6]

Yes No N/A RMK#

3. Does the permittee keep all containers closed during storage except when it is necessary to add or remove waste as required by OAC rule 3745-55-73? [Condition C.7(b)]

Yes No N/A RMK#

4. Does the permittee store all containerized hazardous waste on the container storage containment described in Condition C.1 of the permit and Section D of the approved Part B permit application? [Condition C.7(a)]

Yes No N/A RMK#

INSPECTIONS

NOTE: Inspector may attach a container inspection checklist. If so, the attached document is referenced as Appendix _____.

5. Is the permittee inspecting the container area weekly in accordance with OAC rule 3745-55-74 and the approved inspection schedule in Section F of the Part B permit application to detect leaking containers and deterioration of containers and the containment system? [Condition C.9]

Yes No N/A RMK#

a. Does the permittee note the results of these inspections in the inspection log along with any remedial action taken as required by OAC rule 3745-54-15(D)?

Yes No N/A RMK#

CONTAINMENT SYSTEM

6. Does the permittee maintain the containment system as described in the approved permit application, Section D, including: [Condition C.7]

Yes No N/A RMK#

a. Sufficient capacity to hold 10% of the total volume of containers or the volume of the largest container, whichever is greater.

Yes No N/A ___ RMK#

b. A system which is free of gaps and sufficiently impervious to contain leaks and spills?

Yes No N/A ___ RMK#

7. Has the permittee had a spill or leak of wastes? If so:

Yes No ___ N/A ___ RMK#

a. Was spilled or leaked waste removed in a timely manner? [Condition C.7(e)]

Yes No N/A ___ RMK#

NOTE: *This time period is not to exceed 24 hours. [Condition C.8]*

AISLE SPACE

8. Is the permittee maintaining adequate aisle space to allow unobstructed movement of personnel and equipment in the event of an emergency as required by OAC rule 3745-54-35 and Condition B.11 of the permit?

Yes No N/A ___ RMK#

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: *The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.*

REMARKS

LAND DISPOSAL RESTRICTION REQUIREMENTS

NOTE: *In order to determine compliance with all applicable LDR requirements the inspector may need to complete the separate LDR checklist:*

1. Does the permittee comply with all applicable regulations regarding land disposal prohibitions and restrictions as required by OAC Chapter 3745-270?

Yes No N/A ___ RMK#

2. Does the permittee comply with the notification and certification requirements of OAC rule 3745-270-07(A)? Yes No N/A ___ RMK#
3. Does the permittee comply with the requirements of OAC rule 3745-270-03 and does not in any way dilute a restricted waste or treatment residue as a substitute for adequate treatment? Yes No N/A ___ RMK#
4. Does the permittee retain supporting data used to determine if wastes managed at the facility are restricted from land disposal in the facility files as required by OAC rule 3745-270-07(A)(5)? Yes No N/A ___ RMK#
- a. Are copies of all notices, certifications, demonstrations, waste analysis and other documentation produced pursuant to OAC Chapter 3745-270 retained for a period of three years as required by OAC rule 3745-270-07(A)? Yes No N/A ___ RMK#
5. Is the permittee in compliance with the requirements of OAC rule 3745-270-50 regarding the storage of wastes restricted or prohibited from land disposal under OAC rule 3745-270-50? Yes No N/A ___ RMK#

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.

REMARKS

Part B Application D.1a (2) Bar code, 1-55 gal drum, Area 5 of main Bldg., Ammonium Nitrate, Hydroxyacetic Acid, see letter.



SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS

Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more

Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less

PROHIBITIONS

1. Did the SQUWH dispose of universal waste? [3745-273-11(A)] Yes No N/A RMK#
2. Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)] Yes No N/A RMK#

WASTE MANAGEMENT & LABELING/MARKING

UNIVERSAL WASTE BATTERIES

3. Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)] Yes No N/A RMK#
4. If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)] Yes No N/A RMK#
5. Does the SQUWH conduct any of the following activities:
- a. Sort batteries by type? Yes No N/A RMK#
 - b. Mix battery types in one container? Yes No N/A RMK#
 - c. Discharge batteries to remove the electric charge? Yes No N/A RMK#
 - d. Regenerated used batteries? Yes No N/A RMK#
 - e. Disassemble them into individual batteries or cells? Yes No N/A RMK#
 - f. Remove batteries from consumer products? Yes No N/A RMK#
 - g. Remove the electrolyte from the battery? Yes No N/A RMK#
- If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)] Yes No N/A RMK#

6. If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)] Yes No N/A RMK# _____
- a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)] Yes _____ No N/A RMK# _____
- b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)] Yes _____ No N/A RMK# _____
7. Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)] Yes No N/A _____ RMK# _____

UNIVERSAL WASTE LAMPS

8. Does the SQGUHW contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)] Yes No N/A _____ RMK# _____
9. Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)] Yes No N/A _____ RMK# _____
10. Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)"? [3745-273-14(E)] Yes No N/A _____ RMK# _____

NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of

generator treatment. AC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.

ACCUMULATION TIME

11. Is the waste accumulated for less than one year? Yes No N/A RMK#
[3745-273-15(A)] If not:
- a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)] Yes No N/A RMK#

NOTE: Accumulation is defined as date generated or date received from another handler.

12. Is the length of time the universal waste is stored documented by one of the following: [3745-273-15(C)] Yes No N/A RMK#
- a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)] Yes No N/A RMK#
- b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)] Yes No N/A RMK#
- c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)] Yes No N/A RMK#
- d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)] Yes No N/A RMK#
- e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)] Yes No N/A RMK#
- f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)] Yes No N/A RMK#

EMPLOYEE TRAINING

13. Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]

Yes No N/A RMK#

RESPONSE TO RELEASES

14. Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]

Yes No N/A RMK#

15. Is the material released characterized? [3745-273-17(B)]

Yes No N/A RMK#

16. If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)]

Yes No N/A RMK#

OFF-SITE SHIPMENTS

NOTE: *If a SQUWH self-transport waste, then they must comply with the Universal Waste transporter requirements.*

17. Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]

Yes No N/A RMK#

NOTE: *SQUWHs are prohibited to send waste to any other facility.*

18. If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)]

Yes No N/A RMK#

19. Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)]

Yes No N/A RMK#

20. If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do one of the following:

a. Receive the waste back? [3745-273-18(E)(1)]

Yes No N/A RMK#

b. Agree to where the shipment will be sent? [3745-273-18(E)(2)]


Yes No N/A RMK#

21. If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss one of the following:
 Yes ___ No N/A RMK# ___
- a. Sending the waste back to the originating handler? [3745-273-18(F)(1)]
 Yes ___ No ___ N/A RMK# ___
- b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)]
 Yes ___ No ___ N/A RMK# ___
22. If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]
 Yes ___ No N/A RMK# ___
23. If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)]
 Yes ___ No N/A RMK# ___

EXPORTS

24. Is waste being sent to a foreign destination? If so:
 Yes ___ No ___ N/A RMK# ___
- a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)]
 Yes ___ No N/A RMK# ___
- b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)]
 Yes ___ No N/A RMK# ___
- c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)]
 Yes ___ No N/A RMK# ___

REMARKS



**GE QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: <100Kg. (Approximately 25-30 gallons) of waste in a calendar month.

SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.

LQG: >1,000 Kg. (~300 gallons) of waste in a calendar month or >1 Kg. Of acutely hazardous waste in a calendar month.

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

GENERAL REQUIREMENTS

1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11] Yes No N/A
2. Has the generator obtained a U.S. EPA identification number? [3745-52-12] Yes No N/A
3. Were annual reports filed with Ohio EPA on or before March 1st? [3745-52-41(A)] Yes No N/A
4. Has the generator transported or caused to be transported hazardous waste to **other** than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)] Yes No N/A
5. Has the generator disposed of hazardous waste **on-site without a permit** or at another facility **other** than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E) & (F)] Yes No N/A
6. Does the generator accumulate hazardous waste? Yes No N/A

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

7. Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02 (E) & (F)? Yes No N/A

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G) & (H).

8. Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)]
 - a. Container that meets 3745-66-70 to 3745-66-77? Yes No N/A
 - b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C) and Yes No N/A
 - c. Drip pads that meet 3745-69-40 to 3745-69-45? Yes No N/A
 - d. Containment building that meets 3745-256-100 to 3745-256-102? Yes No N/A

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

9. Does the generator export hazardous waste? If so: Yes No N/A
 - a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)] Yes No N/A
 - b. Has the generator complied with special manifest requirements? [3745-52-54] Yes No N/A
 - c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55] Yes No N/A
 - d. Has an annual report been submitted to U.S. EPA? [3745-52-56] Yes No N/A
 - e. Are export related documents being maintained on-site? [3745-52-57(A)] Yes No N/A

MANIFEST REQUIREMENTS

10. Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)] Yes No N/A

11. Have items (1) through (20) of each manifest been completed? [3745-52-20(A)] Yes No N/A

NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)]

12. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] Yes No N/A

NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)].

13. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] Yes No N/A

14. Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1) & (2)] Yes No N/A

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity of the waste they generate.

15. If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)] Yes No N/A

16. If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)] Yes No N/A

17. Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40] Yes No N/A

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

PERSONNEL TRAINING

18. Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)] Yes No N/A

19. Does the personnel training program include instructions to ensure that facility personnel are able to respond effectively to emergencies by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)(a-f)] Yes No N/A

20. Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)] Yes No N/A

21. Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)] Yes No N/A

22. Does the generator provide annual refresher training to employees? [3745-65-16(C)] Yes No N/A

23. Does the generator keep records including: job titles [D(1)], job descriptions [D(2)], type and amount of training given to each person [D(3)] and documentation of completed training or job experience required [D(4)]? [3745-65-16(D)] Yes No N/A

24. Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)] Yes No N/A

NOTE: The following section *is* used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained
---------------	------------------	--------------

CONTINGENCY PLAN

25. Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)] Yes No N/A
26. Does the plan describe the following:
- a. Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste [3745-65-52(A)]? Yes No N/A
 - b. Arrangements with emergency authorities [3745-65-52(C)]. Yes No N/A
 - c. A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)] Yes No N/A
 - d. A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)] Yes No N/A
 - e. An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)] Yes No N/A

NOTE: If the facility already has a "Spill Prevention, Control and Counter measures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]

27. Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53 (A) & (B)] Yes No N/A
28. Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54] Yes No N/A
29. Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55] Yes No N/A

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

EMERGENCY PROCEDURES

30. Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so: Yes No N/A
- a. Was the contingency plan implemented? [3745-65-51(B)] Yes No N/A
 - b. Did the facility follow the emergency procedures in 3745-65-56(A) through (H)? Yes No N/A
 - c. Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)? Yes No N/A

NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

PREPAREDNESS AND PREVENTION

31. Is the facility operated to minimize possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31] Yes No N/A
32. Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:
- a. Internal alarm system? [3745-65-32(A)] Yes No N/A
- b. Emergency communication device? [3745-65-32(B)] Yes No N/A
- c. Portable fire control, spill control and decon equipment? [3745-65-32(C)] Yes No N/A
- d. Water of adequate volume/pressure? [3745-65-32(D)] Yes No N/A
- NOTE: Verify that the equipment is listed in the contingency plan.
33. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33] Yes No N/A
34. Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33] Yes No N/A
35. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)] Yes No N/A
36. If there is only one employee on the premises is there immediate access to a device (ex. phone, hand held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32) [3745-65-34(B)] Yes No N/A
37. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes No N/A
38. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)] Yes No N/A
39. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes No N/A

SATELLITE ACCUMULATION AREA REQUIREMENTS

40. Does the generator ensure that satellite accumulation area(s):
- a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes No N/A
- b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes No N/A
- c. Do not exceed one quart of acutely hazardous waste at anyone time? [3745-52-34(C)(1)] Yes No N/A
- d. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)] Yes No N/A
- e. Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes No N/A
41. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:
- a. Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes No N/A

b. Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] Yes No N/A

c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes No N/A

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS

42. Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)] Yes No N/A

43. Is the accumulation date on each container? [3745-52-34(A)(2)] Yes No N/A

44. Are hazardous wastes stored in containers which are:

a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes No N/A

b. In good condition? [3745-66-71] Yes No N/A

c. Compatible with wastes stored in them? [3745-66-72] Yes No N/A

d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes No N/A

NOTE: Record location on process summary sheets and photograph the area.

45. Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORC§1.44(A) "Week" means seven consecutive days. Yes No N/A

a. Are inspections recorded in a log or summary? [3745-66-74] Yes No N/A

46. Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76] Yes No N/A

47. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes No N/A

48. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)] Yes No N/A

49. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)] Yes No N/A

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

50. If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)] Yes No N/A


NOTE: Please provide a description of the unit and documentation provided by the generator to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]

PRE-TRANSPORT REQUIREMENTS

51. Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes No N/A

52. Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes No N/A

53. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes No N/A



LDR CHECKLIST

GENERAL LDR REQUIREMENTS

1. Has the generator adequately evaluated all wastes to determine if they are restricted from land disposal? [3745-270-07(A)(1)] If so: Yes No N/A RMK# _____
- a. For determinations based solely on knowledge of the waste: Is supporting data retained on-site? [3745-270-07(A)(6)] Yes No N/A RMK# _____
- b. For determinations based upon analytical testing: Is waste analysis data retained on-site? [3745-270-07(A)(6)] Yes No N/A RMK# _____
2. Has the generator determined each EPA hazardous waste code applicable to the waste? [3745-270-07(A)(2) see Table 1] Yes No N/A RMK# _____
3. Has the generator determined the correct "treatability group(s)" (e.g., wastewater, non-wastewater, etc.)? [3745-270-07(A), Table 1] Yes No N/A RMK# _____
4. Does the generator generate a characteristic hazardous waste? If so: Yes No N/A RMK# _____
- a. Have all underlying hazardous constituents (UHCs) been identified? [3745-270-09(A)] Yes No N/A RMK# _____

NOTE: If the waste is D001 non-wastewater treated by CMBST, RORGS, POLYM in Table 1 of Rule 3745-270-42 UHCs do not need to be identified.

5. Does the generator generate listed waste(s) which also exhibit hazardous characteristics? [3745-270-09] If so: Yes No N/A RMK# _____
- a. Has the generator also identified the appropriate treatment standard(s) for the constituent(s) which cause the waste to exhibit a characteristic? [3745-270-09(A)] Yes No N/A RMK# _____

NOTE: The generator is not required to identify the treatment standard for the characteristic if the listing covers the associated characteristic (e.g., a F019/D007 hazardous waste - F019 being listed due to chromium content and D007 being the characteristic waste code for chromium). [See OAC Rule 3745-270-09(B)]

6. Has the generator correctly determined if restricted wastes meet or do not meet treatment standards? [3745-270-07(A)(1)] Yes No N/A RMK# _____

NOTE: Wastes with EPA hazardous waste numbers K174 and K175 (chlorinated aliphatic wastes) have specific requirements in rule 3745-270-33. Waste with EPA hazardous waste numbers K176, K177 and K178 (inorganic chemical wastes) have specific requirements in rule 3745-270-36.

7. Does the owner/operator ensure that restricted wastes or treatment residues are not diluted as a method of achieving/circumventing LDR treatment standards? [3745-270-03] Yes No N/A RMK#

NOTE: A generator may dilute a waste (that is hazardous only because it exhibits a characteristic) in a treatment system that discharges to waters of the State pursuant to an NPDES permit (§402 of CWA), that treats waste in a CWA equivalent treatment system, or that treats waste for the purposes of pre-treatment requirements under §307 of CWA, unless a method other than DEACT is specified or the waste is a D003 reactive cyanide wastewater or non-wastewater.[3745-270-03(B)]

8. Is combustion of any of the wastes identified in the Appendix to Rule 3745-270-03 occurring without meeting one or more of the criteria under Rule 3745-270-03(C) upon generation or after treatment? [3745-270-03(C)] Yes No N/A RMK#

NOTE: In other words, is combustion a legitimate treatment method.

9. Has the generator added iron to lead-containing hazardous waste in order to achieve LDR treatment standards for lead? [3745-270-03(D)] Yes No N/A RMK#

10. Does the facility have a case-by-case extension to the effective date to land dispose of hazardous waste?[3745-270-05] If so: Yes No N/A RMK#

a. The facility can dispose of hazardous waste in a on-site landfill or surface impoundment.[3745-270-05] Yes No N/A RMK#

11. Does the facility have an extension to allow for a restricted waste to be land disposed?[3745-270-06] If so: Yes No N/A RMK#

a. The facility can land dispose of the waste. [3745-270-06] Yes No N/A RMK#

12. Does the facility treat wastes that are otherwise prohibited from land disposal, in a surface impoundment?
If so:

Yes ___ No N/A ___ RMK# ___

a. Has the facility complied with 3745-270-04?

Yes ___ No N/A RMK# ___

REMARKS

NOTIFICATION AND CERTIFICATION REQUIREMENTS

13. If a generator's waste or contaminated soil does not meet the treatment standards, does the generator have the paperwork required in Column A of Table 1 of 3745-270-07? [3745-270-07(A)(2)]
Yes ___ No N/A RMK# ___
14. If a generators' waste or contaminated soil meets the treatment standard at the original point of generation, does the generator have the paperwork required in Column B of Table 1 of 3745-270-07? [3745-270-07(A)(3)]
Yes ___ No N/A RMK# ___
15. If a generators' waste is exempt (under 3745-270-05, 3745-270-06, national capacity or case-by-case variance, etc.) does the generator have the paperwork required in Column C of Table 1 of 3745-270-07? [3745-270-07(A)(4)]
Yes ___ No N/A RMK# ___
16. If a generator manages a lab pack containing hazardous waste using the alternative treatment standard in 3745-270-42, does the generator have the paperwork required in Column D of Table 1 of 3745-270-07? [3745-270-07(A)(9)]
Yes ___ No N/A RMK# ___
17. Does the generator produce a waste that is hazardous waste from the point of generation, but subsequently excluded from regulation under OAC 3745-51-02 through 3745-51-06? [3745-270-07(A)(7)] If so:
a. Is a one-time notice placed in the facility's file stating such generation, subsequent exclusion or exemption, and disposition of the wastes? [3745-270-07(A)(7)]
Yes ___ No ___ N/A RMK# ___
Yes ___ No N/A RMK# ___

NOTE: *Examples include hazardous wastes discharged to a POTW or to a surface water under a NPDES permit. (See 270-07(A)(7)).*

18. Does the generator retain on-site a copy of all notices, certifications, demonstrations and waste analysis data for at least three years from the last shipment of waste sent off-site? [3745-270-07(A)(8)]
Yes No N/A ___ RMK# ___

REMARKS

GENERATORS TREATING HAZARDOUS WASTE

1. Is treatment of hazardous waste occurring to meet the treatment standards in 3745-270-40? Yes No N/A RMK#
2. If so, does the generator have a waste analysis plan containing the following requirements? [3745-270-07(A)(5)]
Yes No N/A RMK#
- a. A detailed chemical and physical analysis of a representative sample of the wastes being treated? [3745-270-07(A)(5)(a)]
Yes No N/A RMK#
- b. All information necessary to treat the waste(s) in accordance with the requirements of 3745-270, including the selected frequency? [3745-270-07(A)(5)(a)]
Yes No N/A RMK#
3. Is the WAP on-site in the facility's files and available to inspectors? [3745-270-07(A)(5)(b)]
Yes No N/A RMK#
4. Has the generator followed their WAP [3745-270-07(A)(5)]?
Yes No N/A RMK#
5. Have the treated wastes met the applicable treatment standards in 3745-270-40?
Yes No N/A RMK#

NOTE: *If the waste is a characteristic waste, which has been treated to render it non hazardous and subsequently sent to a solid waste landfill, proceed to question 7 & 8.*

6. Has the generator sent a notification and certification with the initial shipment of waste? [3745-270-07(A)(5)(c)]
Yes No N/A RMK#
7. Does each notification/certification form completed, contain the information found in Table 1 of 3745-270-07? [3745-270-07(A)(5)(c)]
Yes No N/A RMK#
8. Has the generator, who is treating a characteristic waste, submitted a notification and certification to the director which contains the following:
Yes No N/A RMK#
- a. Name and address of the facility receiving the waste? [3745-270-09(D)(1)(a)]
Yes No N/A RMK#
- b. A description of the waste, including EPA hazardous waste codes and treatability group, and UHCs? [3745-270-09(D)(1)(b)]
Yes No N/A RMK#

NOTE: *If the waste will be treated and monitored for all UHCs then they do not need to be listed on the notice.*

9. Has the process/operation generating the waste or the solid waste landfill facility changed? If so: Yes__No N/A__RMK#__
- a. Has the notification and certification been updated in the generators and treaters files? [3745-270-09(D)] Yes__No N/A RMK#__
- b. Has the director been notified of such changes? [3745-270-09(D)] Yes__No N/A RMK#__

NOTE: The director need only be notified on an annual basis but no later than December 31.

10. Is the facility treating contaminated soil using the alternative treatment standards in 3745-270-49? If so: Yes__No N/A__RMK#__
- a. Has the facility treated the contaminated soil to less than 10 times the Universal Treatment Standards or has a 90% reduction in the total constituent concentrations occurred? [3745-270-49 (C)] Yes__No N/A RMK#__
11. Does each notification/certification form completed, contain the information found in Table 1? [3745-270-07(A)(3)] Yes__No N/A RMK#__

NOTE: If the waste will be treated and monitored for all constituents, there is no need to put them all on the LDR notice.

REMARKS

HAZARDOUS DEBRIS

1. Does the material in question meet the definition of hazardous debris as defined in rule 3745-270-02(A)(3)?
Yes ___ No N/A ___ RMK# ___
2. Is the hazardous debris being treated to the waste specific treatment standard in 3745-270-40 to 3745-270-49? (If yes, use the generator checklist.)
Yes ___ No ___ N/A RMK# ___
3. Is the hazardous debris being treated by the alternative treatment standards in 3745-270-45? If so:
Yes ___ No ___ N/A RMK# ___
- a. Has the debris or mixtures of debris been treated for each contaminant subject to treatment (toxicity, listed waste and cyanide reactive debris) using one or more of the treatment technologies found in Table 1 in 3745-270-45? [3745-270-45(A)]
Yes ___ No N/A RMK# ___

NOTE: If immobilization has been used in a treatment train, it must be the last treatment technology used.

4. Was the hazardous debris a listed waste treated by an immobilization technology in Table 1? [3745-270-45(A)(1)] If so:
Yes ___ No ___ N/A RMK# ___
- a. Was immobilization the last treatment technology used? [3745-270-45(A)(3)]
Yes ___ No N/A RMK# ___
5. Is the waste a PCB waste under 40 CFR Part 761? If so:
Yes ___ No ___ N/A RMK# ___
- a. Has the waste been treated to the most stringent standard in 40 CFR 761 or 3745-270-45? [3745-270-45(A)(5)]
Yes ___ No N/A RMK# ___
6. Has the residue from the treatment of hazardous debris been disposed of in accordance with 3745-270-40 to 3745-270-49? [3745-270-45(D)]
Yes ___ No N/A RMK# ___
7. Does the owner/operator of a treatment facility that claims the debris is excluded from regulation as a hazardous waste under 3745-51-03(F)(1) maintain the following information?
Yes ___ No ___ N/A RMK# ___
- a. Records of all inspections, evaluations, and analyses of treated debris? [3745-270-07(D)(3)(a)]
Yes ___ No N/A RMK# ___
- b. Records of key operating parameters of the treatment unit? [3745-270-07(D)(3)(b)]
Yes ___ No N/A RMK# ___
- c. A certification statement for each shipment of treated debris? (See 270-07(D)(3)(c) for exact wording) [3745-270-07(D)(3)(c)]
Yes ___ No N/A RMK# ___

8. Does the notifications and certifications of an owner/operator who first claims the debris is excluded under 3745-51-03(F)(1) have the following information? [3745-270-07(D)(3)]

Yes No N/A RMK#

a. Name and address of licensed solid waste landfill receiving the treated debris? [3745-270-07(D)(1)(a)]

Yes No N/A RMK#

b. Description of hazardous debris as initially generated with applicable waste codes? [3745-270-07(D)(1)(b)]

Yes No N/A RMK#

c. Technology used from Table 1? [3745-270-07(D)(1)(c)]

Yes No N/A RMK#

9. Has the above notification been sent to the director? [3745-270-07(D)(1)]

Yes No N/A RMK#

REMARKS

TREATING FACILITIES WHICH TREAT WASTE TO MEET LDR STANDARDS

1. Does the treating facility test waste according to their waste analysis plan as required in 3745-54-13 or 3745-65-13? [3745-270-07(B)]
Yes ___ No N/A RMK# ___
2. Has a one-time notification been sent with the initial shipment of waste or contaminated soil to the land disposal facility? [3745-270-07(B)(3)]
Yes ___ No N/A RMK# ___

Note: *No further notification is necessary until such time that the waste changes or the receiving facility changes.*

3. Does the one-time notification and certification contain the information listed in Table 2 of 3745-270-07? [3745-270-07(B)(3)]
Yes ___ No N/A RMK# ___
4. Are wastes or treatment residues being sent to another TSD to be further managed? **If so:**
- a. Has the facility complied with the generator notification/certification requirements? [Table 1, 3745-270-07(B)(5)]
5. Are recyclable materials used in a manner constituting disposal and subsequently subject to 3745-266-20? **If so:**
- a. Has the treatment facility (recycler) sent a notification (found at 3745-270-07(B)(4)), excluding the manifest number, with each shipment of waste? [3745-270-07(B)(6)]
Yes ___ No N/A RMK# ___
- b. Has the treatment facility (recycler) sent a certification found in 3745-270-07(B)(4) [3745-270-07(B)(6)]
Yes ___ No N/A RMK# ___
- c. Has a copy of the notification and certification been sent to the director? [3745-270-07(B)(6)]
Yes ___ No N/A RMK# ___
6. Does the recycling facility maintain records of the name and location of each entity receiving the hazardous waste-derived products? [3745-270-07(B)(6)]
Yes ___ No N/A RMK# ___
7. Does the owner or operator of any land disposal facility disposing of waste subject to regulation under 3745-270 have:
- a. Copies of all notices and certifications required in 3745-270?
Yes ___ No N/A RMK# ___
- b. Test results indicating all waste, extracts of waste or treatment residue are in compliance with 3745-270-40 to 3745-270-49?
Yes ___ No N/A RMK# ___

c. The testing frequency specified in the facility's WAP and have they followed the protocol?

Yes ___ No N/A RMK# ___

REMARKS

E-mail this completed form to tammy.mcconnell@epa.state.oh.us or mail it to Kristina Durnell	Ohio Environmental Protection Agency RCRA SUBTITLE C SITE IDENTIFICATION/VERIFICATION FORM		For Ohio EPA use only																							
2. Site EPA ID No.	EPA ID Number: OHD083377010																									
3. Site Name	Name: Environmental Enterprises, Inc.	Website (optional):		eeienv.com																						
4. Site Location Information	Street Address: 4650 Spring Grove Ave.																									
	City, Town, or Village: Cincinnati	State: OH																								
	County Name:	Zip Code: 45232																								
5. Site Land Type (check only one)	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 12.5%;">Private</td> <td style="width: 12.5%;">County</td> <td style="width: 12.5%;">District</td> <td style="width: 12.5%;">Federal</td> <td style="width: 12.5%;">Indian</td> <td style="width: 12.5%;">Municipal</td> <td style="width: 12.5%;">State</td> <td style="width: 12.5%;">Other</td> </tr> <tr> <td style="text-align: center;">x</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>				Private	County	District	Federal	Indian	Municipal	State	Other	x													
Private	County	District	Federal	Indian	Municipal	State	Other																			
x																										
6. NAICS code(s) www.census.gov/epcd/www/naics.html	A. 562211		B.																							
	C.		D.																							
7. Facility Representative Additional names can be recorded in number 12. Only provide address information if it is different than the site address.	First Name: Dan		MI:	Last Name: McCabe																						
	Phone Number: 513-782-8956		Phone Number Extension:																							
	E-Mail Address: dmccabe@eeienv.com																									
	Fax Number: 513-782-8950		Fax Number Extension:																							
	Street or P.O. Box: 10163 Cincinnati-Dayton Road																									
	City, Town or Village: Cincinnati																									
	State: Ohio		Country: USA	Zip Code: 45241																						
8. Legal Owner and Operator of the Site List Additional Owners and/or Operators in the Comment Section or on another copy of this form page.	A. Name of Site's Legal Owner: SAA		Date Became Owner (mm/dd/yyyy):																							
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 12.5%;">Owner Type: Mark with an X</td> <td style="width: 12.5%;">Private</td> <td style="width: 12.5%;">County</td> <td style="width: 12.5%;">District</td> <td style="width: 12.5%;">Federal</td> <td style="width: 12.5%;">Indian</td> <td style="width: 12.5%;">Municipal</td> <td style="width: 12.5%;">State</td> <td style="width: 12.5%;">Other</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>								Owner Type: Mark with an X	Private	County	District	Federal	Indian	Municipal	State	Other									
Owner Type: Mark with an X	Private	County	District	Federal	Indian	Municipal	State	Other																		
	Street or P.O. Box:																									
	City, Town, or Village:		Owner Phone #:																							
	State:		Country:	Zip Code:																						
	B. Name of Site's Operator: SAA		Date Became Operator (mm/dd/yyyy):																							
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 12.5%;">Operator Type: Mark with an X</td> <td style="width: 12.5%;">Private</td> <td style="width: 12.5%;">County</td> <td style="width: 12.5%;">District</td> <td style="width: 12.5%;">Federal</td> <td style="width: 12.5%;">Indian</td> <td style="width: 12.5%;">Municipal</td> <td style="width: 12.5%;">State</td> <td style="width: 12.5%;">Other</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>								Operator Type: Mark with an X	Private	County	District	Federal	Indian	Municipal	State	Other									
Operator Type: Mark with an X	Private	County	District	Federal	Indian	Municipal	State	Other																		
	Street or P.O. Box:																									
	City, Town, or Village:		Operator Phone #:																							
	State:		Country:	Zip Code:																						
9. Violations Cited?	x	Yes	No																							
10. Type of Regulated Waste Activity (Mark "X" in all of the appropriate boxes.)																										
Not Regulated																										



A. Hazardous Waste Activities		
(choose only one of the following categories)		<input checked="" type="checkbox"/> 3. Treater, Storer or Disposer of Hazardous Waste
<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11		<input type="checkbox"/> 4. Recycler of Hazardous Waste
<input checked="" type="checkbox"/> a. Large Quantity Generator (LQG):		<input type="checkbox"/> 5. Exempt Boiler and/or Industrial Furnace
<input type="checkbox"/> b. Small Quantity Generator (SQG)		<input type="checkbox"/> a. Small Quantity On-site Burner Exemption
<input type="checkbox"/> c. Conditionally Exempt Small Quantity Generator		<input type="checkbox"/> b. Smelting, Melting, Refining Furnace Exemption
<input type="checkbox"/> d. United States Importer of Hazardous Waste		<input type="checkbox"/> 6. Underground Injection Control Facility
<input type="checkbox"/> e. Mixed Waste (hazardous and radioactive) Generator		
B. Universal Waste Activities		C. Used Oil Activities
<input checked="" type="checkbox"/> 1. Small Quantity Handler of Universal Waste	(Indicate types of universal waste generated and/or accumulated (check all boxes that apply):	<input type="checkbox"/> 1. Used Oil Generator
<input type="checkbox"/> 2. Large Quantity Handler of Universal Waste	(accumulates 5,000 kg or more).	<input type="checkbox"/> 2. Used Oil Transporter Indicate Type(s) of Activity(ies)
<input checked="" type="checkbox"/> 3. Destination Facility for Universal Waste	(Check all boxes below that apply for each of the three types of facilities above.)	<input type="checkbox"/> Transporter
		<input type="checkbox"/> Transfer Facility
		<input type="checkbox"/> 3. Used Oil Processor and/or Re-refiner
		Indicate Type(s) of Activity(ies)
		<input type="checkbox"/> Processor
		<input type="checkbox"/> Re-refiner
		<input type="checkbox"/> 4. Off-Specification Used Oil Burner
		<input type="checkbox"/> 5. Used Oil Fuel Marketer -
		Indicate Type(s) of Activity(ies)
		a. Marketer Who Directs Shipment of Off- Specification Oil
		b. Used Oil to Off-Specification Used Oil Burner
11. Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at your site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more space is needed. If there are more than 7 waste codes and they are the same as listed in the most recent RCRAInfo source record, you do not need to list them all. Instead just indicate the date of the most recent source record.		
12. Comments:		
N	Announced ?	Additional Facility Representatives: Nocks, Hipp, Taylor
Y	Tanks?	Other comments:
Y	Containers?	
13. Name of Inspector(s)		
Koch, Stark		9-23-08 / 9:30 am
14. OPTIONAL CERTIFICATION. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.		
Signature of owner, operator, or an authorized representative		Date (mm-dd-yyyy)

