

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

TSS Aviation / Standard Aero
 Mr. Paul Souby
 33 Allen Dyne Rd
 Winnipeg MB
 Canada R3H 1A1

2. Article Number

(Transfer from service label)

7005 1820 0006 2219 5785

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X



 Agent Addressee

B. Received by (Printed Name)

G. Date of Delivery

D. Is delivery address different from item 1? Yes

If YES, enter delivery address



3. Service Type

 Certified Mail Registered Insured Mail Registered Mail Return Receipt for Merchandise C.O.D.

4. Restricted Delivery? (Extra Fee)

 Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

OHIO EPA *T. Koch*
SOUTHWEST DISTRICT OFFICE
401 E FIFTH ST
DAYTON OH 45402-2911

9511 0078



7005 1820 0006 2219 57A8

U.S. Postal Service

CERTIFIED MAILTM RETM IPT

(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark
Here

7/15/08

Sent For: Mr Paul Souben
 Street, Apt. No., or PO Box No. TSS Aviation Standard
 City, State, ZIP+4 Aero

Certified Mail Provider

PS Form 3800, June 2002 (Reverse)

- A mailing receipt
- A unique identifier for your mailpiece
- A record of delivery kept by the Postal Service for two years

Important Reminders:

- Certified Mail may **ONLY** be combined with First-Class Mail® or Priority Mail®.
- Certified Mail is *not* available for any class of international mail.
- **NO INSURANCE COVERAGE IS PROVIDED** with Certified Mail. For valuables, please consider Insured or Registered Mail.
- For an additional fee, a *Return Receipt* may be requested to provide proof of delivery. To obtain Return Receipt service, please complete and attach a Return Receipt (PS Form 3811) to the article and add applicable postage to cover the fee. Endorse mailpiece "Return Receipt Requested". To receive a fee waiver for a duplicate return receipt, a USPS® postmark on your Certified Mail receipt is required.
- For an additional fee, delivery may be restricted to the addressee or addressee's authorized agent. Advise the clerk or mark the mailpiece with the endorsement "*Restricted Delivery*".
- If a postmark on the Certified Mail receipt is desired, please present the article at the post office for postmarking. If a postmark on the Certified Mail receipt is not needed, detach and affix label with postage and mail.

IMPORTANT: Save this receipt and present it when making an inquiry. Internet access to delivery information is not available on mail addressed to APOs and FPOs.



State of Ohio Environmental Protection Agency

010
008
TK
File

Southwest District

401 East Fifth Street
Dayton, Ohio 45402-2911

TELE: (937)285-6357 FAX: (937)285-6249
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

CERTIFIED MAIL

July 15, 2008

TSS Aviation/Standard Aero
Mr. Paul Soubry, President and CEO
33 Allen Dyne Road
Winnipeg, MB
Canada R3H 1A1

**Re: Compliance Inspection - Notice of Violations
TSS Aviation, Inc.
Large Quantity Generator - US EPA ID# OHD004236170**

Dear Mr. Soubry:

On June 24, Larry Dickerson and I met with David Showalter, Safety and Environmental Manager, to inspect the TSS Aviation/Standard Aero (TSS) facility located at 11550 Mosteller Road in Cincinnati, Ohio to determine TSS Aviation/Standard Aero's compliance with Ohio's Hazardous Waste Laws as found in Chapter 3734 of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC).

This letter will explain the violations we found and what you need to do to correct them. In order to abate the violations, respond within 14 days from the date of this letter with the requested information. Please note that there are numerous violations and many are repeat violations that were previously cited in February 2007.

Violations

OAC 3745-52-11 - Hazardous Waste Determination

OAC Rule 3745-52-11 requires that any person generating a waste must evaluate such wastes to determine if they are characteristic or listed hazardous wastes. TSS has failed to evaluate the following wastes to determine if they are characteristic or listed hazardous wastes, as required by this rule:

- 1) Paper Rags With Acetone – During the inspection, we observed the use of Bounty Paper rags being used to clean parts with acetone at various workstations. The current practice is to throw these paper rags in the solid waste

trash. Mr. Showalter indicated that no waste evaluation was done on these rags in order to make the determination that they can be disposed as a solid waste.

- 2) Waste Fluorescent Bulbs – During the inspection it was indicated that currently, fluorescent bulbs are being disposed in the solid waste trash. Bulbs are not collected as Universal Waste at this facility. See the Section below on Universal Waste for recycling options. The bulbs must be evaluated in order to make the determination that they can be disposed as a solid waste.
- 3) Since that last inspection, Ohio EPA is aware of 4 shipments of waste that were sent to PermaFix waste disposal company that were either not manifested properly or were rejected due to a profile discrepancy. The following table summarizes those discrepancies:

Date	Waste Description	Amount	Discrepancy Found At The Facility	Outcome
6/5/07	Non RCRA Waste Water	1200 Gallons	Hazardous for Chromium, D007	Hazardous Code added at the Facility
7/24/07	Non RCRA Waste Water	2100 Gallons	Hazardous for ph of 12.8, D002	Hazardous Code added at the Facility
10/25/07	Potassium Permanganate	3000 Gallons	High Solids	New Profile Created
12/12/07	Potassium Permanganate	900 Gallons	Rejected Load	Sent to EEI, Inc.

To demonstrate abatement of these violations, TSS must evaluate all wastes being generated at this facility to determine if such wastes are characteristic or listed hazardous wastes in accordance with this rule and submit documentation of this evaluation, including an identification of all EPA waste codes applicable to the wastes, to this office for review.

ORC 3742.02 (E) and (F) - Storage of Hazardous Waste – Storage For Greater Than 90 Days

- 4) During the inspection we observed in the chemical storage area, one 55 gallon drum labeled "Hazardous Waste" which contained waste acetone. The label was dated 1/15/08. There were an additional 7 drums in this area that contained hazardous waste that were not dated. The ORC 3734.02(E) prohibits any person from establishing or operating a hazardous waste facility without a hazardous waste installation and operation permit, and ORC 3734.02(F) prohibits any person from storing hazardous waste except at a permitted facility. Large Quantity Generators are allowed to accumulate hazardous waste for up to 90 days without a permit; however, these drums were stored for greater than 90

- 18) One of the alodine drums was nearly full and the other approximately half full.

Therefore, the 55 gallon limit was exceeded for each of these wastes in violation of this rule. Mr. Showalter corrected these two violations by removing the funnel from each drum that was nearly full, closing the two containers, and properly labeling them with the words "Hazardous Waste." We agreed that these drums could be dated with the accumulation start date. These two violations are **Returned To Compliance** at this time.

OAC Rule 3745-52-34(C)(1)(b) – Labeling Requirement - Satellite Accumulation Drum - Repeat Violation

Satellite Accumulation containers must be marked with the words "Hazardous Waste" or with other words that identify the contents of the containers. Note that this is a different labeling requirement than OAC 3745-52-34-(A)(3) above.

During the inspection, we observed three satellite accumulation drums in violation of this rule.

- 19) One 55 gallon drum in the chemical storage room used as a hazardous waste acetone satellite accumulation drum was labeled with the words "used acid." During the inspection, Mr. Showalter removed the "used acid" sign and replaced it with a "used acetone" sign and is therefore **Returned To Compliance** on this violation.
- 20) One 55 gallon drum in the chemical storage room used as a hazardous waste alodine satellite accumulation drum was not labeled as required. Mr. Showalter placed a "used acid" label on the drum at the time of the inspection and is therefore **Returned To Compliance** on this violation.
- 21) One 55 gallon drum at the waste paint area was not labeled as required. The sign on the wall above this drum is not complaint with this rule. In order to abate this violation, TSS must properly label this satellite accumulation drum.

OAC Rule 3745-66-73 - Open Containers - Repeat Violation

- 22, 23) A container holding hazardous waste shall always be closed during storage, except when it is necessary to add or remove waste. During the inspection, one of the waste acetone satellite drums and one of the waste satellite alodine drums each had a funnel loosely placed in the bung hole and loosely covered. Hazardous waste containers must be kept closed, except when adding or removing waste. These two violations were corrected at the time of the inspection and are therefore **Returned to Compliance**.

Generator Standards – Used Oil (OAC 3745-279-22)(C)(1)

- 24) Used Oil must be stored in containers that are labeled with the words "Used Oil". During the inspection, we observed in the outbuilding 90 day storage area, one 55 gallon drum not labeled with the words "Used Oil." In order to abate this violation, this drum must be properly labeled.

OAC Rule 3745-66-74 - Inspections and Inspection Log - Repeat Violation

The owner or operator must inspect areas where hazardous waste containers are stored, at least weekly, looking for leaks and deterioration caused by corrosion or other factors. The owner or operator must record inspections in an inspection log or summary.

- 25) At the time of the inspection, weekly inspections were last conducted for the outbuilding 90 day storage area on 5/27/08.
- 26) Based on available records, it did not appear that the Chemical Storage Room was inspected or recorded in a log, since the last Ohio EPA Inspection.

Therefore, TSS is in violation of this rule. Note that both areas, when used as a 90 day storage area must comply with this rule. In order to abate this violation, TSS Aviation must begin weekly inspections immediately, and record the inspections in a log. When I return to re-inspect the facility, I will review the completed logs. Ohio EPA suggests training a back up person in case the primary inspector is not available to conduct these inspections.

OAC 3745-65-54(D) – Amendment of Contingency Plan

- 27) The Contingency Plan must be reviewed, and immediately amended, if necessary, whenever the list of Emergency Coordinators changes. The current contingency plan is not up to date with current emergency coordinators. In order to abate this violation, this section of the Contingency Plan must be updated by removing former employees and updating with current Emergency Coordinators. I will review the corrected copy when I return to re-inspect the facility.

Please note that the current Contingency Plan seems to be left over from the previous owner and appears to meet the minimum requirements of the rules, with the exception this violation. Please be reminded that the Contingency Plan must be reviewed and updated as necessary.

Additional Information

90 Day Storage Areas – Corrective Action and Generator Closure

Any 90 day storage area used to store hazardous waste must be managed according to the OAC. Currently, TSS utilizes two 90 day storage areas in close proximity to each other. The Chemical Storage Room, where the distiller is located, and the outbuilding 90 day storage area. You may consider closing one. As a reminder, the chemical storage area is now subject to Corrective Action and therefore subject to OAC Rules 3745-55-11 through 3745-55-20 and OAC Rules 3745-55-42 through 3745-55-47. The outbuilding is subject to generator closure rules under OAC 3745-52-34(A)(1)(e) and the Referenced Closure Standards.

OAC 3745-65-16 – Manifest Record Keeping; ORC 3734.07 – Access to Records

The generator must keep a copy of each signed manifest for a period of three years from the date the waste was accepted by the initial transporter. Some of the manifests were not readily available during the inspection and it does not appear that all were provided. The manifests were kept in the accounting department files at TSS and we had to return to view them. Mr. Showalter stated that there were 2 hazardous waste shipping discrepancies last year; however, there are 4 that we are currently aware of, which was not evident based on the available records we reviewed at the facility. As a reminder, records must be retained and available to Ohio EPA inspectors.

OAC 3745-273 - Universal Waste

Universal wastes are specific hazardous waste streams that a generator can choose to manage in an alternative manner in place of the more complex hazardous waste requirements. These wastes are generated by numerous businesses, typically in small quantities. The Universal Waste Rules are intended to promote recycling as well as proper disposal by easing certain regulatory requirements. Further guidance on managing fluorescent bulbs can be found at:

http://www.epa.state.oh.us/dhwm/pdf/New_Universal_Waste_Guidance.pdf

OAC 3745-65-16 - Personnel Training

Large Quantity Generators must conduct personnel training, as required by OAC 3745-65-16. The current Training Plan seems to be left over from the previous owner and although it appears to meet the minimum requirements of the rules, we encourage TSS to review training requirements and continually update your training plan as needed. As a reminder, Large Quantity Generators are required to have a formal written training program specific to the site's hazardous waste practices; to identify all employees that manage hazardous waste; to list out each individual's duties and training requirements; and to provide formal and on the job training that is documented. By updating and maintaining employee training, your company is more likely to comply with Ohio's hazardous waste rules.

**LA QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: ≤ 100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.

SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.

LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥ 1 Kg. of acutely hazardous waste in a calendar month.

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

GENERAL REQUIREMENTS

- | | | | | | | |
|---|-----|-------------------------------------|----|-------------------------------------|-----|--------------------------|
| 1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 2. Are records of waste determination being kept for at least 3 years?[3745-52-40(C)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 3. Has the generator obtained a U.S. EPA identification number? [3745-52-12] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 4. Were annual reports filed with Ohio EPA on or before March 1 st ? [3745-52-41(A)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 5. Are annual reports kept on file for at least 3 years?[3745-52-40(B)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 6. Has the generator transported or caused to be transported hazardous waste to other than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 7. Has the generator disposed of hazardous waste on-site without a permit or at another facility other than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E) & (F)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 8. Does the generator accumulate hazardous waste? | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

- | | | | | | | |
|--|-----|-------------------------------------|----|--------------------------|-----|--------------------------|
| 9. Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02 (E) & (F)? | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
|--|-----|-------------------------------------|----|--------------------------|-----|--------------------------|

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G) & (H).

- | | | | | | | |
|---|-----|--------------------------|----|-------------------------------------|-----|--------------------------|
| 10. Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)] | | | | | | |
| a. Container that meets 3745-66-70 to 3745-66-77? | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)? | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| c. Drip pads that meet 3745-69-40 to 3745-69-45? | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| d. Containment building that meets 3745-256-100 to 3745-256-102? | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

- | | | | | | | |
|---|-----|--------------------------|----|-------------------------------------|-----|-------------------------------------|
| 11. Does the generator export hazardous waste? If so: | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| b. Has the generator complied with special manifest requirements? [3745-52-54] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| d. Has an annual report been submitted to U.S. EPA? [3745-52-56] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| e. Are export related documents being maintained on-site? [3745-52-57(A)] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |

MANIFEST REQUIREMENTS

- | | | | | | | |
|---|-----|-------------------------------------|----|-------------------------------------|-----|--------------------------|
| 12. Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 13. Have items (1) through (20) of each manifest been completed? [3745-52-20(A)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)] | | | | | | |
| 14. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |

NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)].

- | | | | | | | |
|---|-----|-------------------------------------|----|--------------------------|-----|--------------------------|
| 15. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 16. Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1) & (2)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |

[Facility Name/Inspection Date]

[ID number]

LQG/February 2007

Page 1 of 4

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.

17. If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)] Yes No N/A
18. If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)] Yes No N/A
19. Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40] Yes No N/A

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

PERSONNEL TRAINING

20. Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)] Yes No N/A
21. Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)(a-f)] Yes No N/A
22. Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)] Yes No N/A
23. Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)] Yes No N/A
24. Does the generator provide annual refresher training to employees? [3745-65-16(C)] Yes No N/A
25. Does the generator keep records and documentation of:
- a. Job titles [3745-65-16D(1)]? Yes No N/A
 - b. Job descriptions [3745-65-16D(2)]? Yes No N/A
 - c. Type and amount of training given to each person [3745-65-16D(3)]? Yes No N/A
 - d. Completed training or job experience required [3745-65-16D(4)]? Yes No N/A
26. Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)] Yes No N/A

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained

CONTINGENCY PLAN

27. Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)] Yes No N/A
28. Does the plan describe the following:
- a. Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste [3745-65-52(A)]? Yes No N/A
 - b. Arrangements with emergency authorities [3745-65-52(C)]. Yes No N/A
 - c. A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)] Yes No N/A
 - d. A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)] Yes No N/A

- d. Do not exceed one quart of acute hazardous waste at any one time? [3745-52-34(C)(1)] Yes No N/A
- e. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)] Yes No N/A
- f. Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] *see NOV* Yes No N/A
43. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so: Yes No N/A
- a. Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] *see NOV* Yes No N/A
- b. Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] *see NOV* Yes No N/A

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS

44. Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)] *see NOV* Yes No N/A
45. Is the accumulation date on each container? [3745-52-34(A)(2)] *see NOV* Yes No N/A
46. Are hazardous wastes stored in containers which are:
- a. Closed (except when adding/removing wastes)? [3745-66-73(A)] *see NOV* Yes No N/A
- b. In good condition? [3745-66-71] Yes No N/A
- c. Compatible with wastes stored in them? [3745-66-72] Yes No N/A
- d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes No N/A

NOTE: Record location on process summary sheets, photograph the area, and record on facility map.

47. Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORC§1.44(A) "Week" means 7 consecutive days. *see NOV* Yes No N/A
- a. Are inspections recorded in a log or summary? [3745-66-74] Yes No N/A
48. Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76] Yes No N/A
49. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes No N/A
50. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)] Yes No N/A
51. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)] Yes No N/A

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

52. If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)] Yes No N/A

NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]

PRE-TRANSPORT REQUIREMENTS

53. Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] *except unmanifested waste, see NOV letter* Yes No N/A
54. Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)] *when shipped except unmanifested waste, see NOV letter* Yes No N/A
55. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes No N/A

e. An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)] Yes No N/A

NOTE: If the facility already has a "Spill Prevention, Control and Counter measures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]

29. Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53 (A) & (B)] Yes No N/A

30. Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54] Yes No N/A

31. Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55] Yes No N/A

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

EMERGENCY PROCEDURES

32. Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so: Yes No N/A

a. Was the contingency plan implemented? [3745-65-51(B)] Yes No N/A

b. Did the facility follow the emergency procedures in 3745-65-56(A) through (H)? Yes No N/A

c. Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)? Yes No N/A

NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

PREPAREDNESS AND PREVENTION

33. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31] Yes No N/A

34. Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:

a. Internal communications or alarm system? [3745-65-32(A)] Yes No N/A

b. Emergency communication device? [3745-65-32(B)] Yes No N/A

c. Portable fire control, spill control and decon equipment? [3745-65-32(C)] Yes No N/A

d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] Yes No N/A

NOTE: Verify that the equipment is listed in the contingency plan.

35. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33] Yes No N/A

36. Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33] Yes No N/A

37. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)] Yes No N/A

38. If there is only one employee on the premises, is there immediate access to a device (ex.phone, hand held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32) [3745-65-34(B)] Yes No N/A

39. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] could be better Yes No N/A

40. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)] Yes No N/A

41. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes No N/A

SATELLITE ACCUMULATION AREA REQUIREMENTS

42. Does the generator ensure that satellite accumulation area(s):

a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes No N/A

b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes No N/A

c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes No N/A
see Nov letter

[Facility Name/Inspection Date]

[ID number]

LQG/February 2007

Page 3 of 4

**GENERATOR LDR CHECKLIST
DOES NOT APPLY TO CESQGS**

GENERAL REQUIREMENTS

- | | | |
|----|--|--|
| 1. | If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07 (A)(7)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 2. | Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

NOTE: This is done by determining if the HW /soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07 (A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).

- | | | |
|----|--|--|
| 3. | Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 4. | Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 5. | Does the generator generate a listed HW that exhibits a characteristic? If yes, | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| a. | Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.

- | | | |
|----|---|--|
| 6. | Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
|----|---|--|

NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.

NOTE: Written documentation of this determination is not required.

- | | | |
|----|--|--|
| 7. | Did the generator treat his HW /soil on-site to meet the LDR treatment standard? | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> |
|----|--|--|

NOTE If "Yes" see question #16.

- | | | |
|-----|--|--|
| 8. | Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility?[3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 9. | Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 10. | Does the generator have a copy of the LDR notification form on file?[3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| a. | Is the form kept on file for three years after last HW shipped? [3745-270-07(A)(8)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

NOTIFICATION FORM

- | | | |
|-----|---|--|
| 11. | Does the LDR Notification form contain the following information: | |
| a. | Manifest number of the first waste shipment to the TSD?[3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| b. | Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| c. | A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| d. | A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)]. | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

NOTE: A wastewater contains <1% by wt. total suspended solids(TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.

e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories

f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.

g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for?[3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.

PROHIBITED DILUTION

12.	Is the HW treated by burning? If "No," go to #15.	Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
13.	Is the HW a metal-bearing HW?	Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs are given in the Appendix to 3745-270-03.

14.	a.	Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless <u>one</u> of the following conditions apply. [3745-270-03(c)]	
	i.	Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii.	Contains organic constituents or cyanide at levels greater than the UST levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii.	Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv.	Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	v.	Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	If all responses to 14 a.i. through 14 a.v. are "No", HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.		Was the HW treated by wastewater treatment?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a.	Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: If Yes, HW is improperly being treated by dilution.

	b.	Does the waste carry the D001 code and contain $\geq 10\%$ TOC?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the answers to b & c are "yes" and "no", respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B) and 3745-270-40(A)(3)].

NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.

GENERATOR TREATMENT			
16.	Does the generator treat to meet LDRs on-site [3745-270-40(A)]?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	Did the generator treat his hazardous waste/soil on-site in a tank, container, drip pad or containment building to meet the LDR treatment standard?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	If "Yes"...complete the rest of the checklist. If "No"...stop...you are done.		
a.	Does the generator have a written waste analysis plan (WAP) that describes the procedures he will follow to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Did the generator use a detailed chemical and physical analysis of the HW/soil in order to develop the WAP? [3745-270-07(A)(5)(a)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: This is a laboratory analysis but it does not have to be kept by the generator.			
c.	Does the WAP contain all information necessary to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)(a)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Does the WAP include the testing frequency of the treated HW/soil to demonstrate that the LDR treatment standard is being met? [3745-270-07(A)(5)(a)]		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	Does the generator keep the WAP on-site? [3745-270-07(A)(5)(b)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
f.	Is the WAP available for the inspector's review during the inspection? [3745-270-07(A)(5)(b)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTIFICATION FORM			
17.	a. Contains all information in #11 a-g above and		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. If the treated HW/soil is listed.....notification contains the following certification statement: " I certify under penalty of law that I personally have examined and am familiar with the waste, through analysis and testing or trough knowledge of the waste, to support this certification that the waste complies with the treatment stands specified in rule 3745-270-40 to 3745-270-49 of the Administrative Code. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. If the treated HW/soil no longer exhibits a characteristic and is no longer a HW, did the generator:		
	i.	Send a one-time notification to the director?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	ii.	Maintain a copy of the notice onsite?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iii.	Include in the notification: [3745-270-09(D)(1)(a)]	
	1.	Name & address of receiving landfill?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	2.	Description of HW when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	3.	HW code when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	4.	Treatability group when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	5.	Underlying hazardous constituents present when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iv.	Contain the right certification statement as required by 3745-70-07(b)(4)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>



11-11-11

**USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

PROHIBITIONS

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: For example, used oil contaminated scrap metal stored in a pile.

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)] <i>see violation letter</i>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Stopped the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Contained the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

ON-SITE BURNING IN SPACE HEATER

10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

	b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	c.	Are the combustion gases from heater vented to the ambient air?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).

GENERATOR TRANSPORTATION

11.		Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
12.		If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?[3745-279-24]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	b.	Does the generator transport more than 55 gallons of used oil at any time?[3745-279-24]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).

COLLECTION CENTERS AND AGGREGATION POINTS

13.		Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
14.		Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
15.		Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.