



State of Ohio Environmental Protection Agency

Southwest District Office

401 E. Fifth St.
Dayton, Ohio 45402

TELE: (937) 265-6357 FAX: (937) 265-6249
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

July 11, 2007

Mr. Robert E. Linkman
Senior Logistics Manager
Distribution Technologies, Inc.
5560 Brentlinger Drive
Dayton, Ohio 45414

**Re: Distribution Technologies Inc.; Hazardous Waste; Montgomery County;
OHD077758936, SQG**

Dear Mr. Linkman:

Thank you for your response dated May 31, 2007, received on June 29, 2007, to Ohio EPA's May 7, 2007 Notice of Violation letter. The documentation you submitted included photographic documentation, inspection records, and emergency response information.


My review of this documentation reveals that Distribution Technologies has now abated all violations discovered during the April 26, 2007 inspection as listed below.

Letter Citation #	Rule Citation
1.	OAC 3745-52-11, Hazardous waste determination
2.	OAC 3745-52-42(B), Exception report
3.	OAC 3745-52-34(D)(5)(b), Accumulation time of hazardous waste
4.	OAC 3745-65-33, Testing and maintenance of equipment
5.	OAC 3745-52-34(D)(4), Accumulation time of hazardous waste
6.	OAC 3745-52-34(D)(4), Accumulation time of hazardous waste
7.	OAC 3745-66-73(A), Management of containers
8.	OAC 3745-66-74, Inspections

Mr. Robert E. Linkman
July 11, 2007
Page 2

If you should have any questions, please feel free to call me at (937) 285-6081.

Sincerely,

A handwritten signature in black ink, appearing to read "Steven Roth". The signature is fluid and cursive, with a long horizontal stroke extending to the right.

Steven Roth, P.E.
Environmental Specialist
Division of Hazardous Waste Management

cc: Dinah Crawford, SWDO-DHWM/SWDO File

SR/bp

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.