



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

August 17, 2009

MICHAEL CONNELLY
NORFOLK SOUTHERN BUCKEYE YARD
PO BOX 120
BELLEVUE, OH 44811

**Re: Return to Compliance NORFOLK SOUTHERN BUCKEYE YARD, COLUMBUS - OHD000816827
Receipt of 2007 Hazardous Waste Annual Report**

Dear MICHAEL CONNELLY:

I am writing to notify you that I received the 2007 Hazardous Waste Annual Report for your site on March 3, 2009, and revisions were received July 21, 2009. This report was requested by me in letters dated August 6, 2008 and February 13, 2009 indicating that NORFOLK SOUTHERN BUCKEYE YARD had not submitted a report for hazardous wastes generated during 2007. The report has been processed and entered into Ohio EPA's Annual Report database, and the violation has been abated.

I recommend you file this letter with your Annual Report records in case there are any questions during an inspection. Feel free to contact me in the future at (614) 644-2891 or maryann.silagy@epa.state.oh.us.

Sincerely,

Mary Ann Silagy
Environmental Specialist 2
Regulatory and Information Services
Ohio EPA - Division of Hazardous Waste Management
maryann.silagy@epa.state.oh.us

cc: Central File
DHWM, CDO

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.





OHD000817338-001-10/14/2010

Hazardous Waste

NOV

GENERAL ELECTRIC CO AUSTINTOWN COIL PL1

MAHONING

10/14/2010



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

October 14, 2010

MATT AUGUSTINE
GENERAL ELECTRIC CO AUSTINTOWN COIL PLT
540 MAYER ST
BRIDGEVILLE, PA 15017

**Re: 2009 Hazardous Waste Annual Report Requirement – Notice of Violation
GENERAL ELECTRIC CO AUSTINTOWN COIL PLT, YOUNGSTOWN -
OHD000817338**

Dear MATT AUGUSTINE:

My review of customer data from Ohio Treatment, Storage, and Disposal Facilities (TSDFs) has revealed that one or more shipments of hazardous waste were received from GENERAL ELECTRIC CO AUSTINTOWN COIL PLT during the 2009 calendar year. The total amount reported is approximately 36.56 tons as shown on the enclosed printout. This total indicates that GENERAL ELECTRIC CO AUSTINTOWN COIL PLT was a large quantity generator in 2009. Because I have not received a Hazardous Waste Annual Report for 2009, GENERAL ELECTRIC CO AUSTINTOWN COIL PLT may be in violation of Rule 3745-52-41 of the Ohio Administrative Code (OAC).

A large quantity generator is defined as a site which generates in any single month more than 1000 kg (2200 lbs) of non-acute hazardous waste or more than 1 kg (2.2 lb) of acutely hazardous waste. This includes wastes from one-time generation as well as wastes from ongoing production processes. Generating hazardous waste above the threshold quantity for only one month will subject a site to the Annual Report requirement. OAC Rule 3745-52-41 requires a generator who ships any hazardous waste off-site to prepare and submit to the Ohio EPA a Hazardous Waste Annual Report and to describe and certify efforts that were made to minimize hazardous wastes. These reports are due March 1 of each year and contain information about the activities of the previous calendar year. Only small quantity generators (between 220 and 2200 lb/mo of non-acutely hazardous wastes) and conditionally exempt small quantity generators (less than 220 lb/mo of non-acutely hazardous wastes) are exempt from the Annual Report requirement as described in OAC Rule 3745-52-44.

To abate the violation of OAC Rule 3745-52-41, GENERAL ELECTRIC CO AUSTINTOWN COIL PLT must complete and submit to Ohio EPA a 2009 Hazardous Waste Annual Report within 30 days of receipt of this letter. Failure to respond to this Notice of Violation may result in referral to the Compliance Assurance Section for consideration of escalated enforcement. The 2009 forms and instructions can be found in Adobe Acrobat PDF format at http://www.epa.ohio.gov/dhwm/ann_report/ann_report_2009.aspx. This same web site contains detailed information about filing electronically using the eDRUMS service in Ohio EPA's eBusiness Center (eBiz) at <https://ebiz.epa.ohio.gov/login.jsp>. The Responsible Official

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

who will sign the report must have an eBiz account and PIN before they can apply for the service. Obtaining a PIN requires mailing to Ohio EPA a notarized signature and receiving the PIN by return US mail. I encourage you to file electronically because it is efficient, easy to use, and prevents many common errors due to built-in error checking and validation.

GENERAL ELECTRIC CO AUSTINTOWN COIL PLT should have on file the manifest records necessary for completion of the reports. OAC Rule 3745-52-40 requires generators to keep a signed copy of each manifest for a period of at least three years from the date the waste was accepted by the initial transporter. Receiving facilities and transporters are under a similar requirement. If you need copies of the original manifest(s), contact them for assistance.

If GENERAL ELECTRIC CO AUSTINTOWN COIL PLT was not a large quantity generator in 2009, documentation must be submitted to this office within 30 days of receipt of this letter. This documentation must show that GENERAL ELECTRIC CO AUSTINTOWN COIL PLT did not generate more than the threshold quantity of hazardous waste in any month during 2009. If you believe that the information supplied by Ohio TSDFs is in error, please call me to discuss the discrepancy.

A letter that acknowledges receipt of the report will be sent to you after it is processed. I can answer questions concerning the Annual Report or eBiz at (614) 644-2891 or maryann.silagy@epa.state.oh.us. Your prompt attention to this matter is appreciated.

Sincerely,



Mary Ann Silagy, Environmental Specialist 2
Regulatory and Information Services
Ohio EPA - Division of Hazardous Waste Management
maryann.silagy@epa.state.oh.us
614-644-2891

enclosures

cc: Central File
DHWM, NEDO

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Generator Facility

Generator US EPA ID: OHD000817338
 Generator Name: General Electric Co Austintown Coil Plant *
 Address: 280 N Meridian Rd
 Youngstown, OH 44509-
 Total Tons Shipped: 36.56

Receiving Facility

US EPA ID: OHD066060609
 Name: Chemtron Corp
 Customer Name: GE ELECTRIC YOUNGSTOWN
 Customer Address: 280 NORTH MERIDIAN RD.
 YOUNGSTOWN, OH 44509-

Waste Description: ORANGE PEEL W/MASTIC Page: 1940 Subpage: 2276
 System Type: H061 Form: W219 Quantity: 1376.94 P Density:
 D001

Receiving Facility

US EPA ID: OHD980568992
 Name: Envirote of Ohio Inc
 Customer Name: GE Lighting
 Customer Address: 280 N Meridan Road
 Yougstown, OH 44515-

Waste Description: MIXED ACID Page: 677 Subpage: 1301
 System Type: H077 Form: W103 Quantity: 30460.00 P Density: 0 Lbs. / Gal.
 D002

Receiving Facility

US EPA ID: OHD066060609
 Name: Chemtron Corp
 Customer Name: GE ELECTRIC YOUNGSTOWN
 Customer Address: 280 NORTH MERIDIAN RD.
 YOUNGSTOWN, OH 44509-

Waste Description: MERCURY DEVICE Page: 1940 Subpage: 2277
 System Type: H141 Form: W117 Quantity: 10.00 P Density:
 D009

Waste Description: SANDBLAST Page: 1940 Subpage: 2278
 System Type: H141 Form: W310 Quantity: 33713.80 P Density:
 D008

Waste Description: ORANGE PEEL W/MASTIC Page: 1940 Subpage: 3424
 System Type: H141 Form: W219 Quantity: 4589.80 P Density:
 D001

Waste Description: ISOPROPYL ALCOHOL Page: 1940 Subpage: 4289
 System Type: H141 Form: W219 Quantity: 150.00 P Density:
 D001

Waste Description: FLAMMABLE LOOSEPACK Page: 1940 Subpage: 4290
 System Type: H141 Form: W209 Quantity: 678.00 P Density:
 D035 F005 D001 D007 D008 F003

Waste Description: SODIUM HYDROXIDE Page: 1940 Subpage: 7290
 System Type: H141 Form: W519 Quantity: 800.00 P Density:
 D002

Waste Description: STONHARD 800 Page: 1940 Subpage: 7545
 System Type: H141 Form: W210 Quantity: 347.00 P Density:
 D001

Waste Description: MIXED SOLVENTS Page: 1940 Subpage: 8055
 System Type: H061 Form: W203 Quantity: 400.00 P Density:
 F005 D001 F003

Generator Facility**Generator US EPA ID:** OHD000817338**Generator Name:** General Electric Co Austintown Coil Plant ***Address:** 280 N Meridian Rd
Youngstown, OH 44509-**Total Tons Shipped:** 36.56**Receiving Facility****US EPA ID:** OHD066060609**Name:** Chemtron Corp**Customer Name:** GE ELECTRIC YOUNGSTOWN**Customer Address:** 280 NORTH MERIDIAN RD.
YOUNGSTOWN, OH 44509-

Waste Description: AEROSOLS **Page:** 1940 **Subpage:** 8056**System Type:** H141 **Form:** W801 **Quantity:** 100.00 P **Density:**

D035 D001

Waste Description: TRENCH SOLIDS **Page:** 1940 **Subpage:** 8293**System Type:** H141 **Form:** W316 **Quantity:** 250.00 P **Density:**

D007

Waste Description: TRENCH SOLIDS **Page:** 1940 **Subpage:** 8294**System Type:** H141 **Form:** W316 **Quantity:** 250.00 P **Density:**

D002

Ohio Waste Receipt Records for Specific Customers

6/17/2011

Customer ID	Customer Name	WR Pg	Mgmt Method	Quantity, Unit, and Density (if provided)	Form Code
-------------	---------------	-------	-------------	---	-----------

OHD000817338

2009

Reported by OHD066060609 Chemtron Corp

GE ELECTRIC YOUNGSTOWN

280 NORTH MERIDIAN RD., YOUNGSTOWN OH 44509

ORANGE PEEL W/MASTIC D001	1,940.00.2,27	H061	✓	1,377 P	W219
MERCURY DEVICE D009	1,940.00.2,27	H141		10 P	W117
SANDBLAST D008	1,940.00.2,27	H141		33,714 P	W310
ORANGE PEEL W/MASTIC D001	1,940.00.3,42	H141	✓	4,590 P	W219
ISOPROPYL ALCOHOL D001	1,940.00.4,28	H141		150 P	W219
FLAMMABLE LOOSEPACK D001 D007 D008 D035 F003 F005	1,940.00.4,29	H141	✓	678 P	W209
SODIUM HYDROXIDE D002	1,940.00.7,29	H141	✓	800 P	W519
STONHARD 800 D001	1,940.00.7,54	H141	✓	347 P	W210
MIXED SOLVENTS D001 F003 F005	1,940.00.8,05	H061	✓	400 P	W203
AEROSOLS D001 D035	1,940.00.8,05	H141		100 P	W801
TRENCH SOLIDS D007	1,940.00.8,29	H141		250 P	W316
TRENCH SOLIDS D002	1,940.00.8,29	H141		250 P	W316

21.33 Total Tons for this Receiver

Reported by OHD980568992 Envirite of Ohio Inc

GE Lighting

280 N Meridan Road, Yougstown OH 44515

MIXED ACID D002	677.00.1,301.1	H077	✓	30,460 P	W103
--------------------	----------------	------	---	----------	------

15.23 Total Tons for this Receiver

36.56 Total Tons for the Year

Ross in-state shipments 2010

6/17/2011

OHD000817338 General Electric Co Austintown Coil Plant 280 N Meridian Rd, Youngstown 44509 Contact/Phone
 OHD066060609 Barry Hallock 8286932148

	Tons	Address						
Orange Peel with mastic			Pg 1	G19	W219	D001		
1,377 P ✓ H061 ✓	0.69							
4,590 P ✓ H141 ✓	2.30							
Mercury device			Pg 3	G15	W117	D009		
10 P ✓ H141 ✓	0.01							
Sandblast media			Pg 4	G09	W310	D008		
33,714 P ✓ H141 ✓	16.86							
Isopropyl alcohol			Pg 5	G11	W119	D001		
150 P ✓ H141 ✓	0.08							
Flammable loosepack			Pg 6	G11	W209	D001	D007	D008 D035 F003 F005
678 P ✓ H141 ✓	0.34							
Sodium hydroxide			Pg 7	G19	W519	D002		
800 P ✓ H141 ✓	0.40							
Stonhard 800 polyester resin			Pg 8	G11	W210	D001		
347 P ✓ H141 ✓	0.17							
Mixed solvents			Pg 9	G11	W203	D001	F003	F005
400 P ✓ H141 ✓ (H061)	0.20							
Aerosols			Pg 10	G11	W801	D001	D035	
100 P ✓ H141 ✓	0.05							
Trench solids A			Pg 11	G19	W316	D007		
250 P ✓ H141 ✓	0.13							
Trench solids B			Pg 12	G19	W316	D002	D007	
250 P ✓ H141 ✓	0.13							
	21.33							

OHD980568992
 Mixed acids
 30,460 P ✓ H077 ✓
 15.23
 36.56 Total Tons Shipped

C —
nm — now
5 — 11/14/80