



**Environmental
Protection Agency**

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

June 21, 2011

Barry Hallock
GENERAL ELECTRIC CO AUSTINTOWN COIL PLT
540 MAYER ST
BRIDGEVILLE, PA 15017

**Re: Return to Compliance – Receipt of 2009 Hazardous Waste Annual Report
GENERAL ELECTRIC CO AUSTINTOWN COIL PLT, YOUNGSTOWN -
OHD000817338**

Dear Barry Hallock:

I am writing to notify you that I received the 2009 Hazardous Waste Annual Report for your site on November 11, 2010. This report was requested by me in a letter dated October 14, 2010, indicating that General Electric Co Austintown Coil Plant had not submitted a report for hazardous wastes generated during 2009. The report has been processed and entered into Ohio EPA's Annual Report database, and the violation has been abated.

I recommend you file this letter with your Annual Report records in case there are any questions during an inspection. Feel free to contact me in the future at (614) 644-2891 or maryann.silagy@epa.state.oh.us.

Sincerely,

Mary Ann Silagy, Environmental Specialist 2
Environmental Research and Information Services
Ohio EPA - Division of Materials and Waste Management
614-644-2891
maryann.silagy@epa.state.oh.us

cc: Central File
DHWM, NEDO

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.