



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

August 22, 2007

NANCY FRIEND
GOODRICH CORPORATION
PO BOX 340
TROY, OH 45373

**Re: 2006 Hazardous Waste Annual Report Requirement
GOODRICH CORPORATION - OHD004236360**

Dear NANCY FRIEND:

My review of customer data from Ohio Treatment, Storage, and Disposal Facilities (TSDFs) has revealed that one or more shipments of hazardous waste were received from GOODRICH CORPORATION during the 2006 calendar year. The total amount reported indicates that GOODRICH CORPORATION was a large quantity generator in 2006. Since I have not received a Hazardous Waste Annual Report for 2006, GOODRICH CORPORATION may be in violation of Rule 3745-52-41 of the Ohio Administrative Code (OAC). Please see the enclosed printout detailing the hazardous wastes received from GOODRICH CORPORATION during 2006.

A large quantity generator is defined as a site which generates in any single month more than 1000 kg (2200 lbs) of non-acute hazardous waste or more than 1 kg (2.2 lb) of acutely hazardous waste. This includes wastes from one-time generation as well as wastes from ongoing production processes. It may take only one month of generating above the threshold quantity to subject a site to the Annual Report requirement. The generator is responsible for contacting Ohio EPA in order to obtain the reporting forms.

OAC Rule 3745-52-41 requires a generator who ships any hazardous waste off-site to prepare and submit to the Ohio EPA an **Annual Hazardous Waste Report** and to describe and certify efforts that were made to minimize hazardous wastes. These reports are due March 1 of each year and contain information about the activities of the previous calendar year. Only small quantity generators (between 220 and 2200 lb/mo of non-acutely hazardous wastes) and conditionally exempt small quantity generators (less than 220 lb/mo of non-acutely hazardous wastes) are exempt from the Annual Report requirement as described in OAC Rule 3745-52-44.

Printed on Recycled Paper

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

Ohio EPA is an Equal Opportunity Employer

To abate the violation of OAC Rule 3745-52-41, GOODRICH CORPORATION must complete and submit to Ohio EPA a 2006 Annual Hazardous Waste Report within 30 days of receipt of this letter. Failure to respond to this Notice of Violation may result in referral to the Compliance Assurance Section for consideration of escalated enforcement. You may access the reporting forms and instructions on our website at http://www.epa.state.oh.us/dhwm/ann_report.html.

GOODRICH CORPORATION should have on file the manifest records necessary for completion of the reports. OAC Rule 3745-52-40 requires generators to keep a signed copy of each manifest for a period of at least three years from the date the waste was accepted by the initial transporter. Receiving facilities and transporters are under a similar requirement; if you need copies of the original manifest(s), contact them for assistance.

If GOODRICH CORPORATION was not a large quantity generator in 2006, documentation must be submitted to this office within 30 days of receipt of this letter. This documentation must show that GOODRICH CORPORATION did not generate more than the threshold quantity of hazardous waste in any month during 2006. If you believe that the information supplied by Ohio TSDFs is in error, please call me to discuss the discrepancy.

A letter that acknowledges receipt of the report will be sent to you after it is processed. I can answer questions concerning the Annual Report at (614) 644-2923. Your prompt attention to this matter is appreciated.

Sincerely,

Paula Canter

Paula Canter
Environmental Specialist 3
Regulatory and Information Services
Division of Hazardous Waste Management
paula.canter@epa.state.oh.us

cc: Central File
ec: DHWM, SWDO

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Generator Facility

Generator US EPA ID: OHD004236360
 Generator Name: Goodrich Corporation
 Address: 101 Waco St
 Troy, OH 45373-
 Total Tons Shipped: 84.93

Receiving Facility

US EPA ID: OHD093945293
 Name: Veolia ES Technical Solutions LLC
 Customer Name: GOODRICH
 Customer Address: 101 WACO STREET
 TROY, OH 45373-

Waste Description:	System Type:	Form:	Quantity:	Density:	Page:	Subpage:
AEROSOLS D001	H141	W801	1.00 P		3208	1
ALODINE 5200 MAKEUP - CH92105 D002	H141	W113	40.00 P		3208	2
ANODIZE AIR SCRUBBER RINSE WAT D007	H141	W113	1600.00 P		3208	3
ANODIZE FILTERS - CH0202 D002 D007	H141	W409	250.00 P		3208	4
ANODIZE TIES - CH0206 D007	H141	W409	1400.00 P		3208	5
CONTAMINATED PPE/GLOVES - CH77 D006	H141	W319	150.00 P		3208	6
CONTAMINATED PPE/GLOVES - CH77 D006	H141	W319	150.00 P		3208	7
DEOXIDIZER HX-357 REPLENISHER D002	H141	W119	800.00 P		3208	8
DOW ROOM FLOOR CLEANUP - CH005 D002 D007	H141	W319	650.00 P		3208	9
DOW ROOM FLOOR CLEANUP - CH005 D002 D007	H141	W319	5000.00 P		3208	10
FILTER PRESS CAKE - CH006 F019	H141	W504	4500.00 P		3208	11
FILTER PRESS CAKE - CH006 F019	H141	W504	37500.00 P		3208	12
FILTER PRESS FILTERS-CH0017 F019	H141	W319	500.00 P		3208	13



Generator Facility

Generator US EPA ID: OHD004236360
 Generator Name: Goodrich Corporation
 Address: 101 Waco St
 Troy, OH 45373-
 Total Tons Shipped: 84.93

Receiving Facility

US EPA ID: OHD093945293
 Name: Veolia ES Technical Solutions LLC
 Customer Name: GOODRICH
 Customer Address: 101 WACO STREET
 TROY, OH 45373-

Waste Description: FILTER PRESS RINSE WATER - CH0	Page: 3208	Subpage: 14
System Type: H141 Form: W101 Quantity: 2000.00 P Density:		
F019		
Waste Description: HEAT TREAT SALT W/CHROME	Page: 3208	Subpage: 15
System Type: H141 Form: W316 Quantity: 500.00 P Density:		
D001 D007		
Waste Description: ION EXCHANGE RESIN - CH0203	Page: 3208	Subpage: 16
System Type: H141 Form: W101 Quantity: 500.00 P Density:		
D002		
Waste Description: IRIDITE 15 - CH92098	Page: 3208	Subpage: 17
System Type: H141 Form: W319 Quantity: 30.00 P Density:		
D001 D002 D007		
Waste Description: LAB PACK CHEMICALS-DCN	Page: 3208	Subpage: 18
System Type: H141 Form: W001 Quantity: 66.00 P Density:		
D001 D002		
Waste Description: METAL PAINT BOOTH FILTERS - CH	Page: 3208	Subpage: 19
System Type: H141 Form: W310 Quantity: 7800.00 P Density:		
D007		
Waste Description: MINERAL SPIRITS - CH0063	Page: 3208	Subpage: 20
System Type: H061 Form: W219 Quantity: 800.00 P Density:		
D001		
Waste Description: OLD DOW ROOM DEBRIS	Page: 3208	Subpage: 21
System Type: H141 Form: W307 Quantity: 2000.00 P Density:		
D007		
Waste Description: PAINT CANS - CH0034	Page: 3208	Subpage: 22
System Type: H061 Form: W307 Quantity: 1250.00 P Density:		
D035 F005 D001 D007		
Waste Description: PAINT CANS - CH0034	Page: 3208	Subpage: 23
System Type: H141 Form: W307 Quantity: 6000.00 P Density:		
D035 F005 D001 D007		
Waste Description: PAINT RELATED DEBRIS - CH101	Page: 3208	Subpage: 24
System Type: H141 Form: W209 Quantity: 18750.00 P Density:		
D035 F005 D007		
Waste Description: PRIMER WASTE MATERIAL - CH7704	Page: 3208	Subpage: 25
System Type: H061 Form: W209 Quantity: 1500.00 P Density:		
D001 D005 D007		
Waste Description: PRIMER WASTE MATERIAL - CH7704	Page: 3208	Subpage: 26
System Type: H061 Form: W209 Quantity: 4500.00 P Density:		
D001 D005 D007		



Generator Facility

Generator US EPA ID: OHD004236360

Generator Name: Goodrich Corporation

Address: 101 Waco St
Troy, OH 45373-

Total Tons Shipped: 84.93

Receiving Facility

US EPA ID: OHD093945293

Name: Veolia ES Technical Solutions LLC

Customer Name: GOODRICH

Customer Address: 101 WACO STREET
TROY, OH 45373-

Waste Description:	PRIMER WASTE MATERIAL - CH7704	Page:	3208	Subpage:	27
System Type:	H141 Form: W209 Quantity: 500.00 P Density:				
	D001 D005 D007				
Waste Description:	REGENERANT - CH A-70-1	Page:	3208	Subpage:	28
System Type:	H141 Form: W119 Quantity: 5500.00 P Density:				
	F006 D002 D007				
Waste Description:	RUST ARREST 31 PRODUCT - CH014	Page:	3208	Subpage:	29
System Type:	H061 Form: W211 Quantity: 400.00 P Density:				
	D001				
Waste Description:	SEAL TANK WASTE - CH72582	Page:	3208	Subpage:	30
System Type:	H141 Form: W119 Quantity: 3000.00 P Density:				
	D002 D007				
Waste Description:	SODIUM HYDROXIDE	Page:	3208	Subpage:	31
System Type:	H141 Form: W319 Quantity: 400.00 P Density:				
	D002				
Waste Description:	SPENT TANK 41 MATERIAL-CH0084	Page:	3208	Subpage:	32
System Type:	H141 Form: W110 Quantity: 2500.00 P Density:				
	D002				
Waste Description:	SULFURIC ACID CLEANUP	Page:	3208	Subpage:	33
System Type:	H141 Form: W319 Quantity: 150.00 P Density:				
	D002				
Waste Description:	SULFURIC ACID RINSE WATER W/SO	Page:	3208	Subpage:	34
System Type:	H141 Form: W113 Quantity: 400.00 P Density:				
	D002				
Waste Description:	TANK 12 SPILL CLEANUP	Page:	3208	Subpage:	35
System Type:	H141 Form: W319 Quantity: 1000.00 P Density:				
	D002 D007				
Waste Description:	TANK 12 SPILL MATERIAL	Page:	3208	Subpage:	36
System Type:	H141 Form: W113 Quantity: 850.00 P Density:				
	D002 D007				
Waste Description:	TANK 17, 18 - CH-LQ2040-1	Page:	3208	Subpage:	37
System Type:	H141 Form: W113 Quantity: 4000.00 P Density:				
	D007				
Waste Description:	TANK 43 WASTE-CH0051	Page:	3208	Subpage:	38
System Type:	H141 Form: W110 Quantity: 3500.00 P Density:				
	D002 D007				
Waste Description:	TANK 9, 35 - CHLQ2693-2	Page:	3208	Subpage:	39
System Type:	H141 Form: W105 Quantity: 9000.00 P Density:				
	D002 D007				



Generator Facility

Generator US EPA ID: OHD004236360

Generator Name: Goodrich Corporation

Address: 101 Waco St
Troy, OH 45373-

Total Tons Shipped: 84.93

Receiving Facility

US EPA ID: OHD093945293

Name: Veolia ES Technical Solutions LLC

Customer Name: GOODRICH

Customer Address: 101 WACO STREET
TROY, OH 45373-

Waste Description:	TRENCH WATER					Page: 3208	Subpage: 40
System Type:	H141	Form: W119	Quantity:	12518.00 P	Density:		
D007							

Waste Description:	USED DRY PAINT BOOTH FILTERS -					Page: 3208	Subpage: 41
System Type:	H141	Form: W310	Quantity:	13400.00 P	Density:		
D007							

Waste Description:	USED PLASTIC BLASTING MEDIA -					Page: 3208	Subpage: 42
System Type:	H141	Form: W403	Quantity:	3500.00 P	Density:		
D006 D007							

Waste Description:	WASTE PAINT MATERIAL - CH0013					Page: 3208	Subpage: 43
System Type:	H061	Form: W209	Quantity:	3000.00 P	Density:		
D035 F005 D001 D007							

Waste Description:	WASTE PAINT MATERIAL - CH0013					Page: 3208	Subpage: 44
System Type:	H061	Form: W209	Quantity:	8000.00 P	Density:		
D035 F005 D001 D007							

