



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

August 22, 2007

FACILITY MANAGER
MAC TRAILER MFG
14599 COMMERCE ST
ALLIANCE, OH 44601

**Re: 2006 Hazardous Waste Annual Report Requirement
MAC TRAILER MFG - OHR000025700**

Dear FACILITY MANAGER:

My review of customer data from Ohio Treatment, Storage, and Disposal Facilities (TSDFs) has revealed that one or more shipments of hazardous waste were received from MAC TRAILER MFG during the 2006 calendar year. The total amount reported indicates that MAC TRAILER MFG was a large quantity generator in 2006. Since I have not received a Hazardous Waste Annual Report for 2006, MAC TRAILER MFG may be in violation of Rule 3745-52-41 of the Ohio Administrative Code (OAC). Please see the enclosed printout detailing the hazardous wastes received from MAC TRAILER MFG during 2006.

A large quantity generator is defined as a site which generates in any single month more than 1000 kg (2200 lbs) of non-acute hazardous waste or more than 1 kg (2.2 lb) of acutely hazardous waste. This includes wastes from one-time generation as well as wastes from ongoing production processes. It may take only one month of generating above the threshold quantity to subject a site to the Annual Report requirement. The generator is responsible for contacting Ohio EPA in order to obtain the reporting forms.

OAC Rule 3745-52-41 requires a generator who ships any hazardous waste off-site to prepare and submit to the Ohio EPA an **Annual Hazardous Waste Report** and to describe and certify efforts that were made to minimize hazardous wastes. These reports are due March 1 of each year and contain information about the activities of the previous calendar year. Only small quantity generators (between 220 and 2200 lb/mo of non-acutely hazardous wastes) and conditionally exempt small quantity generators (less than 220 lb/mo of non-acutely hazardous wastes) are exempt from the Annual Report requirement as described in OAC Rule 3745-52-44.

To abate the violation of OAC Rule 3745-52-41, MAC TRAILER MFG must complete and submit to Ohio EPA a 2006 Annual Hazardous Waste Report within 30 days of receipt of this letter. Failure to respond to this Notice of Violation may result in referral to the Compliance Assurance Section for consideration of escalated enforcement. You may access the reporting forms and instructions on our website at http://www.epa.state.oh.us/dhwm/ann_report.html.

MAC TRAILER MFG should have on file the manifest records necessary for completion of the reports. OAC Rule 3745-52-40 requires generators to keep a signed copy of each manifest for a period of at least three years from the date the waste was accepted by the initial transporter. Receiving facilities and transporters are under a similar requirement; if you need copies of the original manifest(s), contact them for assistance.

If MAC TRAILER MFG was not a large quantity generator in 2006, documentation must be submitted to this office within 30 days of receipt of this letter. This documentation must show that MAC TRAILER MFG did not generate more than the threshold quantity of hazardous waste in any month during 2006. If you believe that the information supplied by Ohio TSDFs is in error, please call me to discuss the discrepancy.

A letter that acknowledges receipt of the report will be sent to you after it is processed. I can answer questions concerning the Annual Report at (614) 644-2923. Your prompt attention to this matter is appreciated.

Sincerely,



Paula Canter
Environmental Specialist 3
Regulatory and Information Services
Division of Hazardous Waste Management
paula.canter@epa.state.oh.us

cc: Central File
ec: DHWM, NEDO

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Generator Facility

Generator US EPA ID: OHR000025700
 Generator Name: MAC Trailer Mfg Inc
 Address: 14599 Commerce St
 Alliance, OH 44601-
 Total Tons Shipped: 16.49

Receiving Facility

US EPA ID: OHD066060609
 Name: Chemtron Corporation
 Customer Name: MAC TRAILER MANUFACTURING INC.
 Customer Address: 14599 COMMERCE STREET
 ALLIANCE, OH 44601-

Waste Description: LINE WASH Page: 3271 Subpage: 1
 System Type: H061 Form: W203 Quantity: 800.00 G Density: 1.08 S.G.
 D035 F005 D001 F003

Waste Description: LINE WASH Page: 3272 Subpage: 1
 System Type: H141 Form: W203 Quantity: 550.00 G Density: 1.04 S.G.
 D035 F005 D001 F003

Receiving Facility

US EPA ID: OHD980897656
 Name: Chemical Solvents, Inc.
 Customer Name: MAC TRAILER MFG, INC.
 Customer Address: 14599 COMMERCE STREET
 ALLIANCE, OH 44601-

Waste Description: PAINT LINE FLUSH Page: 523 Subpage: 1
 System Type: H020 Form: W211 Quantity: 2800.00 G Density: 7.5 Lbs./Gal.
 D001 F003





State of Ohio Environmental Protection Agency

STREET ADDRESS:

MAILING ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

P.O. Box 1049
Columbus, OH 43216-1049

August 22, 2007

LAURA A GROVE
R & L TRANSFER DBA R & L CARRIERS
600 GILLAM RD, PO BOX 271
WILMINGTON, OH 451770271

**Re: 2006 Hazardous Waste Annual Report Requirement
R & L TRANSFER DBA R & L CARRIERS - OHR000024018**

Dear LAURA A GROVE:

My review of customer data from Ohio Treatment, Storage, and Disposal Facilities (TSDFs) has revealed that one or more shipments of hazardous waste were received from R & L TRANSFER DBA R & L CARRIERS during the 2006 calendar year. The total amount reported indicates that R & L TRANSFER DBA R & L CARRIERS was a large quantity generator in 2006. Since I have not received a Hazardous Waste Annual Report for 2006, R & L TRANSFER DBA R & L CARRIERS may be in violation of Rule 3745-52-41 of the Ohio Administrative Code (OAC). Please see the enclosed printout detailing the hazardous wastes received from R & L TRANSFER DBA R & L CARRIERS during 2006.

A large quantity generator is defined as a site which generates in any single month more than 1000 kg (2200 lbs) of non-acute hazardous waste or more than 1 kg (2.2 lb) of acutely hazardous waste. This includes wastes from one-time generation as well as wastes from ongoing production processes. It may take only one month of generating above the threshold quantity to subject a site to the Annual Report requirement. The generator is responsible for contacting Ohio EPA in order to obtain the reporting forms.

OAC Rule 3745-52-41 requires a generator who ships any hazardous waste off-site to prepare and submit to the Ohio EPA an **Annual Hazardous Waste Report** and to describe and certify efforts that were made to minimize hazardous wastes. These reports are due March 1 of each year and contain information about the activities of the previous calendar year. Only small quantity generators (between 220 and 2200 lb/mo of non-acutely hazardous wastes) and conditionally exempt small quantity generators (less than 220 lb/mo of non-acutely hazardous wastes) are exempt from the Annual Report requirement as described in OAC Rule 3745-52-44.

♻️ Printed on Recycled Paper

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

Ohio EPA is an Equal Opportunity Employer

To abate the violation of OAC Rule 3745-52-41, R & L TRANSFER DBA R & L CARRIERS must complete and submit to Ohio EPA a 2006 Annual Hazardous Waste Report within 30 days of receipt of this letter. Failure to respond to this Notice of Violation may result in referral to the Compliance Assurance Section for consideration of escalated enforcement. You may access the reporting forms and instructions on our website at http://www.epa.state.oh.us/dhwm/ann_report.html.

R & L TRANSFER DBA R & L CARRIERS should have on file the manifest records necessary for completion of the reports. OAC Rule 3745-52-40 requires generators to keep a signed copy of each manifest for a period of at least three years from the date the waste was accepted by the initial transporter. Receiving facilities and transporters are under a similar requirement; if you need copies of the original manifest(s), contact them for assistance.

If R & L TRANSFER DBA R & L CARRIERS was not a large quantity generator in 2006, documentation must be submitted to this office within 30 days of receipt of this letter. This documentation must show that R & L TRANSFER DBA R & L CARRIERS did not generate more than the threshold quantity of hazardous waste in any month during 2006. If you believe that the information supplied by Ohio TSDFs is in error, please call me to discuss the discrepancy.

A letter that acknowledges receipt of the report will be sent to you after it is processed. I can answer questions concerning the Annual Report at (614) 644-2923. Your prompt attention to this matter is appreciated.

Sincerely,

Paula Canter

Paula Canter
Environmental Specialist 3
Regulatory and Information Services
Division of Hazardous Waste Management
paula.canter@epa.state.oh.us

cc: Central File
ec: DHWM, SWDO

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Generator Facility

Generator US EPA ID: OHR000024018
 Generator Name: R & L Carriers
 Address: 600 Gillam Rd
 Wilmington, OH 45177-
 Total Tons Shipped: 46.39

Receiving Facility

US EPA ID: OHD066060609
 Name: Chemtron Corporation
 Customer Name: R & L CARRIERS INC
 Customer Address: 600 GILLAM ROAD
 WILMINGTON, OH 45177-

Waste Description:	SODIUM NITRITE					Page: 4332	Subpage: 3
System Type:	H141	Form: W319	Quantity: 605.00 P	Density: 1	S.G.		
D001							
Waste Description:	SOLVENT BASED ADHESIVE					Page: 4333	Subpage: 1
System Type:	H061	Form: W219	Quantity: 92.25 G	Density: 0.88	S.G.		
D001 F003							
Waste Description:	SULFURIC ACID					Page: 4333	Subpage: 2
System Type:	H141	Form: W103	Quantity: 350.00 P	Density: 1.91	S.G.		
D002							
Waste Description:	SULFURIC ACID					Page: 4333	Subpage: 3
System Type:	H141	Form: W103	Quantity: 114.75 G	Density: 1.91	S.G.		
D002							
Waste Description:	TETRACHLOROETHYLENE "PERK"					Page: 4334	Subpage: 1
System Type:	H020	Form: W202	Quantity: 54.00 G	Density: 1.63	S.G.		
D039 U210							
Waste Description:	TOXIC LIQUID (SODIUM DICHROMATE)					Page: 4334	Subpage: 2
System Type:	H141	Form: W113	Quantity: 40.00 P	Density: 1	S.G.		
D007							
Waste Description:	XYLENE SOAKED RAGS/ABSORBENT					Page: 4334	Subpage: 3
System Type:	H061	Form: W310	Quantity: 45.00 G	Density: 1	S.G.		
D001 F003							
Waste Description:	1-BROMO-3-CHLORO-5,5'DIMETHYL HYDANTOIN					Page: 4316	Subpage: 1
System Type:	H141	Form: W409	Quantity: 23.00 P	Density: 1	S.G.		
D001							
Waste Description:	AEROSOLS					Page: 4317	Subpage: 1
System Type:	H141	Form: W801	Quantity: 148.00 P	Density: 1	S.G.		
D035 F005 D001 F003							
Waste Description:	AMINE HARDENER HY-955-1 (OR ARADUR 955-1)					Page: 4317	Subpage: 2
System Type:	H141	Form: W219	Quantity: 36.00 G	Density: 0.97	S.G.		
D002							
Waste Description:	BASIC CORROSIVE					Page: 4317	Subpage: 3
System Type:	H141	Form: W110	Quantity: 175.00 P	Density: 1	S.G.		
D001 D002							
Waste Description:	BASIC CORROSIVE					Page: 4318	Subpage: 1
System Type:	H141	Form: W110	Quantity: 10.00 P	Density: 1.09	S.G.		
D002							
Waste Description:	BASIC CORROSIVE					Page: 4318	Subpage: 2
System Type:	H141	Form: W110	Quantity: 1480.33 G	Density: 1.09	S.G.		
D002							



Generator Facility

Generator US EPA ID: OHR000024018

Generator Name: R & L Carriers

Address: 600 Gillam Rd
Wilmington, OH 45177-

Total Tons Shipped: 46.39

Receiving Facility

US EPA ID: OHD066060609

Name: Chemtron Corporation

Customer Name: R & L CARRIERS INC

Customer Address: 600 GILLAM ROAD
WILMINGTON, OH 45177-

Waste Description:	BASIC ORGANIC LIQUID					Page: 4318	Subpage: 3
System Type:	H141	Form: W219	Quantity:	156.00 P	Density: 1.02	S.G.	
	D002						
Waste Description:	BASIC ORGANIC LIQUID					Page: 4319	Subpage: 1
System Type:	H141	Form: W219	Quantity:	56.00 G	Density: 1.02	S.G.	
	D002						
Waste Description:	CRESYLIC ACID					Page: 4319	Subpage: 2
System Type:	H061	Form: W219	Quantity:	54.00 G	Density: 1.21	S.G.	
	D026						
Waste Description:	DIESEL FUEL AND WATER					Page: 4319	Subpage: 3
System Type:	H061	Form: W210	Quantity:	150.00 G	Density: 0.92	S.G.	
	D018 D001						
Waste Description:	DIETHYL HEXYL PHTHALATE					Page: 4320	Subpage: 1
System Type:	H061	Form: W219	Quantity:	594.00 G	Density: 1	S.G.	
	U028						
Waste Description:	DIETHYL HEXYL PHTHALATE					Page: 4320	Subpage: 2
System Type:	H141	Form: W219	Quantity:	3750.00 P	Density: 1	S.G.	
	U028						
Waste Description:	ELASTOMERIC COATING (IN 5 GAL CANS)					Page: 4320	Subpage: 3
System Type:	H141	Form: W409	Quantity:	300.00 P	Density: 1.01	S.G.	
	D001						
Waste Description:	FLAMMABLE LIQUID					Page: 4321	Subpage: 1
System Type:	H061	Form: W203	Quantity:	853.50 G	Density: 1.15	S.G.	
	D035 F005 D001 F003						
Waste Description:	FLAMMABLE LIQUID					Page: 4321	Subpage: 2
System Type:	H141	Form: W203	Quantity:	20.00 G	Density: 1.05	S.G.	
	D035 F005 D001 D002 F003						
Waste Description:	FLAMMABLE LIQUID					Page: 4321	Subpage: 3
System Type:	H141	Form: W203	Quantity:	1500.00 P	Density: 1	S.G.	
	D035 F005 D001 F003						
Waste Description:	FLAMMABLE LIQUID					Page: 4322	Subpage: 1
System Type:	H141	Form: W203	Quantity:	1004.08 G	Density: 1	S.G.	
	D035 F005 D001 F003						
Waste Description:	FLUOROSILICIC ACID					Page: 4322	Subpage: 2
System Type:	H141	Form: W103	Quantity:	20.00 G	Density: 1.15	S.G.	
	D002						
Waste Description:	FORMALDEHYDE					Page: 4322	Subpage: 3
System Type:	H141	Form: W219	Quantity:	56.50 G	Density: 1.08	S.G.	
	D001 U122						



Generator Facility

Generator US EPA ID: OHR000024018

Generator Name: R & L Carriers

Address: 600 Gillam Rd
Wilmington, OH 45177-

Total Tons Shipped: 46.39

Receiving Facility

US EPA ID: OHD066060609

Name: Chemtron Corporation

Customer Name: R & L CARRIERS INC

Customer Address: 600 GILLAM ROAD
WILMINGTON, OH 45177-

Waste Description:	GLUTARALDEHYDE SOLUTION					Page: 4323	Subpage: 1
System Type:	H141	Form: W219	Quantity:	104.00 G	Density: 1.12 S.G.		
	D002						
Waste Description:	HEATING OIL					Page: 4323	Subpage: 2
System Type:	H141	Form: W206	Quantity:	54.00 G	Density: 0.93 S.G.		
	D001						
Waste Description:	HYDROGEN PEROXIDE SOLUTION					Page: 4323	Subpage: 3
System Type:	H141	Form: W119	Quantity:	423.00 P	Density: 1 S.G.		
	D001 D002						
Waste Description:	HYPOCHLORITE SOLUTION					Page: 4324	Subpage: 1
System Type:	H141	Form: W119	Quantity:	600.00 P	Density: 1.21 S.G.		
	D002						
Waste Description:	HYPOCHLORITE SOLUTION					Page: 4324	Subpage: 2
System Type:	H141	Form: W119	Quantity:	742.50 G	Density: 1.21 S.G.		
	D002						
Waste Description:	LEAD ACID BATTERIES					Page: 4324	Subpage: 3
System Type:	H141	Form: W309	Quantity:	84.00 G	Density: 1 S.G.		
	D002 D008						
Waste Description:	LEAD ACID BATTERIES					Page: 4325	Subpage: 1
System Type:	H141	Form: W309	Quantity:	1201.00 P	Density: 1.13 S.G.		
	D002 D008						
Waste Description:	METHYLENE CHLORIDE (DICHLOROMETHANE)					Page: 4325	Subpage: 2
System Type:	H020	Form: W219	Quantity:	21.25 G	Density: 1 S.G.		
	F002 U080						
Waste Description:	MORPHOLINE					Page: 4325	Subpage: 3
System Type:	H141	Form: W219	Quantity:	40.50 G	Density: 1.01 S.G.		
	D001 D002						
Waste Description:	N,N-DI-SEC-BUTYL-P-PHENYLENE DIAMINE					Page: 4326	Subpage: 1
System Type:	H141	Form: W219	Quantity:	6.75 G	Density: 1 S.G.		
	D002						
Waste Description:	NON HAZARDOUS INK					Page: 4326	Subpage: 2
System Type:	H141	Form: W219	Quantity:	400.00 P	Density: 1.32 S.G.		
	D001						
Waste Description:	OIL AND WATER					Page: 4326	Subpage: 3
System Type:	H141	Form: W205	Quantity:	200.00 P	Density: 1 S.G.		
	D001						
Waste Description:	OILS, GREASES					Page: 4327	Subpage: 1
System Type:	H141	Form: W206	Quantity:	500.00 P	Density: 1 S.G.		
	D018 D001						



Generator Facility

Generator US EPA ID: OHR000024018
 Generator Name: R & L Carriers
 Address: 600 Gillam Rd
 Wilmington, OH 45177-
 Total Tons Shipped: 46.39

Receiving Facility

US EPA ID: OHD066060609
 Name: Chemtron Corporation
 Customer Name: R & L CARRIERS INC
 Customer Address: 600 GILLAM ROAD
 WILMINGTON, OH 45177-

Waste Description: OMNI-BLEND (TRICHLOROETHYLENE)	Page: 4327	Subpage: 2
System Type: H020 Form: W202 Quantity: 15.00 G Density: 1.4 S.G.		
D040		
Waste Description: PAINT	Page: 4327	Subpage: 3
System Type: H061 Form: W209 Quantity: 1479.50 G Density: 1 S.G.		
D035 F005 D001 F003		
Waste Description: PAINT	Page: 4328	Subpage: 1
System Type: H141 Form: W209 Quantity: 1200.00 P Density: 1 S.G.		
D035 F005 D001 D002 F003		
Waste Description: PAINT	Page: 4328	Subpage: 2
System Type: H141 Form: W209 Quantity: 1037.50 G Density: 0.96 S.G.		
D035 F005 D001 F003		
Waste Description: PENTATHLON (MARINE POLLULANT)	Page: 4328	Subpage: 3
System Type: H141 Form: W219 Quantity: 10.75 G Density: 1.31 S.G.		
U114		
Waste Description: PHOSPHORIC ACID	Page: 4329	Subpage: 1
System Type: H141 Form: W103 Quantity: 250.00 P Density: 1 S.G.		
D035 D001 D002		
Waste Description: PHOSPHORIC ACID	Page: 4329	Subpage: 2
System Type: H141 Form: W103 Quantity: 610.00 P Density: 1 S.G.		
D002		
Waste Description: PHOSPHORIC ACID	Page: 4329	Subpage: 3
System Type: H141 Form: W103 Quantity: 251.00 G Density: 1 S.G.		
D002		
Waste Description: POLYAMINES	Page: 4330	Subpage: 1
System Type: H141 Form: W219 Quantity: 569.00 P Density: 1 S.G.		
D002		
Waste Description: POTASSIUM PERMANGANATE	Page: 4330	Subpage: 2
System Type: H141 Form: W319 Quantity: 60.00 P Density: 1 S.G.		
D001		
Waste Description: POTASSIUM PERMANGANATE SOLUTION	Page: 4330	Subpage: 3
System Type: H141 Form: W119 Quantity: 5.00 G Density: 1.38 S.G.		
D001		
Waste Description: RESIN SOLUTION	Page: 4331	Subpage: 1
System Type: H061 Form: W219 Quantity: 229.00 G Density: 1.12 S.G.		
D035 F005 D001 F003		
Waste Description: RESIN SOLUTION	Page: 4331	Subpage: 2
System Type: H141 Form: W219 Quantity: 1200.00 P Density: 1.13 S.G.		
D035 F005 D001 F003		



Generator Facility

Generator US EPA ID: OHR000024018
Generator Name: R & L Carriers
Address: 600 Gillam Rd
Wilmington, OH 45177-
Total Tons Shipped: 46.39

Receiving Facility

US EPA ID: OHD066060609
Name: Chemtron Corporation
Customer Name: R & L CARRIERS INC
Customer Address: 600 GILLAM ROAD
WILMINGTON, OH 45177-

Waste Description: RESIN SOLUTION	Page: 4331	Subpage: 3
System Type: H141 Form: W219 Quantity: 110.00 G Density: 1.13 S.G.		
D035 F005 D001 F003		
Waste Description: SODIUM DICHROMATE	Page: 4332	Subpage: 1
System Type: H141 Form: W319 Quantity: 84.00 P Density: 1 S.G.		
D001 D007		
Waste Description: SODIUM HYPOCHLORITE	Page: 4332	Subpage: 2
System Type: H141 Form: W319 Quantity: 79.00 P Density: 1 S.G.		
D001		

