



State of Ohio Environmental Protection Agency

Northeast District Office

2110 East Aurora Rd.
Twinsburg, Ohio 44087

TELE: (330) 963-1200 FAX: (330) 487-0769
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

February 3, 2009

RE: CLEAN HARBORS
EPA ID NO. OHD 981 093 420
ASHTABULA COUNTY
LQG COMPLIANCE INSPECTION
NOTICE OF VIOLATION (NOV)

Kevin Gozzard
Plant General Manager
Clean Harbors Environmental Services, Inc.
1302 West 38th Street
Ashtabula, OH 44004

Dear Mr. Gozzard:

On January 6, 2009, I, as a representative of the Ohio EPA Division of Hazardous Waste Management, conducted an inspection of the Clean Harbors Environmental Services, Inc. facility (Clean Harbors) located at 1302 West 38th Street in Ashtabula, Ohio, for compliance with Ohio's hazardous waste and used oil regulations. Robert Delewski represented Clean Harbors during the inspection. Additional information subsequent to the on-site inspection was submitted by Bonnie Martin.

Clean Harbors disassembles PCB-containing transformers, cables and other devices. Recovered metals are recycled. Transformers and other devices are cleaned with trichloroethylene (TCE) which is recycled through an onsite distillation unit. Hazardous wastes generated include still bottoms from the trichloroethylene distillation unit, solids contaminated with trichloroethylene and, until recently, lab wastes. These hazardous wastes are also TSCA wastes and are managed at TSCA permitted facilities.

In addition to hazardous wastes, Clean Harbors also generates used oil and universal waste used fluorescent lamps.

The inspection included a review of the facility's operations, as well as the waste management practices and documentation. Clean Harbors was inspected to determine compliance with the requirements for a large quantity generator (LQG) of hazardous waste. Based on observations made during the facility walk-through, Ohio EPA has determined that Clean Harbors has violated the following state hazardous waste regulations:

1. OAC Rule 3745 52 34 (C)(2) Accumulation Time Of Hazardous Waste.

OAC Rule 3745 52 34 (C) allows SQG and LQG generators to "accumulate as much as fifty-five gallons of hazardous waste...in containers at or near any point of generation where wastes initially accumulate, which is under the control of the operator of the process generating the waste" without managing the accumulation area as a generator accumulation area (e.g., a 90 day area), provided certain practices are followed.

OAC Rule 3745 52 34 (C)(2) requires that when a generator accumulates more than 55 gallons of hazardous waste at or near any point of generation, he must mark the container holding the excess accumulation of hazardous waste with the date the excess amount began accumulating and he must move the amount in excess of 55 gallons, to a generator accumulation area (e.g., a 90 day area) within three days. During the three-day period, the generator must continue to comply with all other satellite accumulation requirements.

I observed several corrugated pallet boxes approximately one cubic yard in capacity (often called "gaylords") being used for satellite accumulation. One example is the container in the core tear down area in which paper, wood and other debris contaminated with TCE is placed. Another was located near the saw used to cut cores into sections in which saw shavings and dust were placed.

The capacity of a gaylord is about one cubic yard which is about 202 gallons. No documentation was provided that these containers are dated when more than 55 gallons of waste is placed in them and then moved to the 90 day accumulation area with 3 days of that date. Consequently I have concluded that Clean Harbors was not in compliance with OAC Rule 3745 52 34 (C)(2).

To return to compliance Clean Harbors must:

- Identify all containers greater than 55 gallons capacity (e.g., gaylords) currently being used as satellite accumulation area containers.
- For all such containers, either develop and implement procedures to:
 - *Monitor when 55 gallons of hazardous waste has been placed in them;
 - *Place date on container when this occurs; and
 - *Move container to 90 day accumulation area within 3 days.

OR

- Manage the areas in which such containers are located as 90 day accumulation areas; AND
- Submit documentation to this office within 30 days of receipt of this letter that:
 - *Identifies all such satellite accumulation area containers,
 - *States how Clean Harbors intends to manage such containers in the future,
 - *Includes a copy of the procedures that your staff will be trained on; and
 - *Documentation that such training has been conducted.

2. OAC Rule 3745-66-74 Inspection of Containers

Rule OAC 3745-66-74 states that:

The owner or operator must inspect areas where containers are stored, at least weekly, looking for leaks and for deterioration caused by corrosion or other factors. The owner or operator must record inspections in an inspection log or summary.

OAC 3745-52-34(A)(1)(a) makes OAC 3745-66-74 applicable to facilities, such as Clean Harbors, which accumulate hazardous waste in containers for 90 days or less.

Clean Harbors has several corrugated pallet boxes approximately one cubic yard in capacity (often called "gaylords") intended for use as satellite accumulation containers. As noted in NOV No. 1 above, these containers do not meet the requirements for satellite accumulation containers; consequently, they are subject to Rule OAC 3745-66-74. No records of inspections for these containers were provided by the facility.

To return to compliance Clean Harbors must either:

- Manage containers greater than 55 gallons capacity (e.g., gaylords) in accordance with the requirements for satellite accumulation containers;

OR

- Conduct and record inspections of all hazardous waste containers that do not meet requirements for satellite accumulation containers; AND
- Develop procedures that your staff will be trained on, AND
- Submit documentation to this office within 30 days of receipt of this letter that:
 - *Identifies all such satellite accumulation area containers,
 - *States how Clean Harbors intends to manage such containers in the future,
 - *Includes a copy of the procedures that your staff will be trained on; and
 - *Documentation that such training has been conducted.

All requested documentation must be submitted to this office within 30 days of receipt of this letter.

Other Information


A list of Ohio EPA DHWM guidance documents can be found at the following Internet site: <http://www.epa.state.oh.us/dhwm/guidancedocuments.html>. You can find copies of Ohio's hazardous waste laws and regulations at our web page at: <http://www.epa.state.oh.us/dhwm/Law&Regs.html>.

The Division of Hazardous Waste Management has created an electronic news service to provide you with quick and timely updates on events and news related to hazardous waste activities in Ohio. If you haven't already, we encourage you to sign up for this free service. You can find more information at the following Web link: <http://www.epa.state.oh.us/dhwm/listserv.html>.

The OEPA strongly encourages pollution prevention as the preferred approach for waste management. The first priority of pollution prevention is to eliminate the generation of wastes and pollutants at the source (source reduction). For those wastes and pollutants that are generated, the second priority is to recycle or reuse them in an environmentally sound manner. You can benefit economically, help preserve the environment and improve your public image through pollution prevention. More information about pollution prevention can be found on our website at: <http://www.epa.state.oh.us/ocapp/ocapp.html>.

Should you have any questions regarding this letter, please contact me at (330) 963-1165.

Sincerely,



Neil J. Wasilk
Environmental Specialist
Division of Hazardous Waste Management

NJW:ddw

Enclosure

cc: Harry Sarvis, Ohio EPA, DHWM, CO
ec: Nyall McKenna, Ohio EPA, DHWM, NEDO

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your facility from its obligation to comply with all applicable regulations.

Ohio Environmental Protection Agency
**RCRA SUBTITLE C SITE
 IDENTIFICATION/VERIFICATION FORM**

For Ohio EPA use only

E-mail this completed form to kristina.durnell@epa.state.oh.us
 or mail it to Kristina Durnell, Central Office

Site EPA ID No.	EPA ID Number: OHD 981 093 420	
Site Name	Name: Clean Harbors Environmental Services, Inc.	Website: (Optional)
Site Location Information	Street Address: 1302 West 38th Street City, Town, or Village: Ashtabula County Name: Ashtabula	State: OH Zip Code: 44004
Site Land Type (check only one)	Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input checked="" type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>	
NAICS code(s) www.census.gov/epcd/www/naics.html		
Facility Representative	First Name: Same As Annual Report MI: Last Name: Phone Number: Phone Number Extension: E-Mail Address: Fax Number: Fax Number Extension: Street or P.O. Box: City, Town or Village: State: Zip Code:	
Additional names can be recorded in number 12 Only provide address information if it is different than the site address		
Legal Owner And Operator of the Site. List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner: Same As Annual Report Owner Private County District Federal Indian Municipal State Other Type: <input type="checkbox"/> <input type="checkbox"/> Street or P.O. Box: City, Town or Village: State: Name of Site's Operator: Owner Private County District Federal Indian Municipal State Other Type: <input type="checkbox"/> <input type="checkbox"/> Street or P.O. Box: City, Town or Village: State:	Date Became Owner (mm/dd/yyyy): Owner Phone #: Country: Zip Code: Date Became Operator (mm/dd/yyyy): Operator Phone #: United States Zip Code:

VIOLATIONS CITED? Yes No

TYPE OF HANDLER- A MINIMUM OF ONE BOX MUST BE CHECKED

<input type="checkbox"/> Not a HW Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input checked="" type="checkbox"/> Large Quantity Generator (LQG)
		<input type="checkbox"/> Small Quantity Generator (SQG)
		<input type="checkbox"/> Conditionally Exempt Small Quantity Generator
		<input type="checkbox"/> U.S. Importer of Hazardous Waste
		<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)

<input type="checkbox"/> Recycler of Hazardous Waste	<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace
<input type="checkbox"/> Underground Injection Control Facility	<input type="checkbox"/> Small Quantity On-Site Burner Exemption
<input type="checkbox"/> Hazardous Waste Transporter	<input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption
<input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste	

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED)
(CHECK ALL BOXES THAT APPLY)

<input checked="" type="checkbox"/> Small Quantity Handler of Universal Waste	<input type="checkbox"/> Destination Facility for Universal Waste
<input type="checkbox"/> Large Quantity Handler of Universal Waste (accumulates 5,000 kg. or more)	

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES

<input type="checkbox"/> Batteries
<input type="checkbox"/> Pesticides
<input type="checkbox"/> Mercury containing equipment
<input checked="" type="checkbox"/> Lamps

USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))

<input checked="" type="checkbox"/> Used Oil Generator
<input type="checkbox"/> Used Oil Transporter
<input type="checkbox"/> Used Oil Transfer Facility
<input type="checkbox"/> Used Oil Processor
<input type="checkbox"/> Used Oil Re-refiner
<input type="checkbox"/> Off-Specification Used Oil Burner
<input type="checkbox"/> Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil
<input type="checkbox"/> Used Oil Fuel Marketer to Off-Specification Used Oil Burner

Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more space is needed. If there are more than 7 waste codes and they are the same as listed in the most recent RCRAInfo source record, you do not need to list them all. Instead just indicate the date of the most recent source record.

COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.

Announced	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Additional Facility Representatives:
Tanks	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Other Comments: Facility Representative and owner/operator information same as annual report.
Containers	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	

Name of Inspector(s)	Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
N. Wasilk		1-6-09 11:10 a.m.

OPTIONAL CERTIFICATION. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Owner, Operator, or an Authorized Representative	Name and Title (Print)	Date (mm/dd/yyyy)

CHEM HAZARDOUS
LARGE QUANTITY GENERATOR REQUIREMENTS

COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY

CESQG: #100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.

SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.

LQG: \geq 1,000 Kg. (~300 gallons) of waste in a calendar month or \geq 1 Kg. of acutely hazardous waste in a calendar month.

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

GENERAL REQUIREMENTS

1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11] Yes No N/A
2. Are records of waste determination being kept for at least 3 years?[3745-52-40(C)] Yes No N/A
3. Has the generator obtained a U.S. EPA identification number? [3745-52-12] Yes No N/A
4. Were annual reports filed with Ohio EPA on or before March 1st? [3745-52-41(A)] Yes No N/A
5. Are annual reports kept on file for at least 3 years?[3745-52-40(B)] Yes No N/A
6. Has the generator transported or caused to be transported hazardous waste to **other** than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)] Yes No N/A
7. Has the generator disposed of hazardous waste **on-site without a permit** or at another facility **other** than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E) & (F)] Yes No N/A
8. Does the generator accumulate hazardous waste? Yes No N/A

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

9. Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02 (E) & (F)? Yes No N/A

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G) & (H).

10. Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)]
 - a. Container that meets 3745-66-70 to 3745-66-77? Yes No N/A
 - b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)? Yes No N/A
 - c. Drip pads that meet 3745-69-40 to 3745-69-45? Yes No N/A
 - d. Containment building that meets 3745-256-100 to 3745-256-102? Yes No N/A

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

11. Does the generator export hazardous waste? *no* Yes No N/A
 - a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)] Yes No N/A
 - b. Has the generator complied with special manifest requirements? [3745-52-54] Yes No N/A
 - c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55] Yes No N/A
 - d. Has an annual report been submitted to U.S. EPA? [3745-52-56] Yes No N/A
 - e. Are export related documents being maintained on-site? [3745-52-57(A)] Yes No N/A

MANIFEST REQUIREMENTS

12. Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)] Yes No N/A
13. Have items (1) through (20) of each manifest been completed? [3745-52-20(A)] Yes No N/A

NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)]

14. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] Yes No N/A

NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)].

15. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] Yes No N/A
16. Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1) & (2)] Yes No N/A

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.

17. If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)] Yes No N/A
18. If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)] Yes No N/A
19. Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40] Yes No N/A

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

PERSONNEL TRAINING

20. Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)] Yes No N/A
21. Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)(a-f)] Yes No N/A
22. Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)] Yes No N/A
23. Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)] Yes No N/A
24. Does the generator provide annual refresher training to employees? [3745-65-16(C)] Yes No N/A
25. Does the generator keep records and documentation of:
- a. Job titles [3745-65-16D(1)]? Yes No N/A
 - b. Job descriptions [3745-65-16D(2)]? Yes No N/A
 - c. Type and amount of training given to each person [3745-65-16D(3)]? Yes No N/A
 - d. Completed training or job experience required [3745-65-16D(4)]? Yes No N/A
26. Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)] Yes No N/A

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained

CONTINGENCY PLAN

27. Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)] Yes No N/A
28. Does the plan describe the following:
- a. Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste [3745-65-52(A)]? Yes No N/A
 - b. Arrangements with emergency authorities [3745-65-52(C)]. Yes No N/A
 - c. A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)] Yes No N/A
 - d. A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)] Yes No N/A

[Facility Name/Inspection Date]

[ID number]

LQG/February 2007

Page 2 of 4

e. An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)] Yes No N/A

NOTE: If the facility already has a "Spill Prevention, Control and Counter measures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]

29. Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53 (A) & (B)] Yes No N/A

30. Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54] Yes No N/A

31. Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55] Yes No N/A

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

EMERGENCY PROCEDURES

32. Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so: Yes No N/A

a. Was the contingency plan implemented? [3745-65-51(B)] Yes No N/A

b. Did the facility follow the emergency procedures in 3745-65-56(A) through (H)? Yes No N/A

c. Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)? Yes No N/A

NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

PREPAREDNESS AND PREVENTION

33. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31] Yes No N/A

34. Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:

a. Internal communications or alarm system? [3745-65-32(A)] Yes No N/A

b. Emergency communication device? [3745-65-32(B)] Yes No N/A

c. Portable fire control, spill control and decon equipment? [3745-65-32(C)] Yes No N/A

d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] Yes No N/A

NOTE: Verify that the equipment is listed in the contingency plan.

35. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33] Yes No N/A

36. Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33] Yes No N/A

37. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)] Yes No N/A

38. If there is only one employee on the premises, is there immediate access to a device (ex. phone, hand held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32) [3745-65-34(B)] Yes No N/A

39. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes No N/A

40. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)] Yes No N/A

41. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes No N/A

SATELLITE ACCUMULATION AREA REQUIREMENTS

42. Does the generator ensure that satellite accumulation area(s):

a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes No N/A

b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes No N/A

c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes No N/A

using 1 cubic yard containers as

SAT. ACC. CONTAINERS. 1 yd³ = 202 GHL.

- d. Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)] Yes No N/A
- e. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)] Yes No N/A
- f. Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes No N/A
43. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so: *NO DOCUMENTATION PROVIDED THAT CONTAINERS MOVED* Yes No N/A
- a. Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] *WITHIN 3 DAYS OR DATED WHEN* Yes No N/A
- b. Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] *55 GALS PHASED IN CONTAINER* Yes No N/A

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS

44. Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)] Yes No N/A
45. Is the accumulation date on each container? [3745-52-34(A)(2)] Yes No N/A
46. Are hazardous wastes stored in containers which are:
- a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes No N/A
- b. In good condition? [3745-66-71] Yes No N/A
- c. Compatible with wastes stored in them? [3745-66-72] Yes No N/A
- d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes No N/A

NOTE: Record location on process summary sheets, photograph the area, and record on facility map.

47. Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORCS 1.44(A) "Week" means 7 consecutive days. *YES FOR TRADITIONAL 90 DAY AREA. NO FOR GAYLORDS INTENDED AS SAT.* Yes No N/A
- a. Are inspections recorded in a log or summary? [3745-66-74] Yes No N/A
48. Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76] *ALL CONTAINERS* Yes No N/A
49. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes No N/A
50. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)] Yes No N/A
51. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)] Yes No N/A

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

52. If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)] Yes No N/A

NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]

PRE-TRANSPORT REQUIREMENTS

53. Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes No N/A
54. Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes No N/A
55. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes No N/A

CLEAN HARBORS

**GENERATOR LDR CHECKLIST
DOES NOT APPLY TO CESQGS**

GENERAL REQUIREMENTS

1.	If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07 (A)(7)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
2.	Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<p><i>NOTE: This is done by determining if the HW /soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07 (A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).</i></p>		
3.	Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
4.	Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Does the generator generate a listed HW that exhibits a characteristic? If yes,	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.

6.	Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.

NOTE: Written documentation of this determination is not required.

7.	Did the generator treat his HW /soil on-site to meet the LDR treatment standard?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE If AYes@ see question #16.

8.	Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	Does the generator have a copy of the LDR notification form on file?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the form kept on file for three years after last HW shipped? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTIFICATION FORM

11.	Does the LDR Notification form contain the following information:	
a.	Manifest number of the first waste shipment to the TSD?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)].	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: A wastewater contains <1% by wt. total suspended solids(TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.

e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories

f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.

g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.

PROHIBITED DILUTION

12.	Is the HW treated by burning? If A No, @ go to #15.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
13.	Is the HW a metal-bearing HW?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs are given in the Appendix to 3745-270-03.

14.	a.	Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless <u>one</u> of the following conditions apply. [3745-270-03(c)]	
	i.	Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii.	Contains organic constituents or cyanide at levels greater than the UST levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii.	Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv.	Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	v.	Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	If all responses to 14 a.i. through 14 a.v. are A No @, HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.		Was the HW treated by wastewater treatment?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a.	Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: If Yes, HW is improperly being treated by dilution.

	b.	Does the waste carry the D001 code and contain ≥10% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: If the answers to b & c are A yes @ and A no @, respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B) and 3745-270-40(A)(3)].

NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.

GENERATOR TREATMENT			
16.	Does the generator treat to meet LDRs on-site [3745-270-40(A)]?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>	
	Did the generator treat his hazardous waste/soil on-site in a tank, container, drip pad or containment building to meet the LDR treatment standard?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>	
	If A Yes@...complete the rest of the checklist. If ANo@...stop...you are done.		
a.	Does the generator have a written waste analysis plan (WAP) that describes the procedures he will follow to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	
b.	Did the generator use a detailed chemical and physical analysis of the HW/soil in order to develop the WAP? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	
<i>NOTE: This is a laboratory analysis but it does not have to be kept by the generator.</i>			
c.	Does the WAP contain all information necessary to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	
d.	Does the WAP include the testing frequency of the treated HW/soil to demonstrate that the LDR treatment standard is being met? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	
e.	Does the generator keep the WAP on-site? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	
f.	Is the WAP available for the inspector=s review during the inspection? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	
NOTIFICATION FORM			
17.	a.	Contains all information in #11 a-g above and	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	If the treated HW/soil is listed.....notification contains the following certification statement: A I certify under penalty of law that I personally have examined and am familiar with the waste, through analysis and testing or trough knowledge of the waste, to support this certification that the waste complies with the treatment stands specified in rule 3745-270-40 to 3745-270-49 of the Administrative Code. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.@	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	If the treated HW/soil no longer exhibits a characteristic and is no longer a HW, did the generator:	
	i.	Send a one-time notification to the director?[3745-270- 09 (D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii.	Maintain a copy of the notice onsite?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii.	Include in the notification: [3745-270-09(D)(1)(a)]	
	1.	Name & address of receiving landfill?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	2.	Description of HW when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	3.	HW code when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	4.	Treatability group when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	5.	Underlying hazardous constituents present when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv.	Contain the right certification statement as required by 3745-70-07(b)(4)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

CLEMAN ONLY PER OILS ARE MANAGED AS USED OIL
 HARBORS

USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS

NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

PROHIBITIONS

- 1. Does the generator manage used oil in a surface impoundment or waste pile? If yes: Yes No N/A

 - a. Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)] Yes No N/A

- 2. Is used oil used as a dust suppressant? [3745-279-12(B)] Yes No N/A
- 3. Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)? Yes No N/A

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

- 4. Does the generator mix hazardous waste with used oil? If so, Yes No N/A

 - a. Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)] Yes No N/A

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

- 5. Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)] Yes No N/A

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

- 6. Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)] Yes No N/A
- 7. Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)] Yes No N/A
- 8. Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil"? [3745-279-22(C)] Yes No N/A

9. Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)] *NO RELEASES*
- a. Stopped the release? *KNOWN* Yes No N/A
- b. Contained the release? Yes No N/A
- c. Cleaned up and properly managed the used oil and other materials? Yes No N/A
- d. Repaired or replaced the containers or tanks prior to returning them to service, if necessary? Yes No N/A

ON-SITE BURNING IN SPACE HEATER

10. Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so: Yes No N/A
- a. Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators? Yes No N/A
- b. Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour? Yes No N/A
- c. Are the combustion gases from heater vented to the ambient air? Yes No N/A

GENERATOR TRANSPORTATION

11. If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24] Yes No N/A
- a. Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?[3745-279-24] Yes No N/A
- b. Does the generator transport more than 55 gallons of used oil at any time?[3745-279-24] Yes No N/A

NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).

COLLECTION CENTERS AND AGGREGATION POINTS

12. Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30] Yes No N/A
13. Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31] Yes No N/A
14. Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32] Yes No N/A

NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.

Keyword: UsedOilChecklistforGenerators.Oct.2007.doc

CLEAN HARBORS
SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS

Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more

Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less

PROHIBITIONS

1. Did the SQUWH dispose of universal waste? [3745-273-11(A)] Yes No N/A RMK#
2. Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)] Yes No N/A RMK#

WASTE MANAGEMENT & LABELING/MARKING

UNIVERSAL WASTE BATTERIES - NO GENERATION OF U.W. BATTERIES

3. Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks [3745-273-13(A)(1)] Yes No N/A RMK#
4. If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)] Yes No N/A RMK#
5. Does the SQUWH conduct any of the following activities:
 - a. Sort batteries by type? Yes No N/A RMK#
 - b. Mix battery types in one container? Yes No N/A RMK#
 - c. Discharge batteries to remove the electric charge? Yes No N/A RMK#
 - d. Regenerated used batteries? Yes No N/A RMK#
 - e. Disassemble them into individual batteries or cells? Yes No N/A RMK#
 - f. Remove batteries from consumer products? Yes No N/A RMK#
 - g. Remove the electrolyte from the battery? Yes No N/A RMK#
- If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)] Yes No N/A RMK#

6. If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)]
- Yes ___ No N/A ___ RMK# ___
- a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]
- Yes ___ No N/A ___ RMK# ___
- b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]
- Yes ___ No N/A ___ RMK# ___
7. Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)?" [3745-273-14(A)]
- Yes ___ No N/A RMK# ___

→ NO U.W. LAMPS ON-SITE AT TIME OF INSPECTION
UNIVERSAL WASTE LAMPS

8. Does the SQGUHW contain lamps in containers or packages that are structurally sound, compatible to prevent breakage, and are closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]
- Yes ___ No N/A ___ RMK#
- NONR ON-SITE DURING CRT
9. Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]
- Yes ___ No N/A ___ RMK#
10. Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)?" [3745-273-14(E)]
- Yes ___ No N/A ___ RMK#

NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of

generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.

ACCUMULATION TIME

11. Is the waste accumulated for less than one year? Yes___ No___ N/A ___ RMK#
[3745-273-15(A)] If not:
- a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)] Yes ___ No N/A ___ RMK#

NOTE: *Accumulation is defined as date generated or date received from another handler.*

12. Is the length of time the universal waste is stored documented by one of the following: [3745-273-15(C)] Yes ___ No N/A ___ RMK#
- a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)] Yes___ No___ N/A ___ RMK#
- b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)] Yes___ No___ N/A ___ RMK#
- c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)] Yes___ No___ N/A ___ RMK#
- d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)] Yes___ No___ N/A ___ RMK#
- e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)] Yes___ No___ N/A ___ RMK#
- f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)] Yes___ No___ N/A ___ RMK#

EMPLOYEE TRAINING

13. Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16] Yes No N/A RMK#

RESPONSE TO RELEASES

14. Are releases of universal waste and other residues immediately contained? [3745-273-17(A)] Yes No N/A RMK#
15. Is the material released characterized? [3745-273-17(B)] Yes No N/A RMK#
16. If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)] Yes No N/A RMK#

OFF-SITE SHIPMENTS

NOTE: If a SQUWH self transports waste, then they must comply with the Uniform Waste transporter requirements.

17. Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)] Yes No N/A RMK#

NOTE: SQUWHs are prohibited to send waste to any other facility.

18. If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)] Yes No N/A RMK#
19. Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)] Yes No N/A RMK#
20. If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do one of the following:
- a. Receive the waste back? [3745-273-18(E)(1)] Yes No N/A RMK#
- b. Agree to where the shipment will be sent? [3745-273-18(E)(2)] Yes No N/A RMK#

21. If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss one of the following: Yes ___ No N/A RMK# ___
- a. Sending the waste back to the originating handler? [3745-273-18(F)(1)] Yes ___ No ___ N/A RMK# ___
- b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)] Yes ___ No ___ N/A RMK# ___
22. If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)] Yes ___ No N/A RMK# ___
23. If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)] Yes ___ No N/A RMK# ___

EXPORTS

24. Is waste being sent to a foreign destination? If so: Yes ___ No N/A ___ RMK# ___
- a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)] Yes ___ No N/A RMK# ___
- b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)] Yes ___ No N/A RMK# ___
- c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)] Yes ___ No N/A RMK# ___

REMARKS

NO RAMP'S ON-SITE DURING INSPECTION.