



State of Ohio Environmental Protection Agency

Northeast District Office

2110 East Aurora Rd.  
Twinsburg, Ohio 44087

TELE: (330) 963-1200 FAX: (330) 487-0769  
www.epa.state.oh.us

Ted Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korleski, Director

March 20, 2008

Brad Will  
Environmental Compliance Coordinator  
Dominion Resources Services, Inc.  
1201 E. 55<sup>TH</sup> St.  
Cleveland, OH 44103

**RE: DOMINION EAST OHIO GAS-NORTHEAST SHOP, OHD981800063, LAKE COUNTY, NOV/RTC**

Dear Mr. Will:

On March 14, 2008, this writer, representing Ohio EPA, Division of Hazardous Waste Management (DHWM), visited Dominion East Ohio Gas-Northeast Shop (DEO) located at 29555 Clayton Avenue in Wickliffe, Ohio to conduct a hazardous waste compliance evaluation inspection (CEI). DEO was represented by Mr. John Ingersoll and you.

The purpose of the inspection was to determine DEO's compliance with Ohio's hazardous waste laws as found in Chapter 3734. of the Ohio Revised Code (ORC) and Chapter 3745. of the Ohio Administrative Code (OAC). The inspection included a review of the facility's operations and records, as well as the management of wastes. DEO was inspected for the requirements of a small quantity generator (SQG) of hazardous waste.

Information obtained pertaining to process descriptions, hazardous waste generation and amount, and hazardous waste management units, is specified on the Process Description-Waste Activities Summary Sheet within the enclosed inspection checklist.

Based on the inspection, Ohio EPA has identified the following violation:

- ❖ **OAC rule 3745-273-14(A); Labeling/marketing Standards for Small Quantity Handlers of Universal Waste:** Universal waste batteries must be labeled/marked with one of the following phrases: "universal waste-battery(ies)," or "waste battery(ies)" or "used battery(ies)."

DEO failed to label/mark universal waste batteries with the words required by this rule. Specifically, one box observed in the Garage Area and two, 55-gallon drums observed in the Meter Shed lacked markings required by this rule. **This violation was corrected during the inspection. No further response is necessary.**

Ohio EPA offers the following comments:

1. During the inspection, Ohio EPA observed that accumulated precipitation was released from the roll-off box containing potentially PCB contaminated pipes. DEO should address this release, as necessary, and take steps to prevent this from occurring in the future.

DOMINION EAST OHIO GAS-NORTHEAST SHOP  
MARCH 20, 2008  
PAGE - 2 -


2. Currently, the LP wastewater is managed by DEO as a non-hazardous waste. Should future sampling indicate that this waste is a hazardous waste, DEO must comply with the applicable hazardous waste requirements, including tank system management. You were provided with a summary of these requirements.
3. DEO is encouraged to recycle its used oil and parts washer filters. For a list of filter recycling facilities, please see:  
<http://epawebapps.epa.state.oh.us/Recyclers/jsp/results.jsp?category=18>. Please note that should DEO intend on disposing of terne plated used oil filters or parts washer filters, DEO must conduct an evaluation of these wastes pursuant to OAC rule 3745-52-11.
4. Ohio EPA has created an electronic news service to provide facilities with quick and timely updates on news and events related to hazardous waste activities in Ohio. For more information, please refer to: <http://www.epa.state.oh.us/dhwm/listserv.html>
5. Technical assistance and pollution prevention information is available from Ohio EPA at: <http://www.epa.state.oh.us/ocapp/ocapp.html>
6. You may be able to reduce the amount of waste your facility generates by finding ways to recycle, reduce, or eliminate it. Ohio EPA's Office of Compliance Assistance and Pollution Prevention (OCAPP) provides free compliance and pollution prevention assistance on environmental issues related to air, land, and water. Should your facility be interested in receiving a free pollution prevention assessment in the future, please contact me or OCAPP. OCAPP may be contacted at (800) 329-7518 or via the internet at: <http://www.epa.state.oh.us/ocapp/ocapp.html>

You may find copies of the hazardous waste rules and other information on Ohio EPA's web page at: <http://www.epa.state.oh.us/dhwm>.

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve DEO from having to comply with all applicable regulations.

Should you have any questions, please contact me at (330) 963-1108.

Sincerely,



Frank A. Zingales  
Environmental Specialist  
Division of Hazardous Waste Management

FAZ:ddw

Enclosure

cc: Natalie Oryshkewych, DHWM, NEDO  
Harry Sarvis, DHWM, CO

Ohio Environmental Protection Agency  
**RCRA SUBTITLE C SITE  
IDENTIFICATION/VERIFICATION FORM**

For Ohio EPA use only

E-mail this completed form to  
[tammy.mcconnell@epa.state.oh.us](mailto:tammy.mcconnell@epa.state.oh.us) or mail it to Tammy  
McConnell, Central Office

Site EPA ID No.	EPA ID Number: OHD981800063								
Site Name	Name: Dominion East Ohio-Northeast Shop				Website: (Optional)				
Site Location Information	Street Address: 29555 Clayton Ave.								
	City, Town, or Village: Wickliffe				State: OH				
	County Name: Lake				Zip Code: 44092				
Site Location Type (check one)	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>	
NAICS Code(s) <a href="http://www.ecfr.gov/epcd/www/naics.html">www.ecfr.gov/epcd/www/naics.html</a>									
Facility Representative	First Name: Brad			MI:	Last Name: Will				
Additional names can be recorded on number 12	Phone Number: 216-736-6809				Phone Number Extension:				
	E-Mail Address: brad_j_will@dom.com								
	Fax Number: 216-736-6954				Fax Number Extension:				
	Street or P.O. Box: 1201 E. 55 <sup>th</sup> St.								
	City, Town or Village: Cleveland								
Only provide address information if it is different than the site address	State: OH				Country:		Zip Code: 44103		
	Name of Site's Legal Owner:								
	Date Became Owner (mm/dd/yyyy):								
	Owner Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								
	City, Town or Village:				Owner Phone #:				
	State:				Country:		Zip Code:		
	Name of Site's Operator:				Date Became Operator (mm/dd/yyyy):				
	Owner Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								
City, Town or Village:				Operator Phone #:					
State:				Country:		Zip Code:			
Violations Cited?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No								
Type of Generator									
<input type="checkbox"/> Not Regulated				<input type="checkbox"/> Conditionally Exempt Small Quantity Generator					
<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11				<input type="checkbox"/> United States Importer of Hazardous Waste					
<input type="checkbox"/> Large Quantity Generator (LQG)				<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator					
<input checked="" type="checkbox"/> Small Quantity Generator (SQG)									
Type of Regulated Waste Activity (Mark "X" in all of the appropriate boxes)									
<input type="checkbox"/> Recycler of Hazardous Waste				<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace					
<input type="checkbox"/> Underground Injection Control Facility				<input type="checkbox"/> Small Quantity On-Site Burner Exemption					
<input type="checkbox"/> Hazardous Waste Transporter				<input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption					
<input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste									

Universal Waste Activities (Indicate types of universal waste generated and/or accumulated (check all boxes that apply))			
<input checked="" type="checkbox"/> Small Quantity Handler of Universal Waste		<input type="checkbox"/> Large Quantity Handler of Universal Waste	
<input type="checkbox"/> Destination Facility for Universal Waste		(accumulates 5,000 kg. or more)	
(Check all boxes below that apply for each of the three types of facilities above)		Used Oil Activities (Indicate Type(s) of Activity(ies))	
	Managed	<input checked="" type="checkbox"/> Used Oil Generator	<input type="checkbox"/> Off-Specification Used Oil Burner
Batteries	<input checked="" type="checkbox"/>	<input type="checkbox"/> Used Oil Transporter	<input type="checkbox"/> Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil
Pesticides	<input type="checkbox"/>	<input type="checkbox"/> Used Oil Transfer Facility	<input type="checkbox"/> Used Oil Fuel Marketer to Off-Specification Used Oil Burner
Mercury containing equipment	<input type="checkbox"/>	<input type="checkbox"/> Used Oil Processor	
Lamps	<input checked="" type="checkbox"/>	<input type="checkbox"/> Used Oil Re-refiner	
Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more space is needed. If there are more than 7 waste codes and they are the same as listed in the most recent RCRA Info source record, you do not need to list them all. Instead just indicate the date of the most recent source record.			
Comments: Use this area to describe whether the inspection was announced, whether the waste is stored in tanks or containers, etc.			
Announced	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Additional Facility Representatives: John Ingersoll
Tanks	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Other Comments:
Containers	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Name of Inspector(s)	Name of Inspector(s)		Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
Frank Zingales			03/14/2008 09:35
OPTIONAL CERTIFICATION. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.			
Signature of Owner, Operator, or an Authorized Representative	Name and Title (Print)		Date (mm/dd/yyyy)

**SMALL QUANTITY GENERATOR REQUIREMENTS  
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: ≤ 100 Kg. (approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.  
 SQG: Between 100 and 1,000 Kg. (about 25 to under 300 gallons) of waste in a calendar month  
 LQG: ≥ 1,000 Kg. (-300 gallons) of waste in a calendar month or ≥ 1 Kg. of acutely hazardous waste in a calendar month  
 NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds  
 Safety Equipment Used:

**GENERAL REQUIREMENTS**

- |    |   |     |                                     |    |                                     |     |                          |
|----|---|-----|-------------------------------------|----|-------------------------------------|-----|--------------------------|
| 1. | Have all wastes generated at the facility been adequately evaluated? [3745-52-11]   | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |
| 2. | Has the generator obtained a U.S. EPA I.D. number? [3745-52-12]   | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |
| 3. | Has the generator transported or caused to be transported hazardous waste to <b>other</b> than a facility authorized to manage the hazardous waste? [ORC 3734.02 (F)]                               | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 4. | Has the generator disposed of hazardous waste <b>on-site without a permit</b> or at another facility <b>other</b> than a facility authorized to dispose of hazardous waste? [ORC 3734.02 (E) & (F)] | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 5. | Does the generator accumulate hazardous waste?  | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |

NOTE: If the SQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements might still apply, e.g. manifest, marking, LDR, etc.

- |    |   |     |                          |    |                                     |     |                          |
|----|---|-----|--------------------------|----|-------------------------------------|-----|--------------------------|
| 6. | Has the generator accumulated hazardous wastes <u>in excess of (180/270) days</u> without a permit or an extension from the Director? [3745-52-34; ORC §3734-02(E)&(F)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
|----|---|-----|--------------------------|----|-------------------------------------|-----|--------------------------|

NOTE: SQG's shipping waste to a facility greater than 200 miles away can accumulate on-site for 270 days. [3745-52-34 (E)]

- |    |   |     |                          |    |                                     |     |                          |
|----|---|-----|--------------------------|----|-------------------------------------|-----|--------------------------|
| 7. | Is the generator accumulating more than 6,000 kg on site? [3745-52-34(D)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
|----|---|-----|--------------------------|----|-------------------------------------|-----|--------------------------|

NOTE: 6,000 kg = approximately 27, 55-gallon drums. If the facility is accumulating waste for greater than 180/270 days without an extension/permit or is accumulating greater than 6,000 kg on-site, it is classified as a storage facility and TSD standards apply. Complete applicable TSD checklists.

- |    |   |     |                          |    |                          |     |                                     |
|----|---|-----|--------------------------|----|--------------------------|-----|-------------------------------------|
| 8. | Does the generator treat hazardous waste in a:                      |     |                          |    |                          |     |                                     |
|    | a. Container that meets 3745-66-70 to 3745-66-77?                   | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
|    | b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
|    | c. Drip pads that meet 3745-69-40 to 3745-69-45?                    | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
|    | d. Containment building that meets 3745-256-100 to 3745-256-102?    | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

**MANIFEST REQUIREMENTS**

- |     |  |     |                                     |    |                                     |     |                                     |
|-----|--|-----|-------------------------------------|----|-------------------------------------|-----|-------------------------------------|
| 9.  | Are all hazardous wastes either reclaimed under a contractual agreement as defined in OAC rule 3745-52-20(E), or shipped off-site accompanied by a manifest (U.S. EPA Form 8700-22)? [3745-52-20(A)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/>            |
| 10. | Are wastes reclaimed under a contractual agreement? If so: [3745-52-20(E)]   | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/>            |
|     | a. Does the contractual agreement specify the type of waste and frequency of shipment?   | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A | <input checked="" type="checkbox"/> |

- b. Is the transport vehicle owned and operated by the reclaimer? Yes  No  N/A
- c. Is a copy of the reclamation agreement kept on-site for at least three years after termination/expiration of the agreement? Yes  No  N/A

*NOTE: If wastes are reclaimed under a contractual agreement and an answer to questions 10(a) through 10(c) is no, the generator is in violation of 3745-52-20 (A) (B) & (D), 3745-52-22 and 3745-52-23. Even if the waste is being reclaimed under agreement, LDRs still apply. Complete LDR checklist.*

11. Have items 1 through 20 of each manifest been completed?[3745-52-20(A)] Yes  No  N/A

*NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations, items (21) through (35) must also be complete. [3745-52-20 (A)]*

12. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] Yes  No  N/A

*NOTE: The generator may designate on the manifest one alternative facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]*

13. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternative TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] Yes  No  N/A

14. Have the manifests been signed by the generator and initial transporter? [3745-52-23 (A) (1) and (2)] Yes  No  N/A

*NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have made a good faith effort to minimize their waste generation.*

15. If the generator did not receive a return copy of each completed manifest within 60 days of being accepted by the transporter did the generator submit to Ohio EPA, a copy of the manifest with some indication that the generator has not received confirmation of delivery? 3745-52-42(B)] Yes  No  N/A

16. Are signed copies of all manifests being retained for at least three years? [3745-52-40] Yes  No  N/A

*NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.*

**PREPAREDNESS AND PREVENTION**

17. Is an emergency coordinator available at all times (on-site or on-call)? [3745-52-34(D)(5)(a)] Yes  No  N/A

18. Has the following been posted by the telephone: [3745-52-34(D)(5)(b)]

- a. Name and telephone number of emergency coordinator? Yes  No  N/A
- b. Location of fire and spill control equipment, and, if present, fire alarm(s) Yes  No  N/A
- c. Telephone number of local fire department? Yes  No  N/A

19. Are employees familiar with waste handling and emergency procedures [3745-52-34(D)(5)(c)] Yes  No  N/A

20. Has the facility properly responded to all fires and spills? [3745-52-34(D)(5)(d)] Yes  No  N/A

21. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned sudden or nonsudden release of hazardous waste? [3745-65-31] Yes  No  N/A

22. Does the generator have the following equipment at the facility if it is required due to actual hazards associated with the waste:
- a. Internal Alarm system? [3745-65-32(A)] Yes  No  N/A
  - b. Emergency communication device? [3745-65-32(B)] Yes  No  N/A
  - c. Portable fire control, spill control and decon equipment? [3745-65-32(C)]? Yes  No  N/A
  - d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] Yes  No  N/A
23. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]
- a. Are inspections recorded in a log or summary? [3745-65-33]? Yes  No  N/A
24. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under OAC 3745-65-32)? [3745-65-34(A)] Yes  No  N/A
25. If there is only one employee on the premises is there immediate access to a device (ex. phone, hand-held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32?) [3745-65-34(B)] Yes  No  N/A
26. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes  No  N/A
27. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layout? [3745-65-37(A)] Yes  No  N/A
28. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes  No  N/A

#### SATELLITE ACCUMULATION AREA REQUIREMENTS

29. Does the generator ensure that satellite accumulation area(s):
- a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes  No  N/A
  - b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes  No  N/A
  - c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes  No  N/A
  - d. Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)] Yes  No  N/A
  - e. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]. Yes  No  N/A
  - f. Containers are marked with the words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes  No  N/A
30. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:
- a. Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes  No  N/A
  - b. Did the generator mark the container(s) holding the excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] Yes  No  N/A

*NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.*

**USE AND MANAGEMENT OF CONTAINERS**

- 31. Has the generator marked containers with the words "Hazardous Waste"[3745-52-34(D)(4)] Yes  No  N/A
- 32. Is the accumulation date on each container? [3745-52-34(D)(4)] Yes  No  N/A
- 33. Are hazardous wastes stored in containers which are:
  - a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes  No  N/A
  - b. In good condition? [3745-66-71] Yes  No  N/A
  - c. Compatible with wastes stored in them? [3745-66-72] Yes  No  N/A
  - d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes  No  N/A

*NOTE: Record location on process summary sheets and photograph the area.*

- 34. Is the container accumulation area(s) inspected at least weekly? [3745-66-74] Per ORC§1.44(A) "Week" means seven(7) consecutive days. Yes  No  N/A 
  - a. Are inspections recorded in a log or summary? [3745-66-74] Yes  No  N/A
- 35. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes  No  N/A
- 36. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B) 3745-66-77(A)] Yes  No  N/A
- 37. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B) ? [3745-66-77(B)] Yes  No  N/A

*NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.*

**PRE-TRANSPORT REQUIREMENTS**

- 38. Does each generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes  No  N/A
- 39. Does each container ≤ 100 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes  No  N/A
- 40. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes  No  N/A

## LDR CHECKLIST

### GENERAL LDR REQUIREMENTS

1. Has the generator adequately evaluated all wastes to determine if they are restricted from land disposal? [3745-270-07(A)(1)] If so: Yes  No  N/A  RMK# \_\_\_\_
- a. For determinations based solely on knowledge of the waste: Is supporting data retained on-site? [3745-270-07(A)(6)] Yes  No  N/A  RMK# \_\_\_\_
- b. For determinations based upon analytical testing: Is waste analysis data retained on-site? [3745-270-07(A)(6)] Yes  No  N/A  RMK# \_\_\_\_
2. Has the generator determined each EPA hazardous waste code applicable to the waste? [3745-270-07(A)(2) see Table 1] Yes  No  N/A  RMK# \_\_\_\_
3. Has the generator determined the correct "treatability group(s)" (e.g., wastewater, non-wastewater, etc.)? [3745-270-07(A), Table 1] Yes  No  N/A  RMK# \_\_\_\_
4. Does the generator generate a characteristic hazardous waste? If so: Yes  No  N/A  RMK# \_\_\_\_
- a. Have all underlying hazardous constituents (UHCs) been identified? [3745-270-09(A)] Yes  No  N/A  RMK# \_\_\_\_

**NOTE: If the waste is D001 non-wastewater treated by CMBST, RORGS, POLYM in Table 1 of Rule 3745-270-42 UHCs do not need to be identified.**

5. Does the generator generate listed waste(s) which also exhibit hazardous characteristics? [3745-270-09] If so: Yes  No  N/A  RMK# \_\_\_\_
- a. Has the generator also identified the appropriate treatment standard(s) for the constituent(s) which cause the waste to exhibit a characteristic? [3745-270-09(A)] Yes  No  N/A  RMK# \_\_\_\_

**NOTE: The generator is not required to identify the treatment standard for the characteristic if the listing covers the associated characteristic (e.g., a F019/D007 hazardous waste - F019 being listed due to chromium content and D007 being the characteristic waste code for chromium). [See OAC Rule 3745-270-09(B)]**

6. Has the generator correctly determined if restricted wastes meet or do not meet treatment standards? [3745-270-07(A)(1)] Yes  No  N/A  RMK# \_\_\_\_

**NOTE: Wastes with EPA hazardous waste numbers K174 and K175 (chlorinated aliphatic wastes) have specific requirements in rule 3745-270-33. Waste with EPA hazardous waste numbers K176, K177 and K178 (inorganic chemical wastes) have specific requirements in rule 3745-270-36.**

7. Does the owner/operator ensure that restricted wastes or treatment residues are not diluted as a method of achieving/circumventing LDR treatment standards? [3745-270-03] Yes  No  N/A  RMK# \_\_\_\_\_

**NOTE: A generator may dilute a waste (that is hazardous only because it exhibits a characteristic) in a treatment system that discharges to waters of the State pursuant to an NPDES permit (§402 of CWA), that treats waste in a CWA equivalent treatment system, or that treats waste for the purposes of pre-treatment requirements under §307 of CWA, unless a method other than DEACT is specified or the waste is a D003 reactive cyanide wastewater or non-wastewater.[3745-270-03(B)]**

8. Is combustion of any of the wastes identified in the Appendix to Rule 3745-270-03 occurring without meeting one or more of the criteria under Rule 3745-270-03(C) upon generation or after treatment? [3745-270-03(C)] Yes  No  N/A  RMK# \_\_\_\_\_

**NOTE: In other words, is combustion a legitimate treatment method.**

9. Has the generator added iron to lead-containing hazardous waste in order to achieve LDR treatment standards for lead? [3745-270-03(D)] Yes  No  N/A  RMK# \_\_\_\_\_

10. Does the facility have a case-by-case extension to the effective date to land dispose of hazardous waste?[3745-270-05] If so: Yes  No  N/A  RMK# \_\_\_\_\_

a. The facility can dispose of hazardous waste in a on-site landfill or surface impoundment.[3745-270-05]

11. Does the facility have an extension to allow for a restricted waste to be land disposed?[3745-270-06] If so: Yes  No  N/A  RMK# \_\_\_\_\_

a. The facility can land dispose of the waste. [3745-270-06]

12. Does the facility treat wastes that are otherwise prohibited from land disposal, in a surface impoundment? If so: Yes  No  N/A  RMK# \_\_\_\_\_

a. Has the facility complied with 3745-270-04? Yes  No  N/A  RMK# \_\_\_\_\_

**NOTIFICATION AND CERTIFICATION REQUIREMENTS**

- 13. If a generator's waste or contaminated soil does not meet the treatment standards, does the generator have the paperwork required in Column A of Table 1 of 3745-270-07? [3745-270-07(A)(2)] Yes  No  N/A  RMK# \_\_\_\_\_
- 14. If a generators' waste or contaminated soil meets the treatment standard at the original point of generation, does the generator have the paperwork required in Column B of Table 1 of 3745-270-07? [3745-270-07(A)(3)] Yes \_\_\_ No  N/A  RMK# \_\_\_\_\_
- 15. If a generators' waste is exempt (under 3745-270-05, 3745-270-06, national capacity or case-by-case variance, etc.) does the generator have the paperwork required in Column C of Table 1 of 3745-270-07? [3745-270-07(A)(4)] Yes \_\_\_ No  N/A  RMK# \_\_\_\_\_
- 16. If a generator manages a lab pack containing hazardous waste using the alternative treatment standard in 3745-270-42, does the generator have the paperwork required in Column D of Table 1 of 3745-270-07? [3745-270-07(A)(9)] Yes \_\_\_ No  N/A  RMK# \_\_\_\_\_
- 17. Does the generator produce a waste that is hazardous waste from the point of generation, but subsequently excluded from regulation under OAC 3745-51-02 through 3745-51-06? [3745-270-07(A)(7)] If so: Yes \_\_\_ No  N/A  RMK# \_\_\_\_\_
  - a. Is a one-time notice placed in the facility's file stating such generation, subsequent exclusion or exemption, and disposition of the wastes? [3745-270-07(A)(7)] Yes \_\_\_ No  N/A  RMK# \_\_\_\_\_

**NOTE: Examples include hazardous wastes discharged to a POTW or to a surface water under a NPDES permit.(See 270-07(A)(7))**

- 18. Does the generator retain on-site a copy of all notices, certifications, demonstrations and waste analysis data for at least three years from the last shipment of waste sent off-site? [3745-270-07(A)(8)] Yes  No  N/A  RMK# \_\_\_\_\_

**REMARKS**

**USED OIL INSPECTION CHECKLIST  
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

*NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.*

**PROHIBITIONS**

1. Does the generator manage used oil in a surface impoundment or waste pile? If yes: Yes  No  N/A
- a. Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)] Yes  No  N/A
2. Is used oil used as a dust suppressant? [3745-279-12(B)] Yes  No  N/A
3. Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)? Yes  No  N/A

*NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).*

**GENERATOR STANDARDS**

4. Does the generator mix hazardous waste with used oil? If so, Yes  No  N/A
- a. Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)] Yes  No  N/A

*NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.*

5. Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)] Yes  No  N/A

*NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.*

6. Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)] Yes  No  N/A
7. Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)] Yes  No  N/A
8. Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)] Yes  No  N/A

9. Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]
- a. Stopped the release? Yes  No  N/A
- b. Contained the release? Yes  No  N/A
- c. Cleaned up and properly managed the used oil and other materials? Yes  No  N/A
- d. Repaired or replaced the containers or tanks prior to returning them to service, if necessary? Yes  No  N/A

**ON-SITE BURNING IN SPACE HEATER**

10. Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so: Yes  No  N/A
- a. Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators? Yes  No  N/A
- b. Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour? Yes  No  N/A
- c. Are the combustion gases from heater vented to the ambient air? Yes  No  N/A

**GENERATOR TRANSPORTATION**

11. If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24] *No self-transportation.* Yes  No  N/A
- a. Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?[3745-279-24] Yes  No  N/A
- b. Does the generator transport more than 55 gallons of used oil at any time?[3745-279-24] Yes  No  N/A

*NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).*

**COLLECTION CENTERS AND AGGREGATION POINTS**

12. Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30] Yes  No  N/A
13. Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31] Yes  No  N/A
14. Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32] Yes  No  N/A

*NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.*

**SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS**

*Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more*

*Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less*

**PROHIBITIONS**

1. Did the SQUWH dispose of universal waste? [3745-273-11(A)] Yes  No  N/A \_\_\_ RMK# \_\_\_
2. Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)] Yes  No  N/A \_\_\_ RMK# \_\_\_

**WASTE MANAGEMENT & LABELING/MARKING**

**UNIVERSAL WASTE BATTERIES**

3. Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)] Yes \_\_\_ No  N/A  RMK# \_\_\_
4. If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)] Yes  No  N/A \_\_\_ RMK# \_\_\_
5. Does the SQUWH conduct any of the following activities:
- a. Sort batteries by type? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
  - b. Mix battery types in one container? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
  - c. Discharge batteries to remove the electric charge? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
  - d. Regenerated used batteries? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
  - e. Disassemble them into individual batteries or cells? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
  - f. Remove batteries from consumer products? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
  - g. Remove the electrolyte from the battery? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
- If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)] Yes  No \_\_\_ N/A \_\_\_ RMK# \_\_\_
6. If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)] Yes \_\_\_ No  N/A  RMK# \_\_\_
- a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)] Yes \_\_\_ No  N/A  RMK# \_\_\_
  - b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)] Yes \_\_\_ No  N/A  RMK# \_\_\_
7. Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)?" [3745-273-14(A)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

**UNIVERSAL WASTE LAMPS**

8. Does the SQGUHW contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)] Yes  No  N/A  RMK#
9. Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)] Yes  No  N/A  RMK#
10. Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)" [3745-273-14(E)] Yes  No  N/A  RMK#

**NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)].** A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.

**ACCUMULATION TIME**

11. Is the waste accumulated for less than one year? [3745-273-15(A)] If not: Yes  No  N/A  RMK#
- a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)] Yes  No  N/A  RMK#

**NOTE: Accumulation is defined as date generated or date received from another handler.**

12. Is the length of time the universal waste is stored documented by **one** of the following: [3745-273-15(C)] Yes  No  N/A  RMK#
- a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)] Yes  No  N/A  RMK#
- b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)] Yes  No  N/A  RMK#
- c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)] Yes  No  N/A  RMK#
- d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)] Yes  No  N/A  RMK#

- e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)] Yes \_\_\_ No \_\_\_ N/A \_\_\_ RMK# \_\_\_
- f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)] Yes \_\_\_ No \_\_\_ N/A \_\_\_ RMK# \_\_\_

**EMPLOYEE TRAINING**

13. Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16] Yes X No \_\_\_ N/A \_\_\_ RMK# \_\_\_

**RESPONSE TO RELEASES** - None observed during the inspection.

14. Are releases of universal waste and other residues immediately contained? [3745-273-17(A)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
15. Is the material released characterized? [3745-273-17(B)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
16. If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

**OFF-SITE SHIPMENTS**

**NOTE: If a SQUWH self-transport waste, then they must comply with the Universal Waste transporter requirements.**

17. Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)] Yes X No  N/A \_\_\_ RMK# \_\_\_

**NOTE: SQUWHs are prohibited to send waste to any other facility.**

18. If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)] Yes \_\_\_ No  N/A X RMK# \_\_\_
19. Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)] Yes X No  N/A \_\_\_ RMK# \_\_\_
20. If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do one of the following:  
 a. Receive the waste back? [3745-273-18(E)(1)] Yes \_\_\_ No \_\_\_ N/A \_\_\_ RMK# \_\_\_  
 b. Agree to where the shipment will be sent? [3745-273-18(E)(2)] Yes \_\_\_ No \_\_\_ N/A \_\_\_ RMK# \_\_\_

21. If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss one of the following: Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
- a. Sending the waste back to the originating handler? [3745-273-18(F)(1)] Yes \_\_\_ No \_\_\_ N/A \_\_\_ RMK# \_\_\_
- b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)] Yes \_\_\_ No \_\_\_ N/A \_\_\_ RMK# \_\_\_
22. If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_  
Facility does not accept off-site shipments of universal waste.
23. If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_  
Facility does not accept off-site shipments of universal waste.

**EXPORTS**

24. Is waste being sent to a foreign destination? If so: Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
- a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
- b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
- c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

**REMARKS**