



State of Ohio Environmental Protection Agency

Northeast District Office

2110 East Aurora Rd.  
Twinsburg, Ohio 44087

TELE: (330) 963-1200 FAX: (330) 487-0769  
www.epa.state.oh.us

Ted Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korleski, Director

September 22, 2009

**RE: MCGEAN ROHCO, INC.  
LARGE QUANTITY GENERATOR  
OHD 077 758 753  
CUYAHOGA COUNTY  
NOTICE OF VIOLATION**

Mr. Jitendra Gandhi  
EHS & S Manager  
McGean-Rohco, Inc.  
2910 Harvard Avenue  
Cleveland, Ohio 44105

Dear Mr. Gandhi:

Thank you for accompanying Ed D'Amato and me during Ohio EPA's August 24 and 25, 2009, inspection of the McGean-Rohco, Inc. (McGean) facility in Cleveland, Ohio. Brian Schaffer also represented McGean during the inspection. Ohio EPA inspected McGean to determine its compliance with Ohio's hazardous waste laws as found in Chapter 3734. of the Ohio Revised Code (ORC) and Chapter 3745. of the Ohio Administrative Code (OAC). During the inspection, Ohio EPA also helped you identify ways to prevent pollution by reducing waste. This letter will explain the violations we found, what you need to do to correct the violations, other general concerns we have, what you need to do to respond to our general concerns and the pollution prevention opportunities we identified.

McGean is a manufacturer of specialty chemicals for metal finishing, most of which are chrome based. McGean brings in the raw materials and blends them to customer specifications. You stated that McGean does not generate any routine hazardous waste streams because most off-specification material can be recycled. If a material cannot be recycled, it is disposed of as either a solid waste or a hazardous waste.

Ohio EPA found the following violations of Ohio's hazardous waste laws. In order to correct these violations you must do the following and submit the required information to Ohio EPA **within 30 days** of the date of this letter:

**Violations**

1. **Universal Waste Management, OAC 3745-273-13(D)(1):** Waste lamps must be contained in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps. Containers or packages must remain closed and must lack evidence of leakage, spillage or damage that could cause leakage.

Mr. Jitendra Gandhi  
McGean-Rohco, Inc.  
September 22, 2009  
Page 2

In the mechanic's building there were many used lamps that were both in opened boxes and not in boxes. The lamps and boxes were leaning vertically against the wall.

The box of fluorescent lamps should have been closed. The other lamps should have been packaged appropriately in boxes.

Please document that all waste lamps have been placed into boxes and that the boxes are closed by submitting a photo or written confirmation. Also confirm that the employee(s) responsible for managing waste lamps have been instructed on proper used lamp management.

2. **Universal Waste Lamp Labeling, OAC 3745-273-14(E):** Waste lamps or containers of universal waste lamps must be labeled with the words, "Universal Waste Lamps" or "Waste Lamps" or "Used Lamps".

Please document that these lamps or containers have been labeled by submitting a photo or written confirmation. Also confirm that the employee(s) responsible for managing broken lamps have been instructed on proper management.

### Comments/Questions

1. During the inspection of the property, we observed 15 totes behind Building 11 that were not labeled and McGean was unable at the time to tell us what was in the totes. Please identify the contents of the 15 totes behind Building 11 and determine if the contents of each tote is a waste. This question may be answered by providing the following:
  - the process that generated the materials
  - the length of time the totes have been behind Building 11
  - the management of each material after August 24, 2009
2. Please ensure that the attached job description page from the Ohio EPA September 2003 inspection is included with the job posting information that you shared with me.
3. We discussed the management of your empty aerosol cans and recommend that you consider recycling them as scrap metal.
4. There were no used fork lift batteries being stored at the time of the inspection. Please assure that any waste batteries or containers of universal waste batteries (including D-cell and 9-volt) are labeled with the words, "Universal Waste – Batteries" or "Waste Battery(ies)" or "Used Battery(ies)".

Mr. Jitendra Gandhi  
McGean-Rohco, Inc.  
September 22, 2009  
Page 3

5. A guidance document on electronic waste can be found at [www.epa.stte.oh.us/dhwm/pdf/Electronic Equipment Guidance.pdf](http://www.epa.stte.oh.us/dhwm/pdf/Electronic_Equipment_Guidance.pdf).

McGean may be able to reduce the waste your company generates through recycling. If you find ways to recycle, reduce or altogether eliminate the amount of waste that your company generates, you may be able to reduce treatment and disposal costs. And, you may possibly reduce your regulatory requirements. Ohio EPA also has helpful information about pollution prevention at the following web address: <http://www.epa.state.oh.us/opp>.

If you would like to be considered for an in-depth, on-site confidential compliance assistance and/or pollution prevention assessment, or if you would like more information, please contact Adrienne LaFavre at (330) 963-1250.

Enclosed you will find a copy of the checklists that we completed during the inspection. Should you have any questions, please feel free to call me at (330) 963-1214. You can find copies of the rules and other information on the division's web page at <http://www.epa.state.oh.us/dhwm>.

The Division of Hazardous Waste Management has created an electronic news service to provide you with updates on events and news related to hazardous waste activities in Ohio. You can find more information at <http://web.epa.state.oh.us/dhwm/listserv.html>.

Sincerely,



Kim Gallagher  
Environmental Specialist  
Division of Hazardous Waste Management

KG:cl  
Enclosures

ec: Frank Popotnik, DHWM, NEDO  
Natalie Oryshkewych, DHWM, NEDO  
Ed D'Amato, DHWM, NEDO

cc: Marlene Kinney, DHWM, NEDO

Notice:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your facility from its obligation to comply with all applicable regulations.

*McLean P-09*

**LARGE QUANTITY GENERATOR REQUIREMENTS  
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: ≤100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.  
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.  
 LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.  
 NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

**GENERAL REQUIREMENTS**

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11] <i>letter comment 1</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
2.	Are records of waste determination being kept for at least 3 years? [3745-52-40(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
3.	Has the generator obtained a U.S. EPA identification number? [3745-52-12]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Were annual reports filed with Ohio EPA on or before March 1 <sup>st</sup> ? [3745-52-41(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Are annual reports kept on file for at least 3 years? [3745-52-40(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
6.	Has the generator transported or caused to be transported hazardous waste to <b>other</b> than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
7.	Has the generator disposed of hazardous waste <b>on-site without a permit</b> or at another facility <b>other</b> than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E)&(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
8.	Does the generator accumulate hazardous waste?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

9.	Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02(E)&(F)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G)&(H).

10.	Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)]	
a.	Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

11.	Does the generator export hazardous waste? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Has the generator notified U.S. EPA of export activity? [3745-52-53(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Has the generator complied with special manifest requirements? [3745-52-54]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Has an annual report been submitted to U.S. EPA? [3745-52-56]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

e.	Are export related documents being maintained on-site? [3745-52-57(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>MANIFEST REQUIREMENTS</b>		
12.	Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Have items (1) through (20) of each manifest been completed? [3745-52-20(A)(1)]&[3745-52-27(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)(1)]		
14.	Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)].		
15.	If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1)&(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
17.	If the generator received a rejected load or residue and accumulated the waste on-site, did the generator sign item 18c or 20 of the manifest? [3745-52-34(M)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.		
18.	If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter, did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
19.	If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
20.	Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.		
<b>PERSONNEL TRAINING</b>		
21.	Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
22.	Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)(a-f)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
23.	Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
24.	Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
25.	Does the generator provide annual refresher training to employees? [3745-65-16(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
26.	Does the generator keep records and documentation of:	
a.	Job titles? [3745-65-16D(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	b.	Job descriptions? [3745-65-16D(2)] <i>Letter Comment 2.</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Type and amount of training given to each person? [3745-65-16D(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Completed training or job experience required? [3745-65-16D(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
27.		Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained
<i>Brian Schaffer</i>	<i>weekly</i>	<i>8-10-09</i>
<i>Mark Merrell</i>	<i>plant employee weekly inspections HWSA</i>	<i>8-10-09</i>
<i>John Sandhi</i>	<i>EHS manager</i>	<i>5-13-09 / 8-10-09</i>

**CONTINGENCY PLAN**

28.	Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
29.	Does the plan describe the following:	
a.	Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste? [3745-65-52(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Arrangements with emergency authorities? [3745-65-52(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the facility already has a "Spill Prevention, Control and Countermeasures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]

30.	Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53(A)&(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
31.	Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> <i>10-29-07</i>
32.	Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

**EMERGENCY PROCEDURES**

33.	Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Was the contingency plan implemented? [3745-65-51(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Did the facility follow the emergency procedures in 3745-65-56(A) through (H)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

	c.	Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.			
<b>PREPAREDNESS AND PREVENTION</b>			
34.		Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
35.		Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste.	
	a.	Internal communications or alarm system? [3745-65-32(A)] <i>fire alarm sent annual</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Emergency communication device? [3745-65-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Portable fire control, spill control and decon equipment? [3745-65-32(C)] <i>monthly</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] <i>hydrant annual</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Verify that the equipment is listed in the contingency plan.			
36.		Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
37.		Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
38.		Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
39.		If there is only one employee on the premises, is there immediate access to a device (eg., phone, hand held two-way radio) capable of summoning external emergency assistance (unless not required under 3745-65-32)? [3745-65-34(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
40.		Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
41.		Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
42.		Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>SATELLITE ACCUMULATION AREA REQUIREMENTS</b>			
43.		Does the generator ensure that satellite accumulation area(s):	
	a.	Are at or near a point of generation? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	e.	Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	f.	Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
44.		Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

[Facility Name/Inspection Date]

[ID number]

LQG/August 2009

Page 4 of 6

a.	Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.*

**USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS**

45.	Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
46.	Is the accumulation date on each container? [3745-52-34(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
47.	Are hazardous wastes stored in containers which are:	
a.	Closed (except when adding/removing wastes)? [3745-66-73(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	In good condition? [3745-66-71]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Compatible with wastes stored in them? [3745-66-72]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Handled in a manner which prevents rupture/leakage? [3745-66-73(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*NOTE: Record location on process summary sheets, photograph the area, and record on facility map.*

48.	Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORC§1.44(A) "Week" means 7 consecutive days.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Are inspections recorded in a log or summary? [3745-66-74]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
49.	Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
50.	Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
51.	If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
52.	If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.*

53.	If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
-----	--	--

*NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]*

**PRE-TRANSPORT REQUIREMENTS**

54.	Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
55.	Does each container ≤119 gallons have a completed hazardous waste label? [3745-52-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

[Facility Name/Inspection Date]

[ID number]

LQG/August 2009

Page 5 of 6

56.	Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
-----	---	--

*Mc Sean P- 9*

**GENERATOR LDR CHECKLIST  
DOES NOT APPLY TO CESQGS**

**GENERAL REQUIREMENTS**

- |    |  |  |
|----|--|--|
| 1. | If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07 (A)(7)]                  | Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |
| 2. | Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

*NOTE: This is done by determining if the HW /soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07 (A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).*

- |    |  |  |
|----|--|--|
| 3. | Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]           | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 4. | Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 5. | Does the generator generate a listed HW that exhibits a characteristic? If yes,  | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> |
| a. | Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)]  | Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |

*FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.*

- |    |   |  |
|----|---|--|
| 6. | Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
|----|---|--|

*NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.*

*NOTE: Written documentation of this determination is not required.*

- |    |  |  |
|----|--|--|
| 7. | Did the generator treat his HW /soil on-site to meet the LDR treatment standard? | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> |
|----|--|--|

*NOTE If a Yes@ see question #16.*

- |     |  |  |
|-----|--|--|
| 8.  | Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility?[3745-270-07(A)(2)]          | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 9.  | Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 10. | Does the generator have a copy of the LDR notification form on file?[3745-270-07(A)(2)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| a.  | Is the form kept on file for three years after last HW shipped? [3745-270-07(A)(8)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

**NOTIFICATION FORM**

- |     |   |   |
|-----|---|---|
| 11. | Does the LDR Notification form contain the following information:   |   |
| a.  | Manifest number of the first waste shipment to the TSD?[3745-270-07(A)(2)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |
| b.  | Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]                           | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |
| c.  | A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |
| d.  | A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)].  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |

NOTE: A wastewater contains <1% by wt. total suspended solids(TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.

e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories

f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.

g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for?[3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.

**PROHIBITED DILUTION**

12.	Is the HW treated by burning?  If ANo, go to #15.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
-----	---	--

13.	Is the HW a metal-bearing HW?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
-----	-------------------------------	--

NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs are given in the Appendix to 3745-270-03.

14.	a.	Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless <u>one</u> of the following conditions apply. [3745-270-03(c)]	
-----	----	---	--

	i.	Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	--------------------	--

	ii.	Contains organic constituents or cyanide at levels greater than the UST levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	-----	---	--

	iii.	Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	------	--	--

	iv.	Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	-----	--	--

	v.	Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	--	--

	b.	If all responses to 14 a.i. through 14 a.v. are ANo, HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
--	----	--	--

15.	Was the HW treated by wastewater treatment?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
-----	---	--

	a.	Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	---	--

NOTE: If Yes, HW is improperly being treated by dilution.

	b.	Does the waste carry the D001 code and contain ≥10% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	--	--

	c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	---	--

NOTE: If the answers to b & c are Ayes and ANo, respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B) and 3745-270-40(A)(3)].

NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.

GENERATOR TREATMENT			
16.	Does the generator treat to meet LDRs on-site [3745-270-40(A)]?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	Did the generator treat his hazardous waste/soil on-site in a tank, container, drip pad or containment building to meet the LDR treatment standard?		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	If AYes@...complete the rest of the checklist. If ANo@...stop...you are done.		
a.	Does the generator have a written waste analysis plan (WAP) that describes the procedures he will follow to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Did the generator use a detailed chemical and physical analysis of the HW/soil in order to develop the WAP? [3745-270-07(A)(5)(a)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: This is a laboratory analysis but it does not have to be kept by the generator.</i>			
c.	Does the WAP contain all information necessary to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)(a)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Does the WAP include the testing frequency of the treated HW/soil to demonstrate that the LDR treatment standard is being met? [3745-270-07(A)(5)(a)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
e.	Does the generator keep the WAP on-site? [3745-270-07(A)(5)(b)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
f.	Is the WAP available for the inspector=s review during the inspection? [3745-270-07(A)(5)(b)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTIFICATION FORM			
17.	a.	Contains all information in #11 a-g above and	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	If the treated HW/soil is listed.....notification contains the following certification statement:  A I certify under penalty of law that I personally have examined and am familiar with the waste, through analysis and testing or trough knowledge of the waste, to support this certification that the waste complies with the treatment stands specified in rule 3745-270-40 to 3745-270-49 of the Administrative Code. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.@	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	If the treated HW/soil no longer exhibits a characteristic and is no longer a HW, did the generator:	
	i.	Send a one-time notification to the director?[3745-270- 09 (D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii.	Maintain a copy of the notice onsite?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii.	Include in the notification: [3745-270-09(D)(1)(a)]	
	1.	Name & address of receiving landfill?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	2.	Description of HW when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	3.	HW code when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	4.	Treatability group when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	5.	Underlying hazardous constituents present when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv.	Contain the right certification statement as required by 3745-70-07(b)(4)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*The Mean 8-09*

**SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS**

**Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more**

**Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less**

**PROHIBITIONS**

1.	Did the SQUWH dispose of universal waste? [3745-273-11(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
2.	Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in OAC rule 3745-273-17 or managing specific wastes as provided in OAC rule 3745-273-13? [3745-273-11(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

**WASTE MANAGEMENT AND LABELING/MARKING**

**UNIVERSAL WASTE BATTERIES**

3.	Are batteries that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)] <i>none present to inspect</i>	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
4.	If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
5.	Are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
6.	If the electrolyte is removed or other wastes generated, has it been determined whether the electrolyte or other wastes exhibit a characteristic of hazardous waste? [3745-273-13(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	If the electrolyte or other waste is characteristic, is it managed in compliance with OAC Chapters 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are the batteries or containers of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

**UNIVERSAL WASTE PESTICIDES**

8.	Does the SQUWH prevent releases to the environment by managing pesticides in containers that are closed, structurally sound, compatible with the pesticides, and lack evidence of leakage, spillage, or damage? [3745-273-13(B)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	If the original pesticide container is in poor condition, was it over-packed into an acceptable container? [3745-273-13(B)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	If the pesticide is stored in a tank, are the requirements of rules 3745-66-90 through 3745-66-101, except for paragraph (C) of 3745-66-97, of the OAC met? (Use tank checklist) [3745-273-13(B)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
11.	If pesticides are stored in a transport vehicle, is it closed, structurally sound, compatible with the pesticide(s), and does it lack evidence of leakage, spillage, or damage that could cause leakage? [3745-273-13(B)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	Are recalled universal waste pesticides that are in containers, tanks, or transport vehicles labeled with the label that was on or accompanied the product as sold or distributed and labeled with the words "Universal Waste Pesticides" or "Waste Pesticides"? [3745-273-14(B)(1)&(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Are unused pesticide products that are in containers, tanks, or transport vehicles labeled with either the label that was on the product when purchased (if still legible), the appropriate DOT label, or the designated label prescribed by the pesticide collection program and labeled with the words "Universal Waste Pesticides" or "Waste Pesticides"? [3745-273-14(C)(1)&(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

UNIVERSAL WASTE THERMOSTATS		
14.	Have thermostats that show evidence of leakage, spillage or damage that could cause leaks been contained in a container that is closed, structurally sound, compatible with contents of the thermostats and lacks evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
15.	If the mercury-containing ampules are removed, does the SQUWH: [3745-273-13(C)(2)]	
a.	Remove the ampules in a manner to prevent breakage and is the removal done over or in a containment device? [3745-273-13(C)(2)(a)&(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Have a clean-up system readily available to transfer spilled mercury to another container that meets the requirements of OAC rule 3745-52-34 and is the spilled mercury transferred immediately? [3745-273-13(C)(2)(c)&(d)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Ensure that the area where ampules are removed is well ventilated and monitored in compliance with applicable OSHA exposure levels for mercury? [3745-273-13(C)(2)(e)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Ensure that employees are thoroughly familiar with the proper waste handling and emergency procedures? [3745-273-13(C)(2)(f)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	Ensure that removed ampules are stored in closed, non-leaking containers that are in good condition? [3745-273-13(C)(2)(g)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
f.	Pack removed ampules in containers with packing material to prevent breakage during storage, handling and transportation? [3745-273-13(C)(2)(h)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
16.	When removing mercury containing ampules from thermostats if there are mercury or clean-up residues resulting from spills or leaks, and/or other waste generated (e.g., remaining thermostat units), has it been determined whether those exhibit a characteristic of hazardous waste identified in OAC rules 3745-51-20 to 3745-51-24? [3745-273-13(C)(3)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	If the residues, and/or wastes are characteristic, are they managed in compliance with Chapters 3745-50 through 3745-69, 3745-205, 3745-256, 3745-266, and 3745-270 of the Administrative Code? (The handler is considered the generator of the mercury, residues, and/or other waste and is subject to OAC Chapter 3745-52) [3745-273-13(C)(3)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
17.	Are thermostats or containers of thermostats labeled either "Universal Waste-Mercury Thermostat(s)" or "Waste Mercury Thermostat(s)" or "Used Mercury Thermostat(s)"? [3745-273-14[D]]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
UNIVERSAL WASTE LAMPS		
18.	Does the SQUWH contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
19.	Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage, spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<p><b>NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC rule 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility using a hazardous waste manifest.</b></p>		

20.	Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)" [3745-273-14(E)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
<b>ACCUMULATION TIME</b>		
21.	Is the waste accumulated for less than one year? [3745-273-15(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	If not, is the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: Accumulation is defined as date generated or date received from another handler.		
22.	Is the handler able to demonstrate the length of time the universal waste has been accumulated? [3745-273-15(C)]  If yes, describe below: <i>10-2008 manifest</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>EMPLOYEE TRAINING</b>		
23.	Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>RESPONSE TO RELEASES</b>		
24.	Are releases of universal waste and other residues immediately contained? [3745-273-17(A)] <i>none present observed to observe</i>	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
25.	Is the material released characterized? [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
26.	If the material released is a hazardous waste, was it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to OAC Chapter 3745-52) [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>OFF-SITE SHIPMENTS</b>		
NOTE: If a SQUWH self-transport waste, then the handler must comply with the Universal Waste transporter requirements.		
27.	Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
28.	Is the handler aware of DOT requirements for packaging and shipping?  If no, make aware of 49 CFR 171-180.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
29.	Prior to shipping universal waste off-site, does the originating handler ensure that the receiver agrees to receive the shipment? [3745-273-18(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
30.	Has the originating handler ever had an off-site shipment rejected by another handler or destination facility?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	If yes, did the originating handler receive the waste back or agree to where the shipment was sent? [3745-273-18(E)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
31.	If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss and do <u>one of the following</u> :	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Send the waste back to the originating handler or send the shipment to a destination facility (If both the originating and receiving handler agree)? [3745-273-18(F)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

32.	If the handler received a shipment of hazardous waste that was not a universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>EXPORTS</b>		
33.	Is waste being sent to a foreign destination? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Does the small quantity handler comply with primary exporter requirements in OAC rules 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is waste exported only upon consent of the receiving country and in conformance with the U.S. EPA "Acknowledgment of Consent" as defined in OAC rules 3745-52-50 to 3745-52-57? [3745-273-20(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Is a copy of the U.S. EPA "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

McDean 8-09

USED OIL INSPECTION CHECKLIST  
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS

NOTE: 1. A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

2. Inspectors can check BUSTR's web-site at [https://www.comapps.ohio.gov/sfm/fire\\_apps/bust/bustr/PublicInquiry.asp](https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/PublicInquiry.asp) to determine if a UST containing used oil is registered with BUSTR. Inspectors may call BUSTR at 614-752-7938 or a BUSTR site coordinator to report an unregistered UST or a UST that appears to not be in compliance with BUSTR regulations. A list of BUSTR coordinators by county are at: [https://www.comapps.ohio.gov/sfm/fire\\_apps/bust/bustr/SearchByCounty.asp](https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/SearchByCounty.asp).

PROHIBITIONS

1. Does the generator manage used oil in a surface impoundment or waste pile? If yes: Yes  No  N/A

a. Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)] Yes  No  N/A

NOTE: For example, used oil contaminated scrap metal stored in a pile.

2. Is used oil used as a dust suppressant? [3745-279-12(B)] Yes  No  N/A

3. Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)? Yes  No  N/A  *not burned*

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4. Does the generator mix hazardous waste with used oil? If so, Yes  No  N/A

a. Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)] Yes  No  N/A

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5. Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)] Yes  No  N/A

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6. Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)] Yes  No  N/A

7. Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)] Yes  No  N/A

8. Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)] Yes  No  N/A

9. Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)] Yes  No  N/A

a. Stopped the release? Yes  No  N/A  *did not have release*

b. Contained the release? Yes  No  N/A

c. Cleaned up and properly managed the used oil and other materials? Yes  No  N/A

d. Repaired or replaced the containers or tanks prior to returning them to service, if necessary? Yes  No  N/A

[Facility Name/Inspection Date]

[ID Number]

<b>ON-SITE BURNING IN SPACE HEATER</b>		
10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).</i>		
<b>GENERATOR TRANSPORTATION</b>		
11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#? [3745-279-24] <i>Peerless</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).</i>		
<b>COLLECTION CENTERS AND AGGREGATION POINTS</b>		
13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.</i>		