



State of Ohio Environmental Protection Agency

Northeast District Office

2110 East Aurora Rd.
Twinsburg, Ohio 44087

TELE: (330) 963-1200 FAX: (330) 487-0769
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

February 9, 2009

**RE: MEGGITT AIRCRAFT BRAKING
SYSTEMS CORP
OHD 986 975 100
SUMMIT COUNTY
CEI/NOV**

CERTIFIED MAIL

Mr. John Pflaum
Meggitt Aircraft Braking Systems Corp
1204 Massillon Road
Akron, Ohio 44306-4186

Dear Mr. Pflaum:

On January 22, 2009, Ohio EPA conducted a compliance evaluation inspection of Meggitt Aircraft Braking Systems Corp. (Meggitt), Akron facility to determine Meggitt's compliance with Ohio's hazardous waste laws and regulations as found under the Ohio Revised Code and the Ohio Administrative Code ("ORC" and "OAC" respectively). Meggitt was represented by George Markulis and you. The Ohio EPA was represented by Suzanne Prusnek, Julia Zhang and me. The Ohio EPA's compliance inspection included an inspection of the facility operations and a review of written documentation. In addition, Ohio EPA received the following e-mails from George Markulis after the inspection:

1. January 26, 2009 @ 6:21 P.M. – The Envirite profile for the waste degreasing fluid from the MART degreaser. This was submitted as a clarification, not in response to a violation.
2. January 28, 2009 @ 3:14 P.M. – Update on issues discussed during the inspection and a copy of the hazardous waste contingency plan
3. January 28, 2009 @ 3:15 P.M. – Letters to the local agencies forwarding the contingency plan and requesting arrangements. Meggitt had sent the previous contingency plan to the authorities; Ohio EPA requested that the revised contingency plan be sent out.
4. January 29, 2009 @ 2:39 P.M. – RCRA hazardous waste training roster, sign in sheets for employees and outline of training topics
5. January 29, 2009 @ 2:47 P.M. – Used bulb storage photos
6. January 29, 2009 @ 3:07 P.M. – Photos of the north end of Plant F showing the drums have been relocated to the <90 day accumulation area
7. January 29, 2009 @ 3:08 P.M. – Photo of the fiber room in Plant F where the stained box of lamps was located.
8. January 20, 2009 @ 3:14 P.M. – Photos of the universal waste lead acid batteries
9. February 5, 2009 @ 9:51 A.M. – Updated RCRA hazardous waste training roster.
10. February 6, 2009 @ 9:01 A.M. – Information regarding weekly inspections

Mr. John Pflaum
Meggitt Aircraft Braking Systems Corp
February 9, 2009
Page 2

Based on this inspection and the above e-mails, Ohio EPA has determined that Meggitt has violated at least the following state hazardous waste regulations:

Violations:

1. ***Personnel Training, OAC rule 3745-65-16(C):*** The generator must provide annual refresher training to employees.

Meggitt did not conduct the annual refresher training in 2008.

Based on e-mails #4 and 9 noted above, it appears that Meggitt has trained all but two (2) employees. E-mail #9 indicates that these employees will be trained as soon as possible.

Meggitt will submit documentation indicating W. Warren and M. Pinkerton have been trained to abate this violation.

2. ***Contingency Plan Requirements, OAC rule 3745-65-52(D):*** The contingency plan must include a current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator and the contingency plan must be revised in response to personnel changes.

The contingency plan still had Guilio Gabriele as an emergency coordinator. Mr. Gabriele no longer works for Meggitt.

Based on e-mail #2 received on January 28, 2009, this violation has been abated. No further action is required.

3. ***Contingency Plan Requirements, OAC rule 3745-65-54:*** The contingency plan must be revised in response to rule changes, facility, equipment and personnel changes, or failure of the plan.

Meggitt has closed Plant A and moved a portion of the operations to the new Plant D. Appendix D that lists the hazardous waste generated had errors on it. Finally, the list of the emergency coordinators as noted in violation #2 above needed updating.

Based on e-mail #2 received on January 28, 2009, this violation has been abated. In addition, e-mail #3 indicates this new contingency plan has been sent to the emergency authorities documenting Meggitt's compliance with OAC rule 3745-65-53(A) and (B).

4. **Labeling Requirements for Hazardous Waste Containers, OAC rule 3745-52-34(A) (2):** Containers accumulating hazardous waste must be clearly marked with the date accumulation began.

There were several containers noted during the inspection that did not have accumulation dates.

All of the containers were labeled during the inspection abating the violation. No further action is required.

5. **Weekly Inspections, OAC rule 3745-66-74:** The container accumulation area must be inspected weekly.

Meggitt was not inspecting the container accumulation area every week. There were gaps in the inspection log in several months.

Per the information submitted in e-mail #10 received on February 6, 2009, Meggitt has made arrangements for the inspection to be conducted every week. No further action is required.

6. **Daily Tank Inspections, OAC rule 3745-66-95(C):** The facility must conduct daily inspections of the following portions of the tank systems (as applicable): spill control equipment, above ground portion of the tank, data from leak detection equipment and construction materials and area immediately surrounding the tank for signs of erosion or release of hazardous waste.

Meggitt was not conducting these inspections on the weekends and holidays.

Per the information submitted in e-mail #2 received January 28, 2009, Meggitt has made arrangements for these inspections to be conducted every day there is waste in the tank. No further action is required.

7. **Labeling/marketing- standards for small quantity handlers of universal waste, OAC rule 3745-273-14(A):** Universal waste batteries or containers of batteries shall be labeled as "Universal Waste – Batteries," "Waste Battery(ies)," or "Used Battery(ies)."

Meggitt has been managing their lead acid batteries per the universal waste rules. The batteries were not labeled.

Per e-mail #8 received on January 29, 2009, it appears this violation has been abated. No further action is required.

8. **Labeling/marketing- standards for small quantity handlers of universal waste, OAC rule 3745-273-14(E):** Universal waste [fluorescent] lamps shall be labeled as "Universal Waste – Lamps," "Waste Lamp(s)", or "Used Lamp(s)".

During the inspection, Ohio EPA noted two boxes of lamps which were not labeled. Meggitt labeled these boxes during the inspection abating this violation. In addition, Meggitt had numerous loose lamps that were not containerized. Per e-mail #5 received on January 29, 2009, these lamps were placed in labeled boxes abating this violation. No further action is required.

9. **Packaging of Universal Waste Lamps, OAC rule 3745-273-13(D)(1):** Universal waste lamps must be contained in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with the contents of the lamps. In addition, the containers or packages must be closed, lack evidence of leakage, spillage or damage that could cause leakage

As stated in violation #8 above, Meggitt had lamps which were not in containers. Per e-mail #5 received on January 29, 2009, these lamps were placed in containers that were closed abating this violation. No further action is required.

10. **Accumulation Time for Universal Waste, OAC 3745-273-15(C):** The length of time universal waste is stored must be documented in some manner.

Meggitt did not have a method for demonstrating how long the universal waste was on site.

Per e-mails #5 and 8 received on January 29, 2009, accumulation dates are now on the universal waste and/or boxes. No further action is required.

In addition, Ohio EPA has the following concern:

During the inspection, Ohio EPA noted 13 total drums which were in transit from their originating satellite accumulation point to the <90 day accumulation area. Four of the drums were moved during the inspection. The remaining 9 drums were moved by January 26, 2009 as indicated by e-mail #6 dated January 29, 2009. Meggitt is hereby cautioned that in the future should any drums not go immediately (within 3 days) from their satellite accumulation points to the designated <90 day accumulation area, this interim point will be considered a <90 day accumulation area. As such Meggitt will need to provide the area with spill control, fire control, and decontamination equipment, a communication device, water of adequate volume and pressure, conduct weekly inspection, update the contingency plan and conduct generator closure once they cease to use the area.

Mr. John Pflaum
Meggitt Aircraft Braking Systems Corp
February 9, 2009
Page 5

If you would like a free, non-regulatory on-site pollution prevention assessment, or if you would like more information about pollution prevention, please contact Adrienne LaFavre at (330) 963-1250. Ohio EPA has helpful information about this at the following web address: <http://www.epa.state.oh.us/ocapp/ocapp/>.

The Division of Hazardous Waste Management has created an electronic news service to provide you with quick and timely updates on events and news related to hazardous waste activities in Ohio. You can find more information at the following Web link: <http://www.epa.state.oh.us/dhwm/listserv.html>.

You can find copies of the rules and other information on the Division of Hazardous Waste's web page at: <http://www.epa.state.oh.us/dhwm>.

Failure to list specific deficiencies and/or violations in this communication does not relieve Meggitt from the responsibility of complying with all applicable laws, rules and regulations.

Be advised that the Ohio EPA reserves the right pursuant to ORC Chapters 3734 and 6111 and any other applicable state and federal laws or regulations, to require further site investigation and remediation to address any unpermitted releases of hazardous waste, hazardous substances, industrial wastes, pollutants, and/or contaminants into the environment.

Further be advised that any instances of non-compliance can continue as subjects of pending or future enforcement actions.

Please respond to this letter in writing by March 13, 2009, and provide all of the information requested above. Should you have any questions or require additional information, please contact Frank Popotnik, my supervisor, or me at (330) 963-1200.

Sincerely,



Karen L. Nesbit
Division of Hazardous Waste Management

KLN:cl
Enclosure

ec: Harry Sarvis, DHWM, CO
Frank Popotnik, DHWM, NEDO
Julia Zhang, DHWM, CO

cc: Natalie Oryshkewych, DHWM, NEDO

Ohio Environmental Protection Agency
**RCRA SUBTITLE C SITE
 IDENTIFICATION/VERIFICATION FORM**

For Ohio EPA use only

E-mail this completed form to kristina.durnell@epa.state.oh.us
 or mail it to Kristina Durnell, Central Office

Site EPA ID No. Site Name Site Location Information Site Land Type (check only one) NAICS code(s) www.census.gov/epcd/www/naics.html	EPA ID Number: OHD980975100 Name: MEGGITT AIRCRAFT BRAKING SYSTEMS CORP Website: (Optional) Street Address: 1204 MASSILLON ROAD City, Town, or Village: AKRON County Name: SUMMIT State: OH Zip Code: 443064186 Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/> 336413
Facility Representative Additional names can be recorded in number 12 Only provide address information if it is different than the site address	First Name: John MI: V Last Name: Pflaum Phone Number: 330-7967299 Phone Number Extension: E-Mail Address: john.pflaum@meggitt.com Fax Number Extension: Fax Number: Street or P.O. Box: City, Town or Village: State: Zip Code:
Legal Owner And Operator of the Site. List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner: Meggitt Aircraft Braking Corp Date Became Owner (mm/dd/yyyy): 7/1/2008 Owner Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/> Type: Street or P.O. Box: 1204 Massillon Road City, Town or Village: Akron Owner Phone #: State: OH Country: USA Zip Code: 443064186 Name of Site's Operator: MEGGITT AIRCRAFT BRAKING SYSTEMS CORP Date Became Operator (mm/dd/yyyy): 7/1/2008 Owner Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/> Type: Street or P.O. Box: 1204 MASSILLON ROAD City, Town or Village: AKRON Operator Phone #: State: OH United States Zip Code: 443064186

VIOLATIONS CITED? Yes No

TYPE OF HANDLER- A MINIMUM OF ONE BOX MUST BE CHECKED

<input type="checkbox"/> Not a HW Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input checked="" type="checkbox"/> Large Quantity Generator (LQG) <input type="checkbox"/> Small Quantity Generator (SQG) <input type="checkbox"/> Conditionally Exempt Small Quantity Generator <input type="checkbox"/> U.S. Importer of Hazardous Waste <input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator
---------------------------------------------	------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)

<input type="checkbox"/> Recycler of Hazardous Waste	<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace
<input type="checkbox"/> Underground Injection Control Facility	<input type="checkbox"/> Small Quantity On-Site Burner Exemption
<input type="checkbox"/> Hazardous Waste Transporter	<input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption
<input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste	

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED (CHECK ALL BOXES THAT APPLY))

<input checked="" type="checkbox"/> Small Quantity Handler of Universal Waste	<input type="checkbox"/> Destination Facility for Universal Waste
<input type="checkbox"/> Large Quantity Handler of Universal Waste (accumulates 5,000 kg. or more)	

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES

<input checked="" type="checkbox"/> Batteries
<input type="checkbox"/> Pesticides
<input type="checkbox"/> Mercury containing equipment
<input checked="" type="checkbox"/> Lamps

USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))

<input checked="" type="checkbox"/> Used Oil Generator
<input type="checkbox"/> Used Oil Transporter
<input type="checkbox"/> Used Oil Transfer Facility
<input type="checkbox"/> Used Oil Processor
<input type="checkbox"/> Used Oil Re-refiner
<input type="checkbox"/> Off-Specification Used Oil Burner
<input type="checkbox"/> Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil
<input type="checkbox"/> Used Oil Fuel Marketer to Off-Specification Used Oil Burner

Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more space is needed. If there are more than 7 waste codes and they are the same as listed in the most recent RCRAinfo source record, you do not need to list them all. Instead just indicate the date of the most recent source record.

D001 D002 D005/6/7/8 D018 D035 F003 F005

COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.

Announced	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Additional Facility Representatives: George Markulis
Tanks	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Other Comments: Meggitt USA Inc., is the parent of Meggitt Aircraft Braking Systems Corporation. Meggitt USA Inc. became the parent of Meggitt Aircraft Braking Systems Corporation on July 1, 2008.
Containers	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	

Name of Inspector(s) KAREN NESBIT, SUZANNE PRUSNEK	Name of Inspector(s) JULIA ZHANG	Date of Inspection/Time (mm/dd/yyyy) (hh:mm) 1/22/2009 0855
--------------------------------------------------------------	--------------------------------------------	--------------------------------------------------------------------------

OPTIONAL CERTIFICATION. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Owner, Operator, or an Authorized Representative	Name and Title (Print)	Date (mm/dd/yyyy)
---------------------------------------------------------------	------------------------	-------------------

**LARGE QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used: *SAFETY GLASSES*

GENERAL REQUIREMENTS

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
2.	Are records of waste determination being kept for at least 3 years? [3745-52-40(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
3.	Has the generator obtained a U.S. EPA identification number? [3745-52-12]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Were annual reports filed with Ohio EPA on or before March 1 st ? [3745-52-41(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Are annual reports kept on file for at least 3 years? [3745-52-40(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
6.	Has the generator transported or caused to be transported hazardous waste to other than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
7.	Has the generator disposed of hazardous waste on-site without a permit or at another facility other than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E) & (F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
8.	Does the generator accumulate hazardous waste?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

9.	Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02 (E) & (F)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
10.	Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)]	
	a. Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d. Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
11.	Does the generator export hazardous waste? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Has the generator complied with special manifest requirements? [3745-52-54]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

d.	Has an annual report been submitted to U.S. EPA? [3745-52-56]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
e.	Are export related documents being maintained on-site? [3745-52-57(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

MANIFEST REQUIREMENTS

12.	Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Have items (1) through (20) of each manifest been completed? [3745-52-20(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)]

14.	Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
15.	If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
16.	Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1) & (2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.

17.	If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
18.	If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
19.	Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

PERSONNEL TRAINING

20.	Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
21.	Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)(a-f)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

22.	Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
23.	Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
24.	Does the generator provide annual refresher training to employees? [3745-65-16(C)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
25.	Does the generator keep records and documentation of:	
	a. Job titles? [3745-65-16D(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. Job descriptions? [3745-65-16D(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. Type and amount of training given to each person? [3745-65-16D(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d. Completed training or job experience required? [3745-65-16D(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
26.	Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
CONTINGENCY PLAN		
27.	Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
28.	Does the plan describe the following:	
	a. Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste? [3745-65-52(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. Arrangements with emergency authorities? [3745-65-52(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	d. A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	e. An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: If the facility already has a "Spill Prevention, Control and Countermeasures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]		
29.	Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53 (A) & (B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
30.	Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

31.	Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.		
EMERGENCY PROCEDURES		
32.	Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Was the contingency plan implemented? [3745-65-51(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Did the facility follow the emergency procedures in 3745-65-56(A) through (H)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.		
PREPAREDNESS AND PREVENTION		
33.	Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
34.	Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:	
	a. Internal communications <u>or alarm system</u> ? [3745-65-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. Emergency communication device? [3745-65-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. Portable fire control, spill control and decon equipment? [3745-65-32(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] <i>per facility</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
35.	Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
36.	Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
37.	Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
38.	If there is only one employee on the premises, is there immediate access to a device (e.g., phone, hand held two-way radio) capable of summoning external emergency assistance (unless not required under 3745-65-32)? [3745-65-34(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
39.	Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

40.	Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
41.	Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

SATELLITE ACCUMULATION AREA REQUIREMENTS

42.	Does the generator ensure that satellite accumulation area(s):	
a.	Are at or near a point of generation? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
e.	Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
f.	Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
43.	Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded?[3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS

44.	Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
45.	Is the accumulation date on each container? [3745-52-34(A)(2)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> <i>noted</i>
46.	Are hazardous wastes stored in containers which are:	
a.	Closed (except when adding/removing wastes)? [3745-66-73(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	In good condition? [3745-66-71]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Compatible with wastes stored in them? [3745-66-72]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	d.	Handled in a manner which prevents rupture/leakage? [3745-66-73(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
47.		Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORC§1.44(A) "Week" means 7 consecutive days.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a.	Are inspections recorded in a log or summary? [3745-66-74]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
48.		Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
49.		Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
50.		If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
51.		If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
52.		If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745- 66-11? [3745-52-34(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards

PRE-TRANSPORT REQUIREMENTS

53.		Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
54.		Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
55.		Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

**USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

PROHIBITIONS

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: For example, used oil contaminated scrap metal stored in a pile.

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., If generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Stopped the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Contained the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

c.	Cleaned up and properly managed the used oil and other materials?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

ON-SITE BURNING IN SPACE HEATER

10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is the heater designed to have a maximum capacity of not more that 0.5 million BTU per hour?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).

GENERATOR TRANSPORTATION

11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).

COLLECTION CENTERS AND AGGREGATION POINTS

13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.

SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS

(LQUWH) = 5,000 Kg or more (SQUWH) = 5,000 Kg or less

PROHIBITIONS

1.	Did the SQUWH dispose of universal waste? [3745-273-11(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
2.	Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

WASTE MANAGEMENT & LABELING/MARKING

UNIVERSAL WASTE BATTERIES

3.	Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
4.	If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
5.	Does the SQUWH conduct any of the following activities:	
	a. Sort batteries by type?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	b. Mix battery types in one container?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	c. Discharge batteries to remove the electric charge?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	d. Regenerated used batteries?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	e. Disassemble them into individual batteries or cells?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	f. Remove batteries from consumer products?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	g. Remove the electrolyte from the battery?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
6.	If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

UNIVERSAL WASTE LAMPS

8.	Does the SQUWH contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages <u>closed</u> and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> <i>some lamps still need to be containerized</i>
----	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------

9.	Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)"? [3745-273-14(E)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> <i>- abated</i>

NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.

ACCUMULATION TIME

11.	Is the waste accumulated for less than one year? [3745-273-15(A)] If not:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Accumulation is defined as date generated or date received from another handler.

12.	Is the length of time the universal waste is stored documented by one of the following: [3745-273-15(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)]	Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> <i>abated</i>
b.	Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
e.	Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
f.	Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

EMPLOYEE TRAINING

13.	Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
-----	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

RESPONSE TO RELEASES		
14.	Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the material released characterized? [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
OFF-SITE SHIPMENTS		
NOTE: If a SQUWH self-transportes waste, then they must comply with the Universal Waste transporter requirements. NOTE: SQUWHs are prohibited to send waste to any other facility.		
17.	Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
18.	If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
19.	Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
20.	If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do <u>one of the following</u> :	
a.	Receive the waste back? [3745-273-18(E)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Agree to where the shipment will be sent? [3745-273-18(E)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
21.	If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss <u>one of the following</u> :	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Sending the waste back to the originating handler? [3745-273-18(F)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
22.	If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
23.	If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
EXPORTS		
24.	Is waste being sent to a foreign destination? If so:	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

**GENERATOR LDR CHECKLIST
DOES NOT APPLY TO CESQGS**

GENERAL REQUIREMENTS

- | | | |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| 1. | If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07 (A)(7)] | Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |
| 2. | Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

NOTE: This is done by determining if the HW /soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07 (A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).

- | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| 3. | Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 4. | Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 5. | Does the generator generate a listed HW that exhibits a characteristic? If yes, | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| a. | Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)] | Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |

FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.

- | | | |
|----|-------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| 6. | Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
|----|-------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|

NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.

NOTE: Written documentation of this determination is not required.

- | | | |
|----|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| 7. | Did the generator treat his HW /soil on-site to meet the LDR treatment standard? | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> |
|----|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|

NOTE If a Yes@ see question #16.

- | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| 8. | Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility?[3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 9. | Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 10. | Does the generator have a copy of the LDR notification form on file?[3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| a. | Is the form kept on file for three years after last HW shipped? [3745-270-07(A)(8)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

NOTIFICATION FORM

11.	Does the LDR Notification form contain the following information:		
	a.	Manifest number of the first waste shipment to the TSD?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)].	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: A wastewater contains <1% by wt. total suspended solids(TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.			
	e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories			
	f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.			
	g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.			
PROHIBITED DILUTION			
12.	Is the HW treated by burning?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	If ANo, go to #15.		
13.	Is the HW a metal-bearing HW?		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs are given in the Appendix to 3745-270-03.			
14.	a.	Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless one of the following conditions apply. [3745-270-03(c)]	
	i.	Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii.	Contains organic constituents or cyanide at levels greater than the UST levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii.	Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv.	Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	v.	Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	If all responses to 14 a.i. through 14 a.v. are ANo, HW	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

		is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	
15.		Was the HW treated by wastewater treatment?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a.	Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: If Yes, HW is improperly being treated by dilution.</i>			
	b.	Does the waste carry the D001 code <u>and</u> contain $\geq 10\%$ TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: If the answers to b & c are Ayes@ and Ano@, respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B) and 3745-270-40(A)(3)].</i>			
<i>NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.</i>			

GENERATOR TREATMENT

16.		Does the generator treat to meet LDRs on-site [3745-270-40(A)]?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		Did the generator treat his hazardous waste/soil on-site in a tank, container, drip pad or containment building <u>to meet</u> the LDR treatment standard?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
		If AYes@...complete the rest of the checklist. If ANo@...stop...you are done.	
	a.	Does the generator have a written waste analysis plan (WAP) that describes the procedures he will follow to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Did the generator use a detailed chemical and physical analysis of the HW/soil in order to develop the WAP? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: This is a laboratory analysis but it does not have to be kept by the generator.</i>			
	c.	Does the WAP contain all information necessary to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Does the WAP include the testing frequency of the treated HW/soil to demonstrate that the LDR treatment standard is being met? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	e.	Does the generator keep the WAP on-site? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	f.	Is the WAP available for the inspector=s review during the inspection? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTIFICATION FORM

17.	a.	Contains all information in #11 a-g above and	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	If the treated HW/soil is listed.....notification contains the	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

	following certification statement: A I certify under penalty of law that I personally have examined and am familiar with the waste, through analysis and testing or trough knowledge of the waste, to support this certification that the waste complies with the treatment stands specified in rule 3745-270-40 to 3745-270-49 of the Administrative Code. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.@	
c.	If the treated HW/soil no longer exhibits a characteristic and is no longer a HW, did the generator:	
i.	Send a one-time notification to the director?[3745-270- 09 (D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
ii.	Maintain a copy of the notice onsite?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
iii.	Include in the notification: [3745-270-09(D)(1)(a)]	
	1. Name & address of receiving landfill?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	2. Description of HW when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	3. HW code when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	4. Treatability group when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	5. Underlying hazardous constituents present when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
iv.	Contain the right certification statement as required by 3745-70-07(b)(4)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

LQG TANK SYSTEM REQUIREMENTS (OAC rule 3745-52-34(A) and OAC rules 3745-66-90 through 3745-66-100)

NOTE TANK ASSESSMENT ETC. OK'd BY OEPA 9/16/05 - see file

1.	Is each tank clearly labeled/marked with the words "Hazardous Waste?" [3745-52-34(A)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

TANK SYSTEM – GENERAL OPERATING REQUIREMENTS

2.	Does the o/o follow the general operating requirements below:	
a.	Does the o/o prevent placement of hazardous waste or treatment reagents in tank or secondary containment if such placement can cause the system to leak, rupture, corrode, or otherwise fail?[3745-66-94(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Does the o/o use appropriate controls to prevent spills or overflows from the system (e.g., check valves, dry disconnect couplings, high level alarms, etc.)? [3745-66-94(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	If a leak or spill has occurred in the tank system, has the o/o complied with 3745-66-96? [3745-66-94(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

TANK SYSTEM – INSPECTION REQUIREMENTS

3.	Has the o/o documented the inspections required in 3745-66-95, in the operating record, including inspection of the following:	
a.	Spill control equipment each operating day? [3745-66-95(A)(1)]	Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> <i>not on weekends or vacations</i>
b.	Above ground portion of tank each operating day? [3745-66-95(A)(2)]	Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
c.	Data from leak detection equipment each operating day? [3745-66-95(A)(3)]	Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
d.	Construction materials and area immediately surrounding the tanks for signs of erosion or release of hazardous waste each operating day? [3745-66-95(A)(4)]	Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

NOTE: "Each operating day" is each day that the tank system is being used to manage (store or treat) hazardous waste.

4.	Where applicable, the cathodic protection system to confirm proper operation within six months of initial installation and annually thereafter? [3745-66-95(B)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
5.	Where applicable, all sources of impressed current at least bi-monthly? [3745-66-95(B)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

TANK SYSTEM CLOSURE REQUIREMENTS

6.	If the generator has closed a <90 day tank, was closure completed in accordance with OAC 3745-66-97 (except for paragraph C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	-------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

TANK SYSTEMS STORING IGNITABLE OR REACTIVE WASTES		
7.	For tanks used to treat or store ignitable or reactive wastes, has the o/o complied with one of the following: [3745-66-98(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. Is the waste treated immediately after placement in the tank so that the resultant mixture is no longer ignitable or reactive and the o/o has conducted such activities in compliance with 3745-66-17(B)? [3745-66-98(A)]; or	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. Is the waste stored or treated to protect it from materials or conditions which may cause ignition or reaction? [3745-66-98(A)]; or	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. The tank is used solely for emergencies? [3745-66-98(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	If ignitable or reactive waste is stored or treated, are protective distances maintained between waste management areas and any public streets, alleys or adjoining property lines as required by the NFPA Flammable and Combustible Liquids Code (1996)? [3745-66-98(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the o/o placed incompatible wastes or materials into the same tank system, or into a tank system that has not been decontaminated and which previously held an incompatible waste or material? [3745-66-99(A) and/or (B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a. If so , have the requirements of 3745-65-17(B) been met? [3745-66-99(A) and/or (B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
TANK SYSTEM – WASTE ANALYSIS REQUIREMENTS		
10.	In addition to conducting the waste analysis required by 3745-65-13, when the tank system is used to store or treat a waste which is substantially different or uses a substantially different process than previously used, has the o/o done one of the following: [3745-66-100]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. Conducted waste analysis and trial treatment or storage tests? [3745-66-100(A)]; OR	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. Obtained written documentation on similar waste under similar operating conditions to show that the proposed storage/treatment will meet the requirements of OAC 3745-66-94? [3745-66-100(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

f.	Supervision of the installation of field fabricated corrosion protection? [3745-66-92(F)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
SECONDARY CONTAINMENT		
14.	Has secondary containment been provided?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p><i>NOTE: All tank systems must have secondary containment at this point, except for tank systems that store/treat materials that become hazardous waste after January 12, 1987, must have secondary containment required within the time intervals in 3745-66-92(A)(1)] to (A)(4). The date the material became a hazardous waste must be used in place of January 12, 1987. [3745-66-92(A)(5)]</i></p>		
15.	Is secondary containment one of the following:	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	An External Liner ? [3745-66-93(E)(1)] If so,	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
i.	Is liner designed or operated to contain 100% of the capacity of the largest tank?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
ii.	Is liner designed and operated to prevent run-on and infiltration <u>or</u> the collection system has <u>excess</u> capacity to contain run-on and infiltration from a 25-year, 24-hour storm?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
iii.	Is liner free of cracks and gaps?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
iv.	Does liner completely surround the tank and cover all earth likely to be contacted by waste during a release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
v.	Are chemically resistant water stops in place at all points? (<i>concrete liners only</i>)	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
vi.	Is there a compatible interior coating or lining to prevent migration of waste into the concrete? (<i>concrete liners only</i>)	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Vault System ? [3745-66-93(E)(2)] If so,	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
i.	Is vault system designed to contain 100% of the capacity in the largest tank?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
ii.	Is liner designed and operated to prevent run-on and infiltration <u>or</u> the collection system has <u>excess</u> capacity to contain run-on and infiltration from a 25-year, 24-hour storm?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
iii.	Are chemically resistant water stops in place at all points?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
iv.	Is there a compatible interior coating to prevent migration into the concrete?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
v.	For D001 or D003 : Is the vault system provided with means to prevent (or alternatively "protect against") the formation or ignition of vapors?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
vi.	Is vault system provided with an exterior moisture barrier?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

TANK SYSTEMS REQUIREMENTS

- see HEDD FILE - TANK + SYSTEM MEET

11.	Is there a written assessment attesting that the design, installation and structural integrity of the system is adequate for the management of hazardous waste(s)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> ALL APPLICABLE REQ.
-----	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------

NOTE: You should review the file to see if the written assessment has been previously reviewed and what the results were.

12.	Does the written assessment include the following: [3745-66-92(A)]	
	a. Certification by an independent registered, professional engineer? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. Consideration of the design standards of the system? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. Consideration of the hazardous characteristics of the waste(s)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d. An evaluation by a corrosion expert (only if the external system/components are metal and in contact with soil or water)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	e. A determination of design and operational measures that will be needed to protect the tank system from potential damage (only for underground tank components)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	f. Design considerations to ensure that the tank foundations will maintain the load of a full tank? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	g. Design considerations for anchoring the unit to prevent floatation (only for tanks situated in a seismic fault zone or saturated zone)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	h. Design considerations to ensure that the tank system will withstand the effects of frost heave(only for underground tank systems)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Are there written statements by those persons who supervised installation or certified design of the new tank system, that the tank system was properly installed and designed and that required repairs were performed? [3745-66-92(G)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	Do the written statements address all of the following:	
	a. Inspection for damage and/or inadequate construction and installation was conducted? [3745-66-92(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. Statement that deficiencies were corrected before the tank system was covered or put into use? [3745-66-92(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. Proper backfilling? [3745-66-92(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d. Tightness test; if the tank system was found not to be tight, does the statement indicate that proper repairs were made? [3745-66-92(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	e. Proper support and protection of ancillary equipment? [3745-66-92(E)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

ANCILLARY EQUIPMENT REQUIREMENTS *see file for info*

18.	Is ancillary equipment provided with secondary containment (such as double-walled piping, jacketing or a trench)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	If not , is the ancillary equipment one of the following: [3745-66-93(F)]	
a.	Above ground piping (exclusive of flanges, joints, valves and connections) that is inspected daily?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Welded flanges, welded joints and/or welded connections that is inspected daily?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Sealless or magnetic coupling pumps and/or sealless valves?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Pressurized above ground piping systems with automatic shut-off devices (e.g., excess flow check valves, flow metering shutdown and/or loss of pressure-actuated shut-off devices) that is inspected daily?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

TANK SYSTEMS FOUND TO BE LEAKING OR UNFIT FOR USE

19.	Has there been a leak or spill from any tank system or has any tank system been found unfit for use? If so , did the o/o:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
-----	----------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

NOTE: If the tank is found to be unfit for use, inspector should explain why.

a.	Immediately cease flow of material into tank and investigate the cause of the release? [3745-66-96(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Remove waste from tank system to prevent further release within 24 hours of detection or earliest practicable time? [3745-66-96(B)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Remove all material released into secondary containment system within 24 hours or as timely as possible to prevent harm to human health and the environment? [3745-66-96(B)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	For a visible release to the environment, immediately conduct a visual inspection of the release? [3745-66-96(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	For a visible release to the environment, prevent further migration of the leak or spill to soils or surface waters? [3745-66-96(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
f.	For a visible release to the environment, properly dispose of any visibly contaminated soil or surface water? [3745-66-96(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
g.	Report any release to the environment to the director within 24 hours unless it was less than one pound and was cleaned up immediately? [3745-66-96(D)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
h.	For a release to the environment, submit a written report of the incident to the director within 30 days of the release? [3745-66-96(D)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
i.	Remediate the spill and repair the unit prior to returning it to service? [3745-66-96(E)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

c.	Double-Walled Tank? [3745-66-93(E)(3)] If so,	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
i.	Is double-walled tank designed as an integral structure to contain any release from the inner tank?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
ii.	If metal , are the primary tank interior and outer shell exterior surfaces protected from corrosion?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
iii.	Is double-walled tank provided with a continuous leak detection system able to detect a release within 24 hours or at the earliest practicable time?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	An Equivalent Device? As described in 3745-66-93(D)(4) which has been approved by the director? [3745-66-93(D&E)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> <i>- see file for info</i>

SECONDARY CONTAINMENT DESIGN/OPERATION/INSTALLATION

16.	Has each secondary containment system been designed, installed and operated to prevent <u>any</u> migration of wastes or liquid to the soil, groundwater, or surface water and is it capable of <u>detecting</u> and <u>collecting</u> releases and accumulated liquids? [3745-66-93(B)(1) and (2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> <i>- see file for info</i>
17.	Does the secondary containment system meet the following minimum requirements of [3745-66-93(C)]:	
a.	Constructed or lined with compatible materials of sufficient strength to prevent failure? [3745-66-93(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Placed on a foundation or base capable of providing support? [3745-66-93(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Provided with a leak detection system designed/operated to detect failure to primary or secondary containment or any release of hazardous waste within 24 hours or at earliest practicable time? [3745-66-93(C)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Sloped or designed to drain and remove liquid resulting from leaks, spills or precipitation? [3745-66-93(C)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	Any liquid which accumulates in the containment unit resulting from spills, leaks or precipitation removed within 24 hours or in a timely manner? [3745-66-93(C)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	j. For a release from a tank system without secondary containment, did the o/o provide secondary containment meeting the requirements of 3745-66-93 for the unit prior to putting it back into service? [3745-66-96(E)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: The requirements noted in 20.j. do not apply if the release was from an above ground component of the tank which can be inspected visually after being put back into service.</i>		
20.	In the event that the repairs to the tank system were major (e.g., replacement of liner, repair of ruptured primary or secondary containment structure), did the o/o obtain a certification from an independent, registered P.E. attesting that the repaired unit is capable of handling hazardous waste? [3745-66-96(F)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
21.	Was a copy of the certification submitted to the director within seven days after returning the system to use? [3745-66-96(F)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
22.	If the o/o was unable to repair and return the unit to service as described in 20.a through 20.e, was the tank system closed in accordance with 3745-66-97? [3745-66-96(E)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
23.	Does the o/o have a tank system with a variance from secondary containment from which a release has occurred but <u>has not</u> migrated beyond the zone of engineering control? If so,	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Has the o/o complied with 3745-66-96(A) through (F) and decontaminated soils? [3745-66-93(G)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	If soils cannot be decontaminated/removed, has the o/o complied with 3745-66-97(B)? [3745-66-93(G)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
24.	Does the o/o have a tank system with a variance from secondary containment from which a release occurred and <u>has</u> migrated from the zone of engineering control? If so,	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Has the o/o complied with 3745-66-96(A) through (D), prevented migration, and decontaminated soil? [3745-66-93(G)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	If soils cannot be decontaminated/removed, or if the groundwater has been contaminated, has the o/o complied with 3745-66-97(B)? [3745-66-93(G)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>