



State of Ohio Environmental Protection Agency

Northeast District Office

2110 East Aurora Rd.
Twinsburg, Ohio 44087

TELE: (330) 963-1200 FAX: (330) 487-0769
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

September 10, 2007

RE: METOKOTE CORPORATION
SMALL QUANTITY GENERATOR
OHD 986 974 640
LORAIN COUNTY
NOV/RTC

Bill Beattie
Metokote Corporation
5477 Evergreen Parkway
Sheffield Village, OH 44054

Dear Mr. Beattie:

On August 30, 2007, the Ohio Environmental Protection Agency (Ohio EPA), Division of Hazardous Waste Management, conducted a compliance evaluation inspection (CEI) at Metokote Corporation's (Metokote) facility in Sheffield Village, Ohio. Metokote was inspected to determine its compliance with Ohio's hazardous waste laws as found in Chapter 3734 of the Ohio Revised Code (ORC), and the rules promulgated thereunder in Chapter 3745 of the Ohio Administrative Code (OAC). The inspection included a review of the facility's operations, as well as the management of wastes.

Metokote submitted photographs, waste profile, waste evaluation, and shipping paperwork to Ohio EPA on August 31, September 6, and September 7, 2007.

A review of the submitted documentation reveals that Metokote has adequately demonstrated abatement of the violations and concerns identified during the August 30, 2007 inspection.

Ohio EPA identified the following violations during the CEI:

1. Waste Evaluation, OAC rule 3745-52-11:
Any person who generates a waste, as defined in OAC rule 3745-51-02, must determine if that waste is a hazardous waste.

Metokote failed to evaluate spent aerosol cans prior to disposal.

On August 31, 2007, the facility submitted photographs demonstrating the spent aerosol cans will be managed as a hazardous waste in a 55-gallon satellite accumulation drum.

2. Maintenance and Operation, OAC rule 3745-65-31:
Facilities shall be maintained and operated to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.

Metokote failed to clean-up phosphoric acid sludge and residue located at the drain of the Stage 5 tank on Line 7.

On September 6, the facility submitted photographs demonstrating the spillage was cleaned up.

Comments:

3. The facility should appropriately close and label the 5-gallon waste titration container located in the laboratory. The contents of the container were found to be non-hazardous during the inspection.
4. Metokote was inspected for the requirements of a small quantity generator of hazardous waste. Prior to 2007, Metokote appears to have been an episodic large quantity generator of hazardous waste. Ohio EPA's guidance document "Hazardous Waste Generator Categories and Episodic Generation" may be found at:
<http://www.epa.state.oh.us/dhwm/guidancedocuments.html>
5. The following guidance documents were provided to you during the inspection: generator requirements and generator recordkeeping requirements summary tables, universal waste lamp information, example emergency equipment inspection checklist, and example hazardous waste container inspection checklist.

Ohio EPA's Office of Compliance Assistance and Pollution Prevention (OCAPP) provides free compliance and pollution prevention assistance on environmental issues related to air, land and water. Should your facility be interested in receiving a free pollution prevention assessment in the future, please feel free to contact me or OCAPP. OCAPP may be contacted at: 800-329-7518 or <http://www.epa.state.oh.us/opp/ocapp.html>.

The Division of Hazardous Waste Management has created an electronic news service to provide you with quick and timely updates on events and news related to hazardous waste activities in Ohio. If you haven't already, we encourage you to sign-up for this free service. You can find more information at the following Web link <http://www.epa.state.oh.us/dhwm/listserv.html>. Please feel free to share this information with your colleagues.

Enclosed you will find a copy of Ohio EPA's completed inspection checklists. Should you have any questions, please feel free to call me at (330) 963-1278. You can find copies of the rules and other information on the DHWM's web page at <http://www.epa.state.oh.us/dhwm>.

Sincerely,



Wade Balser
District Representative
Division of Hazardous Waste Management

WB:ddw
Enclosure

cc: Natalie Oryshkewych, DHWM, NEDO
ec: Harry Sarvis, DHWM, CO
Matt Moyer, Metokote (MMoyer@metokote.com)

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

E-mail this completed form to tammy.mcconnell@epa.state.oh.us or mail it to Tammy McConnell, Central Office	Ohio Environmental Protection Agency RCRA SUBTITLE C SITE IDENTIFICATION/VERIFICATION FORM		For Ohio EPA use only							
2. Site EPA ID No.	EPA ID Number: OHD 986 974 640									
3. Site Name	Name: Metokote Corporation		Website (optional):							
4. Site Location Information	Street Address: 5477 Evergreen Parkway									
	City, Town, or Village: Sheffield Village		State: OH							
	County Name: Lorain		Zip Code: 44054							
5. Site Land Type (check only one)	Private	County	District	Federal	Indian	Municipal	State	Other		
6. NAICS code(s) www.census.gov/epcd/www/naics.html	A.		B.							
	C.		D.							
	7. Facility Representative		First Name: Matt		MI:		Last Name: Moyer			
	Additional names can be recorded in number 12.		Phone Number:			Phone Number Extension:				
Only provide address information if it is different than the site address.		E-Mail Address:								
		Fax Number:			Fax Number Extension:					
		Street or P.O. Box: 1340 Neubrecht Rd								
		City, Town or Village: Lima								
		State: OH		Country:			Zip Code: 45801			
8. Legal Owner and Operator of the Site List Additional Owners and/or Operators in the Comment Section or on another copy of this form page.	A. Name of Site's Legal Owner:		Date Became Owner (mm/dd/yyyy):							
	Owner Type: Mark with an X		Private	County	District	Federal	Indian	Municipal	State	Other
	Street or P.O. Box:									
	City, Town, or Village:				Owner Phone #:					
	State:				Country:			Zip Code:		
	B. Name of Site's Operator:		Date Became Operator (mm/dd/yyyy):							
	Operator Type: Mark with an X		Private	County	District	Federal	Indian	Municipal	State	Other
	Street or P.O. Box:									
	City, Town, or Village:				Operator Phone #:					
	State:				Country:			Zip Code:		
	9. Violations Cited?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No							
	10. Type of Regulated Waste Activity (Mark "X" in all of the appropriate boxes.)									
<input type="checkbox"/> Not Regulated										

**SMALL QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: ≤ 100 Kg. (approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.

SQG: Between 100 and 1,000 Kg. (about 25 to under 300 gallons) of waste in a calendar month

LQG: ≥ 1,000 Kg. (-300 gallons) of waste in a calendar month or ≥ 1 Kg. of acutely hazardous waste in a calendar month

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds

Safety Equipment Used:

GENERAL REQUIREMENTS

- | | | | | | | |
|--|-----|-------------------------------------|----|-------------------------------------|-----|--------------------------|
| 1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 2. Has the generator obtained a U.S. EPA I.D. number? [3745-52-12] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 3. Has the generator transported or caused to be transported hazardous waste to other than a facility authorized to manage the hazardous waste? [ORC 3734.02 (F)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 4. Has the generator disposed of hazardous waste on-site without a permit or at another facility other than a facility authorized to dispose of hazardous waste? [ORC 3734.02 (E) & (F)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 5. Does the generator accumulate hazardous waste? | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |

NOTE: If the SQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements might still apply, e.g. manifest, marking, LDR, etc.

- | | | | | | | |
|--|-----|--------------------------|----|-------------------------------------|-----|--------------------------|
| 6. Has the generator accumulated hazardous wastes <u>in excess of (180/270) days</u> without a permit or an extension from the Director? [3745-52-34; ORC §3734-02(E)&(F)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
|--|-----|--------------------------|----|-------------------------------------|-----|--------------------------|

NOTE: SQG's shipping waste to a facility greater than 200 miles away can accumulate on-site for 270 days. [3745-52-34 (E)]

- | | | | | | | |
|--|-----|--------------------------|----|-------------------------------------|-----|--------------------------|
| 7. Is the generator accumulating more than 6,000 kg on site? [3745-52-34(D)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
|--|-----|--------------------------|----|-------------------------------------|-----|--------------------------|

NOTE: 6,000 kg = approximately 27, 55-gallon drums. If the facility is accumulating waste for greater than 180/270 days without an extension/permit or is accumulating greater than 6,000 kg on-site, it is classified as a storage facility and TSD standards apply. Complete applicable TSD checklists.

- | | | | | | | |
|---|-----|--------------------------|----|--------------------------|-----|-------------------------------------|
| 8. Does the generator treat hazardous waste in a: | | | | | | |
| a. Container that meets 3745-66-70 to 3745-66-77? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| c. Drip pads that meet 3745-69-40 to 3745-69-45? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| d. Containment building that meets 3745-256-100 to 3745-256-102? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

MANIFEST REQUIREMENTS

- | | | | | | | |
|---|-----|-------------------------------------|----|--------------------------|-----|-------------------------------------|
| 9. Are all hazardous wastes either reclaimed under a contractual agreement as defined in OAC rule 3745-52-20(E), or shipped off-site accompanied by a manifest (U.S. EPA Form 8700-22)? [3745-52-20(A)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 10. Are wastes reclaimed under a contractual agreement? If so: [3745-52-20(E)] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| a. Does the contractual agreement specify the type of waste and frequency of shipment? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |

[Facility Name/Inspection Date]
[ID number]
SQG/February 2007
Page 1 of 4

- b. Is the transport vehicle owned and operated by the reclaimer? Yes No N/A
- c. Is a copy of the reclamation agreement kept on-site for at least three years after termination/expiration of the agreement? Yes No N/A

NOTE: If wastes are reclaimed under a contractual agreement and an answer to questions 10(a) through 10(c) is no, the generator is in violation of 3745-52-20 (A) (B) & (D), 3745-52-22 and 3745-52-23. Even if the waste is being reclaimed under agreement, LDRs still apply. Complete LDR checklist.

11. Have items 1 through 20 of each manifest been completed? [3745-52-20(A)] Yes No N/A

NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations, items (21) through (35) must also be complete. [3745-52-20 (A)]

12. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] Yes No N/A

NOTE: The generator may designate on the manifest one alternative facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]

13. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternative TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] Yes No N/A

14. Have the manifests been signed by the generator and initial transporter? [3745-52-23 (A) (1) and (2)] Yes No N/A

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have made a good faith effort to minimize their waste generation.

15. If the generator did not receive a return copy of each completed manifest within 60 days of being accepted by the transporter did the generator submit to Ohio EPA, a copy of the manifest with some indication that the generator has not received confirmation of delivery? 3745-52-42(B)] Yes No N/A

16. Are signed copies of all manifests being retained for at least three years? [3745-52-40] Yes No N/A

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

PREPAREDNESS AND PREVENTION

17. Is an emergency coordinator available at all times (on-site or on-call)? [3745-52-34(D)(5)(a)] Yes No N/A

18. Has the following been posted by the telephone: [3745-52-34(D)(5)(b)]

- a. Name and telephone number of emergency coordinator? Yes No N/A
- b. Location of fire and spill control equipment, and, if present, fire alarm(s) Yes No N/A
- c. Telephone number of local fire department? Yes No N/A

19. Are employees familiar with waste handling and emergency procedures [3745-52-34(D)(5)(c)] Yes No N/A

20. Has the facility properly responded to all fires and spills? [3745-52-34(D)(5)(d)] Yes No N/A

21. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned sudden or nonsudden release of hazardous waste? [3745-65-31] Yes No N/A

22. Does the generator have the following equipment at the facility if it is required due to actual hazards associated with the waste:
- a. Internal Alarm system? [3745-65-32(A)] Yes No N/A
 - b. Emergency communication device? [3745-65-32(B)] Yes No N/A
 - c. Portable fire control, spill control and decon equipment? [3745-65-32(C)]? Yes No N/A
 - d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] Yes No N/A
23. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency?[3745-65-33]
- a. Are inspections recorded in a log or summary? [3745-65-33]? Yes No N/A
24. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under OAC 3745-65-32)? [3745-65-34(A)] Yes No N/A
25. If there is only one employee on the premises is there immediate access to a device (ex. phone, hand-held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32?) [3745-65-34(B)] Yes No N/A
26. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes No N/A
27. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layout? [3745-65-37(A)] Yes No N/A
28. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes No N/A

SATELLITE ACCUMULATION AREA REQUIREMENTS - No SA Areas during CEI

29. Does the generator ensure that satellite accumulation area(s):
- a. Are at or near a point of generation? {3745-52-34(C)(1)} Yes No N/A
 - b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes No N/A
 - c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes No N/A
 - d. Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)] Yes No N/A
 - e. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]. Yes No N/A
 - f. Containers are marked with the words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes No N/A
30. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:
- a. Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes No N/A
 - b. Did the generator mark the container(s) holding the excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] Yes No N/A

Recommend complying w/ S.A. requirements for lab 5-gallon container. (currently Non-hazardous)

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS *No Containers on-site during CEI, shipped prior to CEI.*

- 31. Has the generator marked containers with the words "Hazardous Waste"[3745-52-34(D)(4)] Yes No N/A
- 32. Is the accumulation date on each container? [3745-52-34(D)(4)] Yes No N/A
- 33. Are hazardous wastes stored in containers which are:
 - a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes No N/A
 - b. In good condition? [3745-66-71] Yes No N/A
 - c. Compatible with wastes stored in them? [3745-66-72] Yes No N/A
 - d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes No N/A

NOTE: Record location on process summary sheets and photograph the area.

- 34. Is the container accumulation area(s) inspected at least weekly? [3745-66-74] Per ORC§1.44(A) "Week" means seven(7) consecutive days. Yes No N/A
- a. Are inspections recorded in a log or summary? [3745-66-74] Yes No N/A
- 35. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes No N/A
- 36. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B) 3745-66-77(A)] Yes No N/A
- 37. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B) ? [3745-66-77(B)] Yes No N/A

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

PRE-TRANSPORT REQUIREMENTS

- 38. Does each generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes No N/A
- 39. Does each container ≤ 100 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes No N/A
- 40. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes No N/A

USED OIL INSPECTION CHECKLIST

NOTE: This checklist does not include requirements for used oil transporters and transfer facilities, processors and re-refiners, burners, and marketers.

(X) No used oil containers on-site during the inspection

PROHIBITIONS

1. Is used oil being managed in a surface impoundment or waste pile? If so: Yes ___ No N/A ___ RMK# ___
Is the surface impoundment or waste pile being regulated under OAC 3745-54 to 3745-57 and 3745-205 or 3745-65 to 3745-69 and 3745-256? [3745-279-12(A)] Yes ___ No N/A RMK# ___
2. Is used oil being used as a dust suppressant? [3745-279-12(B)] Yes No N/A ___ RMK# ___
3. Is off-specification used oil fuel burned for energy recovery only in devices specified in 3745-279-12(C)? Yes ___ No N/A RMK# ___

USED OIL GENERATOR STANDARDS

4. Does the generator mix hazardous waste with used oil only as provided in 3745-279-10(B)? [2745-279-21(A)] Yes ___ No N/A RMK# ___
5. Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)] Yes ___ No N/A RMK# ___
6. Does the generator only store used oil in tanks, containers, or units subject to OAC 3745-54 to 3745-57 and 3745-205 or 3745-65 to 3745-69 and 3745-256? [3745-279-22(A)] Yes No N/A ___ RMK# ___
7. Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)] Yes No N/A ___ RMK# ___
8. Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)] Yes No N/A ___ RMK# ___
9. Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]
- a. Stopped the release? Yes ___ No N/A RMK# ___

- b. Contained the release? Yes ___ No N/A RMK# ___
- c. Cleaned up and properly managed the used oil and other materials? Yes ___ No N/A RMK# ___
- d. Repaired or replaced the containers or tanks prior to returning them to service, if necessary? Yes ___ No N/A RMK# ___
10. Does the generator burn used oil in used fired space heaters? [3745-279-23] If so: Yes ___ No N/A ___ RMK# ___
- a. Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators? Yes ___ No N/A RMK# ___
- b. Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour? Yes ___ No N/A RMK# ___
- c. Are the combustion gases from heater vented to the ambient air? Yes ___ No N/A RMK# ___
11. Does the generator have the used oil hauled only by transporters that have obtained U.S. EPA ID#, unless the generator qualifies for an exemption pursuant to 3745-279-24 (self transportation or tolling agreements)? [3745-279-24] Yes No N/A ___ RMK# ___

USED OIL COLLECTION CENTERS AND AGGREGATION POINTS

12. Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30] Yes ___ No N/A RMK# ___
13. Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31] Yes ___ No N/A RMK# ___
14. Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32] Yes ___ No N/A RMK# ___

WASTE EVALUATION

15. Have all wastes generated at the facility been evaluated? [3745-52-11] Yes ___ No N/A ___ RMK# ___

L:\Inspection Checklist\MegaSet Rule Updates\USED OIL.SHORT.11.2004.fin.megaset.wpd

REMARKS

LDR CHECKLIST

GENERAL LDR REQUIREMENTS

Ⓢ Awaiting Further Waste Evaluation Documentation

1. Has the generator adequately evaluated all wastes to determine if they are restricted from land disposal? [3745-270-07(A)(1)] If so: Yes ___ No N/A ___ RMK# ___
- a. For determinations based solely on knowledge of the waste: Is supporting data retained on-site? [3745-270-07(A)(6)] Yes ___ No N/A ___ RMK# ___
- b. For determinations based upon analytical testing: Is waste analysis data retained on-site? [3745-270-07(A)(6)] Yes ___ No N/A ___ RMK# ___
2. Has the generator determined each EPA hazardous waste code applicable to the waste? [3745-270-07(A)(2) see Table 1] Yes ___ No N/A ___ RMK# ___
3. Has the generator determined the correct "treatability group(s)" (e.g., wastewater, non-wastewater, etc.)? [3745-270-07(A), Table 1] Yes ___ No N/A ___ RMK# ___
4. Does the generator generate a characteristic hazardous waste? If so: Yes ___ No ___ N/A ___ RMK# ___
- a. Have all underlying hazardous constituents (UHCs) been identified? [3745-270-09(A)] Yes ___ No N/A ___ RMK# ___

NOTE: If the waste is D001 non-wastewater treated by CMBST, RORGS, POLYM in Table 1 of Rule 3745-270-42 UHCs do not need to be identified.

5. Does the generator generate listed waste(s) which also exhibit hazardous characteristics? [3745-270-09] If so: Yes ___ No N/A ___ RMK# ___
- a. Has the generator also identified the appropriate treatment standard(s) for the constituent(s) which cause the waste to exhibit a characteristic? [3745-270-09(A)] Yes ___ No N/A RMK# ___

NOTE: The generator is not required to identify the treatment standard for the characteristic if the listing covers the associated characteristic (e.g., a F019/D007 hazardous waste - F019 being listed due to chromium content and D007 being the characteristic waste code for chromium). [See OAC Rule 3745-270-09(B)]

6. Has the generator correctly determined if restricted wastes meet or do not meet treatment standards? [3745-270-07(A)(1)] Yes ___ No N/A ___ RMK# ___

NOTE: Wastes with EPA hazardous waste numbers K174 and K175 (chlorinated aliphatic wastes) have specific requirements in rule 3745-270-33. Waste with EPA hazardous waste numbers K176, K177 and K178 (inorganic chemical wastes) have specific requirements in rule 3745-270-36.

7. Does the owner/operator ensure that restricted wastes or treatment residues are not diluted as a method of achieving/circumventing LDR treatment standards? [3745-270-03] Yes ___ No N/A RMK# ___

NOTE: A generator may dilute a waste (that is hazardous only because it exhibits a characteristic) in a treatment system that discharges to waters of the State pursuant to an NPDES permit (§402 of CWA), that treats waste in a CWA equivalent treatment system, or that treats waste for the purposes of pre-treatment requirements under §307 of CWA, unless a method other than DEACT is specified or the waste is a D003 reactive cyanide wastewater or non-wastewater.[3745-270-03(B)]

8. Is combustion of any of the wastes identified in the Appendix to Rule 3745-270-03 occurring without meeting one or more of the criteria under Rule 3745-270-03(C) upon generation or after treatment? [3745-270-03(C)] Yes ___ No N/A RMK# ___

NOTE: In other words, is combustion a legitimate treatment method.

9. Has the generator added iron to lead-containing hazardous waste in order to achieve LDR treatment standards for lead? [3745-270-03(D)] Yes ___ No N/A RMK# ___

10. Does the facility have a case-by-case extension to the effective date to land dispose of hazardous waste?[3745-270-05] If so: Yes ___ No N/A ___ RMK# ___

a. The facility can dispose of hazardous waste in a on-site landfill or surface impoundment.[3745-270-05] Yes ___ No N/A RMK# ___

11. Does the facility have an extension to allow for a restricted waste to be land disposed?[3745-270-06] If so: Yes ___ No N/A ___ RMK# ___

a. The facility can land dispose of the waste. [3745-270-06] Yes ___ No N/A RMK# ___

12. Does the facility treat wastes that are otherwise prohibited from land disposal, in a surface impoundment? If so: Yes ___ No N/A ___ RMK# ___

a. Has the facility complied with 3745-270-04?

Yes ___ No N/A RMK# ___

REMARKS

NOTIFICATION AND CERTIFICATION REQUIREMENTS

13. If a generator's waste or contaminated soil does not meet the treatment standards, does the generator have the paperwork required in Column A of Table 1 of 3745-270-07? [3745-270-07(A)(2)]

Yes No N/A ___ RMK# ___

14. If a generators' waste or contaminated soil meets the treatment standard at the original point of generation, does the generator have the paperwork required in Column B of Table 1 of 3745-270-07? [3745-270-07(A)(3)]

Yes ___ No N/A RMK# ___

15. If a generators' waste is exempt (under 3745-270-05, 3745-270-06, national capacity or case-by-case variance, etc.) does the generator have the paperwork required in Column C of Table 1 of 3745-270-07? [3745-270-07(A)(4)]

Yes ___ No N/A RMK# ___

16. If a generator manages a lab pack containing hazardous waste using the alternative treatment standard in 3745-270-42, does the generator have the paperwork required in Column D of Table 1 of 3745-270-07? [3745-270-07(A)(9)]

Yes ___ No N/A RMK# ___

17. Does the generator produce a waste that is hazardous waste from the point of generation, but subsequently excluded from regulation under OAC 3745-51-02 through 3745-51-06? [3745-270-07(A)(7)] If so: Yes ___ No N/A ___ RMK# ___
- a. Is a one-time notice placed in the facility's file stating such generation, subsequent exclusion or exemption, and disposition of the wastes? [3745-270-07(A)(7)] Yes ___ No N/A RMK# ___
-

NOTE: Examples include hazardous wastes discharged to a POTW or to a surface water under a NPDES permit.(See 270-07(A)(7))

18. Does the generator retain on-site a copy of all notices, certifications, demonstrations and waste analysis data for at least three years from the last shipment of waste sent off-site? [3745-270-07(A)(8)] * Yes ___ No N/A ___ RMK# ___
-

SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS

Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more

Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less

PROHIBITIONS

1. Did the SQUWH dispose of universal waste? [3745-273-11(A)] Yes No N/A RMK#
2. Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)] Yes No N/A RMK#

WASTE MANAGEMENT & LABELING/MARKING

UNIVERSAL WASTE BATTERIES

No regulated Batteries

3. Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)] Yes No N/A RMK#
4. If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)] Yes No N/A RMK#
5. Does the SQUWH conduct any of the following activities:
- a. Sort batteries by type? Yes No N/A RMK#
 - b. Mix battery types in one container? Yes No N/A RMK#
 - c. Discharge batteries to remove the electric charge? Yes No N/A RMK#
 - d. Regenerated used batteries? Yes No N/A RMK#
 - e. Disassemble them into individual batteries or cells? Yes No N/A RMK#
 - f. Remove batteries from consumer products? Yes No N/A RMK#
 - g. Remove the electrolyte from the battery? Yes No N/A RMK#

If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)]

Yes ___ No N/A | RMK# ___

If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)]

Yes ___ No N/A | RMK# ___

a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]

Yes ___ No N/A | RMK# ___

b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]

Yes ___ No N/A | RMK# ___

7. Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)?" [3745-273-14(A)]

Yes ___ No N/A | RMK# ___

UNIVERSAL WASTE LAMPS

8. Does the SQGUHW contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]

Yes No N/A | RMK# ___

9. Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]

Yes No N/A | RMK# ___

10. Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)?" [3745-273-14(E)]

Yes No N/A | RMK# ___

NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.

ACCUMULATION TIME

11. Is the waste accumulated for less than one year?
[3745-273-15(A)] If not:

Yes No N/A RMK#

a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)]

Yes No N/A RMK#

NOTE: Accumulation is defined as date generated or date received from another handler.

Comment: Need H1B LAMP management documentation.

12. Is the length of time the universal waste is stored documented by one of the following: [3745-273-15(C)]
- Yes No N/A ___ RMK# ___
- a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)]
- Yes No ___ N/A ___ RMK# ___
- b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)]
- Yes ___ No ___ N/A ___ RMK# ___
- c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)]
- Yes ___ No ___ N/A ___ RMK# ___
- d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)]
- Yes ___ No ___ N/A ___ RMK# ___
- e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)]
- Yes ___ No ___ N/A ___ RMK# ___
- f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)]
- Yes ___ No ___ N/A ___ RMK# ___

EMPLOYEE TRAINING

13. Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]
- Yes No N/A ___ RMK# ___

RESPONSE TO RELEASES

14. Are releases of universal waste and other residues immediately contained? [3745-273-17(A)] Yes ___ No N/A RMK# ___
15. Is the material released characterized? [3745-273-17(B)] Yes ___ No N/A RMK# ___
16. If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)] Yes ___ No N/A RMK# ___

OFF-SITE SHIPMENTS

NOTE: *If a SQUWH self-transport waste, then they must comply with the Universal Waste transporter requirements.*

17. Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)] Yes No N/A ___ RMK# ___

NOTE: *SQUWHs are prohibited to send waste to any other facility.*

18. If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)] Yes No N/A ___ RMK# ___
19. Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)] Yes No N/A ___ RMK# ___
20. If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do one of the following:
- a. Receive the waste back? [3745-273-18(E)(1)] Yes ___ No ___ N/A RMK# ___

b. Agree to where the shipment will be sent? [3745-273-18(E)(2)]

Yes ___ No N/A RMK# ___

If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss one of the following:

Yes ___ No N/A RMK# ___

a. Sending the waste back to the originating handler? [3745-273-18(F)(1)]

Yes ___ No ___ N/A RMK# ___

b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)]

Yes ___ No ___ N/A RMK# ___

22. If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]

Yes ___ No N/A RMK# ___

23. If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)]

Yes ___ No N/A RMK# ___

EXPORTS

24. Is waste being sent to a foreign destination? If so:

Yes ___ No N/A ___ RMK# ___

a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)]

Yes ___ No N/A RMK# ___

b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)]

Yes ___ No N/A RMK# ___

c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)]

Yes ___ No N/A RMK# ___

REMARKS

PROCESS, WASTE, P2 SUMMARY SHEET

Facility Name: **Metokote** Facility Type: LQG/**ESQG** CESQG Date of Inspection: **8-31-07** EPA ID#: **OH8 986974 640**

Waste Generated			On- or Off-Site Management		P2 Activities	
Process/Activity Generating Waste <small>(e.g. plating bath, machining, baghouse, painting, general maintenance, etc)</small>	Waste Description <small>(e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applic.</small>	QTY Generated per Month, Type of Accumulation <small>(container, tank, etc) and location of waste accumulation area</small>	Type of On-Site Treatment <small>(recycle, wwt, etc)</small>	Name, state, and type of activity occurring at the off-site facility.	Current P2 Activities	P2 Opportunities
1	LINE 7 TANK Cleanout	Phosphoric Acid Sludge D002	1 to 3 DMS/ ²¹ / ₂ months	—	Michigan Disposal WASTE TRT. PLANT	Emptying Sludge extends Bath life
2	Process Skimmers	USED OIL	4 DMS/QTR	—	BBC Environmental	
3	Lighting	Universal WASTE LAMPS	~		Environmental Recycling	
4	WWT	Non-HAZ Sludge	1-2 rolloffs/month		Evergreen Landfill	
5	Blasting	Black Beauty Steel shoot	2 rolloffs/month ~ 25 DMS/year?		BFI Landfill Wingold	Metal Recycling
6	(BACK) BURN- OFF OVEN	Burn off Ash	Mixed w/ Black Beauty		BFI Landfill	
7	Parts WASHING	Spent Sol. Non-HAZ → Mixed w/ Used Oil			BBC Environmental	
8	Episodic HAZ WASTE DISPOSAL	• Acetone • ChemKleen • PAINTS			Michigan Disposal WASTE TRT. PLANT	
9						

REMARKS-GENERAL INFORMATION

General Process Information:

See Notes :

Regulatory/Enforcement History (if applicable):

N/A :

Additional P2 remarks and information:

TBD

Would this facility be interested in a P2 assessment? Yes* No *If yes, refer promptly to your district P2 coordinator.
Office of Compliance Assistance and Pollution Prevention - 1-800-329-7518 or p2mail@epa.state.oh.us or www.epa.state.oh.us/ocapp/ocapp.html

Other:

Cardboard & scrap metal Recycled.