



**Environmental
Protection Agency**

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

June 29, 2011

**RE: PPG INDUSTRIES, EUCLID
CUYAHOGA COUNTY
OHD 004 199 782
NOV/RTC**

Cheryl M. Brent
PPG Industries Ohio, Inc.
3800 West 143rd Street
Cleveland, Ohio 44111

Dear Ms. Brent:

On June 14, 2011, Nyall McKenna and I, representing the Ohio EPA's Division of Materials and Waste Management, conducted a hazardous waste compliance inspection of the PPG Industries Euclid facility (PPG) located at 2300 St. Clair Avenue, Euclid, Ohio. We inspected PPG to determine its compliance with Ohio's hazardous waste laws as found in Chapter 3734 of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC).

During the inspection, it was determined that PPG is a large quantity generator of hazardous waste (greater than 1,000 kilograms generated per month). The following violation of Ohio hazardous waste laws was found during the inspection:

OAC Rule 3745-279-22(C), Used Oil Generator Standards: All containers and aboveground tanks used to store used oil must be labeled or marked clearly with the words "Used Oil."

Two drums containing used oil located in the satellite accumulation area were not properly labeled with the words "Used Oil".

The violation was abated when Don Smith labeled the two drums during the inspection. No further action is required.

You may be able to reduce the waste your company generates. If you find ways to recycle, reduce or eliminate the amount of waste that your company generates, you may be able to reduce treatment and disposal costs as well as regulatory requirements. Additional information can be found at <http://www.epa.state.oh.us/ocapp>.

The Ohio Department of Development's Office of Energy Efficiency may be able to help with energy efficiency issues. Their website is at: <http://www.development.ohio.gov/cdd/oeef/>.

Cheryl M. Brent
PPG Industries Ohio, Inc.
June 29, 2011
Page 2

The division has created an electronic news service to provide you with updates related to hazardous waste activities in Ohio. You can find more information and sign up for this free service at the following Web link: <http://ohioepa.custhelp.com/cgi-bin/ohioepa.cfg/php/enduser/doc/serve.php?2=subscriptionpage>.

Enclosed you will find a copy of the checklists that we completed as a result of the inspection. Should you have any questions, please feel free to call me at (330) 963-1163, or paul.dolensky@epa.state.oh.us. You can find copies of the rules and other information on the division's web page at: <http://www.epa.ohio.gov/dhwm/>.

Sincerely,



Paul Dolensky
Environmental Specialist
Division of Materials and Waste Management

PD/cl
Enclosures

ec: Natalie Oryshkewych, DMWM, NEDO
Nyall McKenna, DMWM, NEDO
Jeff Mayhugh, DMWM, CO

cc: Marlene Kinney, DMWM, NEDO

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with applicable regulations.

Send to Central Office



Ohio Environmental Protection Agency

For Ohio EPA use only

RCRA SUBTITLE C SITE

IDENTIFICATION/VERIFICATION FORM

Completed verification forms required to be submitted to CO should be e-mailed to brad.hauser@epa.state.oh.us.

Site EPA ID No.	EPA ID Number: OHD 004 199 782		
Site Name	Name: PPG Euclid	Website: (Optional)	
Site Location Information	Street Address: 23000 St Clair Ave		
	City, Town, or Village: Euclid	State: OH	
	County Name: Cuyahoga	Zip Code: 44117	
Site Land Type (check only one)	Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>		
NAICS code(s) www.census.gov/epcd/www/naics.html			
Facility Representative Additional names can be recorded in number 12 Only provide address information if it is different than the site address.	First Name: Cheryl	MI: M Last Name: Brent	
	Title: Midwest Region EH&S Manager		
	Phone Number: 216-535-3163	Phone Number Extension:	
	E-Mail Address: cbrent@ppg.com		
	Fax Number: 216-671-7378	Fax Number Extension:	
	Street or P.O. Box:		
	City, Town or Village:		
Legal Owner And Operator of the Site. List Additional Owners and/or Operators in the Comment Section or on another copy of this form page.	State: Zip Code:		
	Name of Site's Legal Owner: Date Became Owner (mm/dd/yyyy):		
	Owner Type: Private <input type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>		
	Street or P.O. Box:		
	City, Town or Village: Owner Phone #:		
	State: Country: Zip Code:		
	Name of Site's Operator: Date Became Operator (mm/dd/yyyy):		
	Operator Type: Private <input type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>		
	Street or P.O. Box:		
	City, Town or Village: Operator Phone #:		
State: Country: Zip Code:			

VIOLATIONS CITED?

 Yes No

TYPE OF HANDLER - MARK "X" AS APPROPRIATE

- | | | |
|--|--|--|
| <input type="checkbox"/> Not a HW Generator | <input type="checkbox"/> UNKNOWN:
Cited for violation of 3745-52-11 | <input checked="" type="checkbox"/> Large Quantity Generator (LQG) |
| <input type="checkbox"/> Short-Term/Temporary Generator
(generates from a short-term or one-time event and not from on-going processes). Check the box for the applicable generator status and provide a comment. | | <input type="checkbox"/> Small Quantity Generator (SQG) |
| | | <input type="checkbox"/> Conditionally Exempt Small Quantity Generator |
| | | <input type="checkbox"/> U.S. Importer of Hazardous Waste |
| | | <input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator |

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)

- | | |
|---|--|
| <input type="checkbox"/> Hazardous Waste Transporter | <input type="checkbox"/> Exempt Boiler and/or Industrial Furnace |
| <input type="checkbox"/> Hazardous Waste Transfer Facility | <input type="checkbox"/> Small Quantity On-Site Burner Exemption |
| <input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste | <input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption |
| <input type="checkbox"/> Recycler of Hazardous Waste | <input type="checkbox"/> Underground Injection Control Facility |
| <input type="checkbox"/> 72-Hour Recycler | <input type="checkbox"/> Receives Hazardous Waste from Off-site |

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED

(CHECK ALL BOXES THAT APPLY)

- | | |
|---|---|
| <input checked="" type="checkbox"/> Small Quantity Handler of Universal Waste | <input type="checkbox"/> Destination Facility for Universal Waste |
| <input type="checkbox"/> Large Quantity Handler of Universal Waste
(accumulates 5,000 kg. or more) | |

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES

- Batteries
 Pesticides
 Mercury containing equipment
 Lamps

USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))

- Used Oil Generator
 Used Oil Transporter
 Used Oil Transfer Facility
 Used Oil Processor
 Used Oil Re-refiner
 Off-Specification Used Oil Burner
 Used Oil Fuel Marketer who directs shipment of Off-Spec Used Oil
 Used Oil Fuel Marketer who first claims the Used Oil meets the specifications

Eligible Academic Entities with Laboratories: Facility has previously notified that they are opting into managing laboratory hazardous waste pursuant to OAC rules 3745-52-200 through 3745-52-216. Check the box(es) below to indicate the laboratory type.

- College or University
 Teaching hospital that is owned by or has a formal written affiliation agreement with a college or university
 Non-profit Institute that is owned by or has a formal written affiliation agreement with a college or university

Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAInfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

D001	D002	D003	D005	D006	D007	D009
-------------	-------------	-------------	-------------	-------------	-------------	-------------

COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.

Announced	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Additional Facility Representatives:	Don Smith
Tanks	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No		
Containers	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		

Name of Inspector(s)
Paul Dolensky

Name of Inspector(s)
Nyall McKenna

Date of Inspection/Time
(mm/dd/yyyy) (hh:mm)
6/14/2011

Comments:

also... D011 D035 F003 F005 P098 U001 U044 U080 U228

PROCESS, WASTE, P2 SUMMARY SHEET

Facility Name: PPG Euclid Facility Type: LQG SQG CESQG TSD Date of Inspection: 6/14/11 EPA ID#: OHD 004 199 782

Waste Generated		On- or Off-Site Management			P2 Activities		
Process/Activity Generating Waste <small>(e.g. plating bath, machining, baghouse, painting, general maintenance, etc)</small>	Waste Description <small>(e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applic.</small>	QTY Generated per Month, Type of Accumulation (container, tank, etc) and location of waste accumulation area	Type of On-Site Treatment <small>(recycle, wwt, etc)</small>	Name, state, and type of activity occurring at the off-site facility.	Current P2 Activities	P2 Opportunities	
1	General Processing	Out of spec finished goods D002	215 gallons (from 2010 annual report)	na	Clean Harbors, Cleveland	none	na
2	General Processing	Out of spec finished goods D001 D002 D007	3000 pounds	na	Clean Harbors, AR, OH, NE	none	na
3	Wash Water	clean out, D002	154,000 pounds	na	Clean Harbors, Cleveland	none	na
4	Lab Pack waste	Lab Pack waste	200 pounds	na	Clean Harbors, AR Spring Grove Resource Recovery, Oh	none	na
5	Haz Trash	Hazardous Trash D035 F003 F005	220 pounds	na	Clean Harbors, AR	none	na
6	I						
7							

LARGE QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY PPG

CESQG: ≤100 Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.
 LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.
 NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used: *Hard hat, Goggles, Long sleeves*

GENERAL REQUIREMENTS

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
2.	Are records of waste determination being kept for at least 3 years? [3745-52-40(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
3.	Has the generator obtained a U.S. EPA identification number? [3745-52-12]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Were annual reports filed with Ohio EPA on or before March 1 st ? [3745-52-41(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Are annual reports kept on file for at least 3 years? [3745-52-40(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
6.	Has the generator transported or caused to be transported hazardous waste to other than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
7.	Has the generator disposed of hazardous waste on-site without a permit or at another facility other than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E)&(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
8.	Does the generator accumulate hazardous waste?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

9.	Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02(E)&(F)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G)&(H).

10.	Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)]	
a.	Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Tank that meets 3745-66-90 to 3745-66-100 except 3745-66-97(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

11.	Does the generator export hazardous waste? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Has the generator notified U.S. EPA of export activity? [3745-52-53(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Has the generator complied with special manifest requirements? [3745-52-54]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Has an annual report been submitted to U.S. EPA? [3745-52-56]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

e.	Are export related documents being maintained on-site? [3745-52-57(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
MANIFEST REQUIREMENTS		
12.	Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Have items (1) through (20) of each manifest been completed? [3745-52-20(A)(1)]&[3745-52-27(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)(1)]</i>		
14.	Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]</i>		
15.	If the transporter was unable to deliver a shipment of hazardous waste to the designated facility, did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1)&(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.</i>		
17.	If the generator received a rejected load or residue and accumulated the waste on-site, did the generator sign item 18c or 20 of the manifest? [3745-52-34(M)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
18.	If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter, did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
19.	If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
20.	Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.</i>		
PERSONNEL TRAINING		
21.	Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
22.	Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: For facility employees that receive emergency response training pursuant to OSHA regulations, the facility is not required to provide separate emergency response training, provided that the overall facility training meets all the requirements of OAC 3745-65-16(A). [3745-65-16(A)(4)]</i>		
23.	Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
24.	Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
25.	Does the generator provide annual refresher training to employees? [3745-65-16(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

26.	Does the generator keep records and documentation of:	
a.	Job titles? [3745-65-16(D)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Job descriptions? [3745-65-16(D)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Type and amount of training given to each person? [3745-65-16(D)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Completed training or job experience required? [3745-65-16(D)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
27.	Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained

CONTINGENCY PLAN

28.	Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
29.	Does the plan describe the following:	
a.	Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste? [3745-65-52(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Arrangements with emergency authorities? [3745-65-52(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the facility already has a "Spill Prevention, Control and Countermeasures Plan" under 40 CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. The facility may develop one contingency plan which meets all regulatory requirements. Ohio EPA recommends that the plan be based on the "National Response Team's Integrated Contingency Plan Guidance (One Plan)." [3745-65-52(B)]

30.	Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53(A)&(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
31.	Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
32.	Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

EMERGENCY PROCEDURES		
33.	Has there been a fire, explosion or release of <u>hazardous waste</u> or hazardous waste constituents since the last inspection? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Was the contingency plan implemented? [3745-65-51(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Did the facility follow the emergency procedures in 3745-65-56(A) through (H)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(I)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: OAC 3745-65-51(B) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.		
PREPAREDNESS AND PREVENTION		
34.	Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
35.	Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:	
a.	Internal communications or alarm system? [3745-65-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Emergency communication device? [3745-65-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Portable fire control, spill control and decon equipment? [3745-65-32(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Verify that the equipment is listed in the contingency plan.		
36.	Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
37.	Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
38.	Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
39.	If there is only one employee on the premises, is there immediate access to a device (eg., phone, hand held two-way radio) capable of summoning external emergency assistance (unless not required under 3745-65-32)? [3745-65-34(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
40.	Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
41.	Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
42.	Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
SATELLITE ACCUMULATION AREA REQUIREMENTS		
43.	Does the generator ensure that satellite accumulation area(s):	
a.	Are at or near a point of generation? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

e.	Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
f.	Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
44.	Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS

45.	Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
46.	Is the accumulation date on each container? [3745-52-34(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
47.	Are hazardous wastes stored in containers which are:	
a.	Closed (except when adding/removing wastes)? [3745-66-73(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	In good condition? [3745-66-71]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Compatible with wastes stored in them? [3745-66-72]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Handled in a manner which prevents rupture/leakage? [3745-66-73(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Record location on process summary sheets, photograph the area, and record on facility map.

48.	Is the container accumulation areas(s) inspected weekly? [3745-66-74]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Are inspections recorded in a log or summary? [3745-66-74]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: "Week" means 7 consecutive days per ORC§1.44(A).

49.	Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
50.	Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
51.	If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
52.	If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

53.	If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
-----	--	--

NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]

PRE-TRANSPORT REQUIREMENTS

54.	Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
55.	Does each container \leq 119 gallons have a completed hazardous waste label? [3745-52-32(B)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
56.	Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>

NOTE: Continue with the generator LDR requirements on the next page.

GENERATOR LDR REQUIREMENTS

NOTE: This LDR checklist does not include the requirements for generators that treat to meet LDR standards. If the generator treats, the inspector should use the stand-alone Generator LDR checklist instead of this checklist.

GENERAL REQUIREMENTS

1.	If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07(A)(7)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
2.	Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] If not.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator send the waste to a permitted HW TREATMENT facility? [3745-270-07(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: This is done by determining if the HW /soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07(A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).

3.	Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Does the generator generate a listed HW that exhibits a characteristic? If yes,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.

6.	Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.

NOTE: Written documentation of this determination is not required.

7.	Did the generator treat his HW /soil on-site to <u>meet</u> the LDR treatment standard?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

NOTE: If "Yes" see question #16.

8.	Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	If the generator chose not to make the determination of whether his waste must be treated, did he send a notice to the TSD facility with each shipment? [3745-270-07(A)(2)] If so, did the notice include:	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
i.	Applicable HW codes?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
ii.	Manifest number of the first shipment to the TSD?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
iii.	A statement that conveys that the HW may or may not be subject to the LDR treatment standards and the TSD must make that determination.?"	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
9.	Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	Does the generator have a copy of the LDR notification form/notice on file?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

[Facility Name/Inspection Date]

[ID number]

[3745-270-07(A)(2)]		
a.	Is the form/notice kept on file for three years after last HW shipped? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTIFICATION FORM		
11.	Does the LDR Notification form contain the following information:	
a.	Manifest number of the first waste shipment to the TSD? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: A wastewater contains <1% by wt. total suspended solids (TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.		
e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories		
f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.		
g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.		
PROHIBITED DILUTION		
12.	Is the HW treated by burning? If "No" go to #15.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
13.	Is the HW a metal-bearing HW?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs is given in the Appendix to 3745-270-03.		
14.	a.	Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless one of the following conditions apply. [3745-270-03(c)]
	i.	Contains > 1% TOC? Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii.	Contains organic constituents or cyanide at levels greater than the UTS levels? Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii.	Is made up of combustible material e.g., paper, wood, plastic? Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv.	Has a reasonable heating value (e.g., > 5000 Btu)? Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	v.	Co-generated with a HW that must be combusted? Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	If all responses to 14 a.i. through 14 a.v. are "No", HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution? Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Was the HW treated by wastewater treatment? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>	

[Facility Name/Inspection Date]

[ID number]

LQG & Generator LDR/October 2010

Page 8 of 9

a.	Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: If "Yes", HW is improperly being treated by dilution.</i>		
b.	Does the waste carry the D001 code <u>and</u> contain $\geq 10\%$ TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: If the answers to b & c are "yes" and "no", respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B)] and 3745-270-40(A)(3)].</i>		
<i>NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.</i>		

SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS

Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more

Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less

PROHIBITIONS

1.	Did the SQUWH dispose of universal waste? [3745-273-11(A)]	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
2.	Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in OAC rule 3745-273-17 or managing specific wastes as provided in OAC rule 3745-273-13? [3745-273-11(B)]	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>

WASTE MANAGEMENT AND LABELING/MARKING

UNIVERSAL WASTE BATTERIES

3.	Are batteries that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
4.	If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
5.	Are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
6.	If the electrolyte is removed or other wastes generated, has it been determined whether the electrolyte or other wastes exhibit a characteristic of hazardous waste? [3745-273-13(A)(3)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
a.	If the electrolyte or other waste is characteristic, is it managed in compliance with OAC Chapters 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
b.	If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
7.	Are the batteries or containers of batteries labeled with the words "Universal Waste-Battery(ies)" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

UNIVERSAL WASTE PESTICIDES

8.	Does the SQUWH prevent releases to the environment by managing pesticides in containers that are closed, structurally sound, compatible with the pesticides, and lack evidence of leakage, spillage, or damage? [3745-273-13(B)(1)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
9.	If the original pesticide container is in poor condition, was it over-packed into an acceptable container? [3745-273-13(B)(2)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
10.	If the pesticide is stored in a tank, are the requirements of rules 3745-66-90 through 3745-66-101, except for paragraph (C) of 3745-66-97, of the OAC met? (Use tank checklist) [3745-273-13(B)(3)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
11.	If pesticides are stored in a transport vehicle, is it closed, structurally sound, compatible with the pesticide(s), and does it lack evidence of leakage, spillage, or damage that could cause leakage? [3745-273-13(B)(4)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
12.	Are recalled universal waste pesticides that are in containers, tanks, or transport vehicles labeled with the label that was on or accompanied the product as sold or distributed and labeled with the words "Universal Waste Pesticides" or "Waste Pesticides"? [3745-273-14(B)(1)&(2)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
13.	Are unused pesticide products that are in containers, tanks, or transport vehicles labeled with either the label that was on the product when purchased (if still legible), the appropriate DOT label, or the designated label prescribed by the pesticide collection program and labeled with the words "Universal Waste-Pesticides" or "Waste Pesticides"? [3745-273-14(C)(1)&(2)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

UNIVERSAL WASTE MERCURY-CONTAINING EQUIPMENT		Yes	No	N/A	
14.	Has mercury-containing equipment with non-contained elemental mercury or that shows evidence of leakage, spillage or damage that could cause leaks been placed in a container that is closed, structurally sound, compatible with contents of the device and lacks evidence of leakage, spillage or damage that could cause leakage and is designed to prevent escape of mercury into the environment by volatilization or any other means? [3745-273-13(C)(1)]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
15.	If the mercury-containing ampules are removed, does the SQUWH: [3745-273-13(C)(2)]				
a.	Remove and manage the ampules in a manner to prevent breakage and is the removal done over or in a containment device? [3745-273-13(C)(2)(a)&(b)]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b.	Have a clean-up system readily available to transfer spilled mercury to another container that meets the requirements of OAC rule 3745-52-34 and is the spilled mercury transferred immediately? [3745-273-13(C)(2)(c)&(d)]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c.	Ensure that the area where ampules are removed is well ventilated and monitored in compliance with applicable OSHA exposure levels for mercury? [3745-273-13(C)(2)(e)]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d.	Ensure that employees are thoroughly familiar with the proper waste handling and emergency procedures? [3745-273-13(C)(2)(f)]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e.	Ensure that removed ampules are stored in closed, non-leaking containers that are in good condition? [3745-273-13(C)(2)(g)]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f.	Pack removed ampules in containers with packing material to prevent breakage during storage, handling and transportation? [3745-273-13(C)(2)(h)]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
16.	If the open original housing holding mercury is removed from a mercury-containing equipment that does not contain an ampule, does the SQUWH: [3745-273-13(C)(3)]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
a.	Immediately seal the original housing holding the mercury with an air-tight seal to prevent the release of any mercury to the environment? [3745-273-13(C)(3)(a)]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b.	Follow all requirements for removing ampules and managing removed ampules in accordance with 3745-273-13(C)(2)? [3745-273-13(C)(3)(b)]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
17.	When removing mercury containing ampules from mercury-containing equipment or sealing mercury from its original housing if there are mercury or clean-up residues resulting from spills or leaks, and/or other waste generated (e.g., remaining mercury-containing device), has it been determined whether those exhibit a characteristic of hazardous waste identified in OAC rules 3745-51-20 to 3745-51-24? [3745-273-13(C)(4)(a)]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
a.	If the residues, and/or wastes are characteristic, are they managed in compliance with Chapters 3745-50 through 3745-69, 3745-205, 3745-256, 3745-266, and 3745-270 of the Administrative Code? (The handler is considered the generator of the mercury, residues, and/or other waste and is subject to OAC Chapter 3745-52) [3745-273-13(C)(4)(b)]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
18.	Is mercury-containing equipment or containers of mercury-containing equipment labelled either "Universal Waste-Mercury-Containing Equipment" or "Waste Mercury-Containing Equipment" or "Used Mercury-Containing Equipment"? [3745-237-14(D)(1)]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
19.	Are mercury-containing thermostats or containers containing ONLY thermostats labeled either "Universal Waste-Mercury Thermostat(s)" or "Waste Mercury Thermostat(s)" or "Used Mercury Thermostat(s)"? [3745-273-14(D)(2)]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

UNIVERSAL WASTE LAMPS		
20.	Does the SQUWH contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
21.	Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage, spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p>NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC rule 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility using a hazardous waste manifest.</p>		
22.	Are the lamps or containers or packages of lamps labeled with the words "Universal Waste-Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)"? [3745-273-14(E)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
ACCUMULATION TIME		
23.	Is the waste accumulated for less than one year? [3745-273-15(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	if not, is the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<p>NOTE: Accumulation is defined as date generated or date received from another handler.</p>		
24.	Is the handler able to demonstrate the length of time the universal waste has been accumulated? [3745-273-15(C)] If yes, describe below: <i>manifest(s)</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
EMPLOYEE TRAINING		
25.	Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
RESPONSE TO RELEASES		
26.	Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
27.	Is the material released characterized? [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
28.	If the material released is a hazardous waste, was it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to OAC Chapter 3745-52) [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
OFF-SITE SHIPMENTS		
<p>NOTE: If a SQUWH self-transport waste, then the handler must comply with the Universal Waste transporter requirements.</p>		
29.	Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

30.	Is the handler aware of DOT requirements for packaging and shipping? If no, make aware of 49 CFR 171-180.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
31.	Prior to shipping universal waste off-site, does the originating handler ensure that the receiver agrees to receive the shipment? [3745-273-18(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
32.	Has the originating handler ever had an off-site shipment rejected by another handler or destination facility?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	If yes, did the originating handler receive the waste back or agree to where the shipment was sent? [3745-273-18(E)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
33.	If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss and do <u>one of the following</u> :	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Send the waste back to the originating handler or send the shipment to a destination facility (If both the originating and receiving handler agree)? [3745-273-18(F)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
34.	If the handler received a shipment of hazardous waste that was not a universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
EXPORTS		
35.	Is waste being sent to a foreign destination? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Does the small quantity handler comply with primary exporter requirements in OAC rules 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is waste exported only upon consent of the receiving country and in conformance with the U.S. EPA "Acknowledgment of Consent" as defined in OAC rules 3745-52-50 to 3745-52-57? [3745-273-20(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Is a copy of the U.S. EPA "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

**USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

NOTE: 1. A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

2. Inspectors can check BUSTR's web-site at https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/PublicInquiry.asp to determine if a UST containing used oil is registered with BUSTR. Inspectors may call BUSTR at 614-752-7938 or a BUSTR site coordinator to report an unregistered UST or a UST that appears to not be in compliance with BUSTR regulations. A list of BUSTR coordinators by county are at: https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/SearchByCounty.asp.

PROHIBITIONS

1. Does the generator manage used oil in a surface impoundment or waste pile? Yes No N/A
If yes:

a. Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)] Yes No N/A

NOTE: For example, used oil contaminated scrap metal stored in a pile.

2. Is used oil used as a dust suppressant? [3745-279-12(B)] Yes No N/A

3. Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)? Yes No N/A

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4. Does the generator mix hazardous waste with used oil? If so, Yes No N/A

a. Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)] Yes No N/A

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5. Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)] Yes No N/A

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6. Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)] Yes No N/A

7. Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)] Yes No N/A

8. Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)] Yes No N/A *2 Drums, RTC*

9. Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)] Yes No N/A

a. Stopped the release? Yes No N/A

b. Contained the release? Yes No N/A

c. Cleaned up and properly managed the used oil and other materials? Yes No N/A

d. Repaired or replaced the containers or tanks prior to returning them to service, if necessary? Yes No N/A

[Facility Name/Inspection Date]

[ID Number]

ON-SITE BURNING IN SPACE HEATER		
10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).</i>		
GENERATOR TRANSPORTATION		
11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#? [3745-279-24]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).</i>		
COLLECTION CENTERS AND AGGREGATION POINTS		
13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.</i>		