

**Environmental
Protection Agency**

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

February 10, 2011

**RE: UNITED TRUCK WASH CO.
SMALL QUANTITY GENERATOR
OHD 017 855 636
CUYAHOGA COUNTY
NOV**

Mr. Rick Myslenski
United Truck Wash
3950 Broadway Ave.
Cleveland, Ohio 44115

Dear Mr. Myslenski:

Thank you for accompanying me during Ohio EPA's January 27, 2011 inspection of United Truck Wash Company's (UTW) facility in Cleveland, Ohio. I inspected UTW to determine its compliance with Ohio's hazardous waste laws as found in Chapter 3734. of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC). I also inspected UTW for compliance with Ohio's used oil rules. Enclosed you will find a copy of the checklists that I completed as a result of the inspection. My inspection included a review of company operations and written documentation. During the inspection I also helped you identify ways to prevent pollution by reducing waste.

The UTW business is a service company which cleans, at the UTW property only, the interior of the tanks of tanker trucks. You indicated these trucks must be "RCRA empty" or they are turned away by UTW. As part of the process, small amounts (~2 to 3 gallons) of remnant product are sometimes drained and accumulated for off-site disposal or recycling. This material is characterized and managed as hazardous waste if appropriate. The facility's rate of generation makes UTW a small quantity generator of hazardous waste. Waste codes associated with the hazardous waste generated by UTW include D001, F003, F005, D005, D007, D008, and others. Waste oil is also generated from the oil/water separator attached to the facility's waste water treatment system.

The following violations of Ohio's hazardous waste and used oil laws were found during this inspection. In order to correct these violations you must do the following and send me the required information **within 30 days** of the date of this letter:

1. Preparedness and Prevention, OAC 3745-52-34(D)(5)(b):

To aid in responding to emergencies associated with the hazardous waste accumulation area, the following must be posted at a telephone near the area: Name and telephone number of the emergency coordinator; location of fire and spill control equipment, and, if present, fire alarm(s); telephone number of the local fire department.

UTW did not have this information posted at a telephone in the vicinity of the hazardous waste accumulation area. This is a violation of OAC 3745-52-34(D)(5)(b). To return to compliance with this regulation, submit a photo showing this information posted and indicate the location of the telephone.

- 2. Emergency Equipment, OAC 3745-65-32 (C):** At the time of the inspection, a spill control/emergency equipment station was not being maintained near the hazardous waste container accumulation area for use in the event of a spill or fire associated with the waste. This is a violation of OAC 3745-65-32 (C).

To return to compliance with this rule, obtain appropriate spill and emergency equipment for responding to emergencies associated with the hazardous waste (e.g. over-pack drum, absorbent socks, absorbent, etc.). Indicate in your response to this letter what constitutes this emergency equipment, a photograph of the materials, and that these will be maintained so that they are available in the event of an emergency associated with the hazardous waste.

- 3. Emergency Equipment, Inspection and Inspection Log, OAC 3745-65-33:** Emergency equipment earmarked for use in the event of a release or fire associated with the hazardous waste accumulation area must be inspected (or tested) regularly to ensure its proper operation in times of emergency. These inspections must be recorded in a log or summary.

UTW does not have a program of regular inspection (and/or testing) in place nor are any inspections recorded in a log or summary. This is a violation of OAC 3745-65-33. To return to compliance with this regulation, indicate in your response how procedures have been changed at the facility to comply with this rule and submit a copy of a completed emergency equipment inspection log. To assist you, I have enclosed an example of an emergency inspection log.

- 4. Container Accumulation Area Inspection and Inspection Log, OAC 3745-66-74:** Hazardous waste containers being accumulated in the less than 180 day container accumulation area outside the paint booth building must be inspected weekly and the inspections recorded in a log or summary. At the time of my inspection, no weekly scheduled inspection of the hazardous waste containers was being performed. This is a violation of OAC 3745-66-74. To return to compliance with this rule, submit with your response to this letter two consecutive weeks of a completed hazardous waste accumulation area inspection form showing the inspections are now being done. To assist you, I have enclosed an example of a container accumulation area inspection log.


Mr. Rick Myslenski
United Truck Wash
February 10, 2011
Page 3

5. Used Oil Labeling, OAC 3745-279-22 (C):

All containers, above ground tanks, and fill pipes used for underground tanks, that are used to accumulate used oil must be clearly labeled or marked "Used Oil". At the time of my inspection, an above ground tank containing used oil was observed in the facility that did not have any marking indicating used oil. This is a violation of OAC 3745-279-22(C). To return to compliance with this rule submit a photograph of the used oil tank labeled "used oil".

Should you have any questions, please feel free to call me at (330) 963-1231. You can find copies of the rules and other information on the division's web page at: <http://www.epa.state.oh.us/dhwm/>.

Sincerely,



Tom Roth
District Representative
Division of Hazardous Waste Management

TR:cl
Enclosure

ec: Harry Sarvis, Ohio EPA, DHWM, CO
Nyall McKenna, Ohio EPA, DHWM, NEDO
Natalie Oryshkewych, Ohio EPA, DHWM, NEDO

cc: Marlene Kinney, Ohio EPA, DHWM, NEDO

Send to Central Office <input type="checkbox"/>	Ohio Environmental Protection Agency RCRA SUBTITLE C SITE IDENTIFICATION/VERIFICATION FORM	For Ohio EPA use only
--	---	-----------------------

Completed verification forms required to be submitted to CO should be e-mailed to paula.canter@epa.state.oh.us.

Site EPA ID No.	EPA ID Number: OHD 017 855 636	
Site Name	Name: United Truck Wash	Website: (Optional)
Site Location Information	Street Address: 3950 Broadway Av.	
	City, Town, or Village: Cleveland	State: OH
	County Name: Cuyahoga	Zip Code: 44115
Site Land Type (check only one)	Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>	
NAICS code(s) www.census.gov/epcd/www/naics.html		

Facility Representative Additional names can be recorded in number 12 Only provide address information if it is different than the site address	First Name: Rick	MI:	Last Name: Myslenski
	Title:		
	Phone Number: (216) 883-0550		Phone Number Extension:
	E-Mail Address:		
	Fax Number:		Fax Number Extension:
	Street or P.O. Box:		
	City, Town or Village:		
	State:	Zip Code:	

Legal Owner And Operator of the Site. List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner:		Date Became Owner (mm/dd/yyyy):		
	Owner Type:	Private <input type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>			
	Street or P.O. Box:				
	City, Town or Village:		Owner Phone #:		
	State:		Country:	Zip Code:	
	Name of Site's Operator:		Date Became Operator (mm/dd/yyyy):		
	Operator Type:	Private <input type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>			
	Street or P.O. Box:				
	City, Town or Village:		Operator Phone #:		
	State:		Country:	Zip Code:	

VIOLATIONS CITED? Yes No

TYPE OF HANDLER - MARK "X" AS APPROPRIATE

<input type="checkbox"/> Not a HW Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input type="checkbox"/> Large Quantity Generator (LQG)
	<input type="checkbox"/> Short-Term/Temporary Generator (generates from a short-term or one-time event and not from on-going processes). Check the box for the applicable generator status and provide a comment.	<input checked="" type="checkbox"/> Small Quantity Generator (SQG)
		<input type="checkbox"/> Conditionally Exempt Small Quantity Generator
		<input type="checkbox"/> U.S. Importer of Hazardous Waste
		<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

* emailed to Paula Canter on 2-10-11

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)

- | | |
|---|--|
| <input type="checkbox"/> Hazardous Waste Transporter | <input type="checkbox"/> Exempt Boiler and/or Industrial Furnace |
| <input type="checkbox"/> Hazardous Waste Transfer Facility | <input type="checkbox"/> Small Quantity On-Site Burner Exemption |
| <input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste | <input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption |
| <input type="checkbox"/> Recycler of Hazardous Waste | <input type="checkbox"/> Underground Injection Control Facility |
| <input type="checkbox"/> 72-Hour Recycler | <input type="checkbox"/> Receives Hazardous Waste from Off-site |

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED)

(CHECK ALL BOXES THAT APPLY)

- | | |
|---|---|
| <input type="checkbox"/> Small Quantity Handler of Universal Waste | <input type="checkbox"/> Destination Facility for Universal Waste |
| <input type="checkbox"/> Large Quantity Handler of Universal Waste
(accumulates 5,000 kg. or more) | |

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES

- Batteries
- Pesticides
- Mercury containing equipment
- Lamps

USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))

- Used Oil Generator
- Used Oil Transporter
- Used Oil Transfer Facility
- Used Oil Processor
- Used Oil Re-refiner
- Off-Specification Used Oil Burner
- Used Oil Fuel Marketer who directs shipment of Off-Spec Used Oil
- Used Oil Fuel Marketer who first claims the Used Oil meets the specifications

Eligible Academic Entities with Laboratories: Facility has previously notified that they are opting into managing laboratory hazardous waste pursuant to OAC rules 3745-52-200 through 3745-52-216. Check the box(es) below to indicate the laboratory type.

- College or University
- Teaching hospital that is owned by or has a formal written affiliation agreement with a college or university
- Non-profit Institute that is owned by or has a formal written affiliation agreement with a college or university

Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAInfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

D001 F003 F005 D005 D007 D008

COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.

Announced Yes No Additional Facility Representatives: **Rick Myslenski**

Tanks Yes No

Containers Yes No

Name of Inspector(s)
Tom Roth

Name of Inspector(s)

Date of Inspection/Time
(mm/dd/yyyy) (hh:mm)
January 27, 2011

Comments:

**SMALL QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: ≤100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.
 LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.
 NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

GENERAL REQUIREMENTS

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
2.	Has the generator obtained a U.S. EPA I.D. number? [3745-52-12]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
3.	Has the generator transported or caused to be transported hazardous waste to other than a facility authorized to manage the hazardous waste? [ORC 3734.02 (F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
4.	Has the generator disposed of hazardous waste on-site without a permit or at another facility other than a facility authorized to dispose of hazardous waste? [ORC 3734.02 (E) & (F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
5.	Does the generator accumulate hazardous waste?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the SQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements might still apply, e.g. manifest, marking, LDR, etc.

6.	Has the generator accumulated hazardous wastes <u>in excess of</u> (180/270) days without a permit or an extension from the Director? [3745-52-34; ORC §3734-02(E)&(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

NOTE: SQG's shipping waste to a facility greater than 200 miles away can accumulate on-site for 270 days. [3745-52-34 (E)]

7.	Is the generator accumulating more than 6,000 kg on site? [3745-52-34(D)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

NOTE: 6,000 kg = approximately 27, 55-gallon drums. If the facility is accumulating waste for greater than 180/270 days without an extension/permit or is accumulating greater than 6,000 kg on-site, it is classified as a storage facility and TSD standards apply. Complete applicable TSD checklists.

8.	Does the generator treat hazardous waste in a:	
	a. Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Tank that meets 3745-66-101?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d. Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

MANIFEST REQUIREMENTS

9.	Are all hazardous wastes either reclaimed under a contractual agreement as defined in OAC rule 3745-52-20(E), or shipped off-site accompanied by a manifest (U.S. EPA Form 8700-22)? [3745-52-20(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	Are wastes reclaimed under a contractual agreement? If so: [3745-52-0(E)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Does the contractual agreement specify the type of waste and frequency of shipment?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Is the transport vehicle owned and operated by the reclaimer?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

	c.	Is a copy of the reclamation agreement kept on-site for at least three years after termination/expiration of the agreement?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: If wastes are reclaimed under a contractual agreement and an answer to questions 10(a) through 10(c) is no, the generator is in violation of 3745-52-20 (A) (B) & (D), 3745-52-22 and 3745-52-23. Even if the waste is being reclaimed under agreement, LDRs still apply. Complete LDR checklist.			
11.		Have items 1 through 20 of each manifest been completed? [3745-52-20(A)(1)] & [3745-52-27(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations, items (21) through (35) must also be complete. [3745-52-20(A)(1)]			
12.		Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: The generator may designate on the manifest one alternative facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]			
13.		If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternative TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.		Have the manifests been signed by the generator and initial transporter? [3745-52-23 (A) (1) and (2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have made a good faith effort to minimize their waste generation.			
15.		If the generator did not receive a return copy of each completed manifest within 60 days of being accepted by the transporter did the generator submit to Ohio EPA, a copy of the manifest with some indication that the generator has not received confirmation of delivery? [3745-52-42(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.		Are signed copies of all manifests being retained for at least three years? [3745-52-40]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.			
PREPAREDNESS AND PREVENTION			
17.		Is an emergency coordinator available at all times (on-site or on-call)? [3745-52-34(D)(5)(a)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
18.		Has the following been posted by the telephone: [3745-52-34(D)(5)(b)]	
	a.	Name and telephone number of emergency coordinator?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	b.	Location of fire and spill control equipment, and, if present, fire alarm(s)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	c.	Telephone number of local fire department?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
19.		Are employees familiar with waste handling and emergency procedures? [3745-52-34(D)(5)(c)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
20.		Has the facility properly responded to all fires and spills? [3745-52-34(D)(5)(d)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
21.		Is the facility operated to minimize the possibility of fire, explosion, or any unplanned sudden or nonsudden release of hazardous waste? [3745-65-31]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
22.		Does the generator have the following equipment at the facility if it is required due to actual hazards associated with the waste:	
	a.	Internal Alarm system? [3745-65-32(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	Emergency communication device? [3745-65-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	c.	Portable fire control, spill control and decon equipment? [3745-65-32(C)]?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	d.	Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
23.		Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a.	Are inspections recorded in a log or summary? [3745-65-33]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
24.		Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (<i>unless the device is not required under OAC 3745-65-32</i>)? [3745-65-34(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
25.		If there is only one employee on the premises is there immediate access to a device (ex. phone, hand-held two-way radio) capable of summoning external emergency assistance (<i>unless not required under OAC 3745-65-32</i>)? [3745-65-34(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
26.		Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
27.		Has the generator attempted to familiarize emergency authorities with possible hazards and facility layout? [3745-65-37(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
28.		Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
SATELLITE ACCUMULATION AREA REQUIREMENTS			
29.		Does the generator ensure that satellite accumulation area(s):	
	a.	Are at or near a point of generation? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d.	Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	e.	Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	f.	Containers are marked with the words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
30.		Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a.	Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	Did the generator mark the container(s) holding the excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.			
USE AND MANAGEMENT OF CONTAINERS			
31.		Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(D)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
32.		Is the accumulation date on each container? [3745-52-34(D)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

33.	Are hazardous wastes stored in containers which are:	
	a. Closed (except when adding/removing wastes)? [3745-66-73(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. In good condition? [3745-66-71]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. Compatible with wastes stored in them? [3745-66-72]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Record location on process summary sheets and photograph the area.</i>		
34.	Is the container accumulation area(s) inspected at least weekly? [3745-66-74] Per ORC§1.44(A) "Week" means seven(7) consecutive days.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Are inspections recorded in a log or summary? [3745-66-74]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
35.	Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
36.	If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
37.	If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.</i>		
PRE-TRANSPORT REQUIREMENTS		
38.	Does each generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
39.	Does each container ≤119 gallons have a completed hazardous waste label? [3745-52-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
40.	Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

**USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

NOTE: 1. A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

2. Inspectors can check BUSTR's web-site at https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/PublicInquiry.asp to determine if a UST containing used oil is registered with BUSTR. Inspectors may call BUSTR at 614-752-7938 or a BUSTR site coordinator to report an unregistered UST or a UST that appears to not be in compliance with BUSTR regulations. A list of BUSTR coordinators by county are at: https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/SearchByCounty.asp.

PROHIBITIONS

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	---	--

NOTE: For example, used oil contaminated scrap metal stored in a pile.

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	---	--

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	---	--

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

a.	Stopped the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	----------------------	--

b.	Contained the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	------------------------	--

c.	Cleaned up and properly managed the used oil and other materials?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	---	--

d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

ON-SITE BURNING IN SPACE HEATER		
10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).</i>		
GENERATOR TRANSPORTATION		
11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#? [3745-279-24]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).</i>		
COLLECTION CENTERS AND AGGREGATION POINTS		
13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.</i>		