



State of Ohio Environmental Protection Agency

Northeast District Office

2110 East Aurora Rd.  
Twinsburg, Ohio 44087

TELE: (330) 963-1200 FAX: (330) 487-0769  
www.epa.state.oh.us

Ted Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korleski, Director

June 9, 2008

RE: UNIVAR USA, INC.  
OHD008928319  
LARGE QUANTITY GENERATOR  
CUYAHOGA  
NOTICE OF VIOLATION

Mr. Scot Asvestas  
Univar USA, Inc.  
Branch Operations Manager  
21600 Drake Rd.  
Strongsville, OH 44149-6615

Dear Mr. Asvestas:

On May 29, 2008, the Ohio Environmental Protection Agency (EPA), Division of Hazardous Waste Management (DHWM), conducted a compliance evaluation inspection at Univar USA, Inc. (Univar), located at 21600 Drake Rd., Strongsville, Ohio. The purpose of the inspection was to determine Univar's compliance with Ohio's hazardous waste laws as found in Chapter 3734. of the Ohio Revised Code (ORC) and Chapter 3745. of the Ohio Administrative Code (OAC). Univar was represented by you and Ohio EPA was represented by me. This letter will explain the violations I found, outline any concerns we talked about, and discuss what you need to do to correct the violations and concerns.

Univar is a chemical distributor of solvents and solvent blends. Univar brings in bulk organic solvents and repackages them into drums, totes and tanker trucks. Hazardous waste is generated from line flushes, off-specification material, and used absorbents and rags. Solid waste is managed by BFI and universal waste fluorescent bulbs are shipped off-site for recycling.

I have enclosed copies of the inspection checklists for your records. During the inspection, I found the following violations of Ohio's hazardous waste laws:

**1. Ohio Administrative Code (OAC) 3745-65-52(D); Contingency Plan.**

The contingency plan shall have a current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator.

The contingency plan did not have the addresses listed for the persons qualified to act as emergency coordinator.

**To return to compliance with this violation, please submit an updated contingency plan that lists the addresses for those persons who are on the emergency coordinator list.**

**2. OAC 3745-65-33; Testing and maintenance of equipment.**

All facility communications or alarm systems, fire protection equipment, spill control equipment, and decontamination equipment, where required, must be tested and maintained as necessary to assure its proper operation in time of emergency. The owner or operator must record the inspections in a log or summary.

UNIVAR USA, INC.  
JUNE 9, 2008  
PAGE – 2 –

Univar conducts monthly inspections of the equipment stored in Emergency Response Kit B. The items stored in Kit B are listed in the contingency plan and an inspection log is completed to document the inspections. However, there are 3 spill kits located in the plant and these spill kits are not being inspected on a regular basis as required by this rule. Inspection of the spill kits and any other emergency equipment could be added to the inspection log used for the weekly container accumulation area checklist.


**To return to compliance with this violation please submit two weeks worth of completed inspection logs to document that the spill kits and any other spill equipment is being inspected on a regular basis.**

Please respond in writing within 30 days of the date on this letter. Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Should you have any questions, please feel free to call me at (330) 963-1162. You can find copies of the rules and other information on the division's web page at <http://www.epa.state.oh.us/dhwm>. Ohio EPA also has helpful information about pollution prevention at the following web address: <http://www.epa.state.oh.us/opp>.

The Division of Hazardous Waste Management has created an electronic news service to provide the regulated community with news related to hazardous waste activities in Ohio. If you haven't already, we encourage you to sign up for this free service by going to <http://www.epa.state.oh.us/dhwm/listserv>.

Sincerely,



Marlene M. Kinney  
Environmental Specialist  
Division of Hazardous Waste Management

MMK:ddw

Enclosures

cc: Natalie Oryshkewych, DHWM, NEDO  
Harry Sarvis, DHWM, CO

Ohio Environmental Protection Agency  
**RCRA SUBTITLE C SITE  
IDENTIFICATION/VERIFICATION FORM**

For Ohio EPA use only

E-mail this completed form to [kristina.durnell@epa.state.oh.us](mailto:kristina.durnell@epa.state.oh.us)  
or mail it to Kristina Durnell, Central Office

Site EPA ID No.	EPA ID Number: <u>OH 008 928 319</u>								
Site Name	Name: <u>Univar USA, Inc</u>					Website: (Optional)			
Site Location Information	Street Address: <u>21600 Drake Rd</u>								
	City, Town, or Village: <u>Strongsville</u>					State: <u>OH</u>			
	County Name:					Zip Code: <u>44149</u>			
Site Land Type (check only one)	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>	
NAICS code(s) <a href="http://www.census.gov/epcd/www/naics.html">www.census.gov/epcd/www/naics.html</a>									
Facility Representative  Additional names can be recorded in number 12  Only provide address information if it is different than the site address	First Name: <u>Scot</u>		MI: <u>E</u>		Last Name: <u>Arvestas</u>				
	Phone Number: <u>440-378-5049</u>				Phone Number Extension:				
	E-Mail Address: <u>Scot.Arvestas@Univarusa.com</u>								
	Fax Number:				Fax Number Extension:				
	Street or P.O. Box:								
	City, Town or Village:								
	State:			Country:		Zip Code:			
Legal Owner and Operator of the Site List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner:					Date Became Owner (mm/dd/yyyy):			
	Owner Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								
	City, Town or Village:				Owner Phone #:				
	State:				Country:		Zip Code:		
	Name of Site's Operator:					Date Became Operator (mm/dd/yyyy):			
	Owner Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								
	City, Town or Village:				Operator Phone #:				
	State:				Country:		Zip Code:		
Violations Cited?	<input type="checkbox"/> Yes <input type="checkbox"/> No								
Type of Generator									
<input type="checkbox"/> Not Regulated				<input type="checkbox"/> Conditionally Exempt Small Quantity Generator					
<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11				<input type="checkbox"/> United States Importer of Hazardous Waste					
<input checked="" type="checkbox"/> Large Quantity Generator (LQG)				<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator					
<input type="checkbox"/> Small Quantity Generator (SQG)									
Type of Regulated Waste Activity (Mark "X" in all of the appropriate boxes)									
<input type="checkbox"/> Recycler of Hazardous Waste				<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace					
<input type="checkbox"/> Underground Injection Control Facility				<input type="checkbox"/> Small Quantity On-Site Burner Exemption					
<input type="checkbox"/> Hazardous Waste Transporter				<input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption					
<input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste									

Universal Waste Activities (Indicate types of universal waste generated and/or accumulated (check all boxes that apply))			
<input checked="" type="checkbox"/> <b>Small Quantity Handler of Universal Waste</b>		<input type="checkbox"/> <b>Large Quantity Handler of Universal Waste</b> (accumulates 5,000 kg. or more)	
<input type="checkbox"/> <b>Destination Facility for Universal Waste</b>			
(Check all boxes below that apply for each of the three types of facilities above)		Used Oil Activities (Indicate Type(s) of Activity(ies))	
	<b>Managed</b>	<input type="checkbox"/> <b>Used Oil Generator</b>	<input type="checkbox"/> <b>Off-Specification Used Oil Burner</b>
<b>Batteries</b>	<input type="checkbox"/>	<input type="checkbox"/> <b>Used Oil Transporter</b>	<input type="checkbox"/> <b>Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil</b>
<b>Pesticides</b>	<input type="checkbox"/>	<input type="checkbox"/> <b>Used Oil Transfer Facility</b>	<input type="checkbox"/> <b>Used Oil Fuel Marketer to Off-Specification Used Oil Burner</b>
<b>Mercury containing equipment</b>	<input type="checkbox"/>	<input type="checkbox"/> <b>Used Oil Processor</b>	
<b>Lamps</b>	<input checked="" type="checkbox"/>	<input type="checkbox"/> <b>Used Oil Re-refiner</b>	
Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more space is needed. If there are more than 7 waste codes and they are the same as listed in the most recent RCRAInfo source record, you do not need to list them all. Instead just indicate the date of the most recent source record.			
Comments: Use this area to describe whether the inspection was announced, whether the waste is stored in tanks or containers, etc.			
<b>Announced</b>	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<b>Additional Facility Representatives:</b>
<b>Tanks</b>	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<b>Other Comments:</b>
<b>Containers</b>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Name of Inspector(s)		Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
Marlene M. Kinney			5/29/2008
OPTIONAL CERTIFICATION/I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.			
Signature of Owner, Operator, or an Authorized Representative		Name and Title (Print)	Date (mm/dd/yyyy)

**PROCESS, WASTE, P2 SUMMARY SHEET**

Facility Name: *Univis USA, Inc* Facility Type: *(LQG)*/SQG/CESQG/TSD Date of Inspection: *5/29/08* EPA ID#: *OH0008928319*

**Waste Generated**

**On- or Off-Site Management**

**P2 Activities**

Process/Activity Generating Waste <small>(e.g. plating bath, machining, baghouse, painting, general maintenance, etc)</small>	Waste Description <small>(e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applic.</small>	QTY Generated per Month, Type of Accumulation (container, tank, etc) and location of waste accumulation area	Type of On-Site Treatment <small>(recycle, wwt, etc)</small>	Name, state, and type of activity occurring at the off-site facility.	Current P2 Activities	P2 Opportunities
1 <i>Line flushing</i>	<i>D001 F003</i>	<i>Varies</i>		<i>Pollution Control Industries East Chicago, Indiana</i>		<i>Dedicated pumps, hoses and trailers to minimize waste</i>
2 <i>Line Flushing</i>	<i>D001</i>	<i>Varies</i>		<i>"</i>		<i>Try to re-use line flush</i>
3 <i>Absorbent and rags</i>	<i>D001 F003</i>	<i>Varies</i>				
4 <i>Fluorescent bulbs</i>	<i>UW</i>	<i>Varies. On-site since 2/2008</i>	<i>Recycle</i>	<i>Chemtron, Avon, OH</i>		

5							
6							
7							
8							
9							

**REMARKS-GENERAL INFORMATION**

**General Process Information:**

*Chemical Distributor of solvents and solvent blends.*

**Regulatory/Enforcement History** (if applicable):

*None*

**Additional P2 remarks and information:**

*—————> see next page*

Would this facility be interested in a P2 assessment? Yes\*

No

\*If yes, refer promptly to your district P2 coordinator.

Other:

## Pollution Prevention Activities

QA/QC samples can go back into bulk tanks

Recycle electronic equipment

minimize line flushes and re-use if possible

Pallets are re-used; sold or recycled.

Utilize dedicated pumps, tanks and family hoses.

**LARGE QUANTITY GENERATOR REQUIREMENTS  
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: ≤100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.  
SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.

LQG: ≥1,000 Kg. (~300 gallons) of waste in a calendar month or ≥ 1 Kg. of acutely hazardous waste in a calendar month.

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used: *Steel toe boots ; safety glasses*

*Process  
Knowledge*

**GENERAL REQUIREMENTS**

1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11] *Process Knowledge* Yes  No  N/A
2. Are records of waste determination being kept for at least 3 years? [3745-52-40(C)] *MSP sheets* Yes  No  N/A
3. Has the generator obtained a U.S. EPA identification number? [3745-52-12] Yes  No  N/A
4. Were annual reports filed with Ohio EPA on or before March 1<sup>st</sup>? [3745-52-41(A)] Yes  No  N/A
5. Are annual reports kept on file for at least 3 years? [3745-52-40(B)] Yes  No  N/A
6. Has the generator transported or caused to be transported hazardous waste to **other** than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)] Yes  No  N/A
7. Has the generator disposed of hazardous waste **on-site without a permit** or at another facility **other** than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E) & (F)] Yes  No  N/A
8. Does the generator accumulate hazardous waste? Yes  No  N/A

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

9. Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02 (E) & ( F)? Yes  No  N/A

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G) & (H).

10. Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)] *Do Not Treat*
  - a. Container that meets 3745-66-70 to 3745-66-77? Yes  No  N/A
  - b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)? Yes  No  N/A
  - c. Drip pads that meet 3745-69-40 to 3745-69-45? Yes  No  N/A
  - d. Containment building that meets 3745-256-100 to 3745-256-102? Yes  No  N/A

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

11. Does the generator export hazardous waste? If so: Yes  No  N/A 
  - a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)] Yes  No  N/A
  - b. Has the generator complied with special manifest requirements? [3745-52-54] Yes  No  N/A
  - c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55] Yes  No  N/A
  - d. Has an annual report been submitted to U.S. EPA? [3745-52-56] Yes  No  N/A
  - e. Are export related documents being maintained on-site? [3745-52-57(A)] Yes  No  N/A

**MANIFEST REQUIREMENTS**

12. Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)] Yes  No  N/A
13. Have items (1) through (20) of each manifest been completed? [3745-52-20(A)] Yes  No  N/A

NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)]

14. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] Yes  No  N/A

NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)].

15. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] Yes  No  N/A
16. Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1) & (2)] Yes  No  N/A

[Facility Name/Inspection Date]

[ID number]

LQG/February 2007

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.

17. If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)] Yes  No  N/A
18. If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)] Yes  No  N/A
19. Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40] Yes  No  N/A

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

**PERSONNEL TRAINING**

20. Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)] Yes  No  N/A
21. Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)(a-f)] Yes  No  N/A
22. Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)] Yes  No  N/A
23. Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)] Yes  No  N/A
24. Does the generator provide annual refresher training to employees? [3745-65-16(C)] Yes  No  N/A
25. Does the generator keep records and documentation of:
- a. Job titles [3745-65-16D(1)]? Yes  No  N/A
  - b. Job descriptions [3745-65-16D(2)]? Yes  No  N/A
  - c. Type and amount of training given to each person [3745-65-16D(3)]? Regional Training Yes  No  N/A
  - d. Completed training or job experience required [3745-65-16D(4)]? Yes  No  N/A
26. Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)] Yes  No  N/A

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained
A list was given to me		
Training records for each person are tracked by computer. Refresh training is staggered throughout the year.		Refresh training

**CONTINGENCY PLAN**

27. Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)] Yes  No  N/A
28. Does the plan describe the following:
- a. Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste [3745-65-52(A)]? Yes  No  N/A
  - b. Arrangements with emergency authorities [3745-65-52(C)]. Yes  No  N/A
  - c. A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)] Yes  No  N/A
  - d. A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)] Yes  No  N/A

↳ self explanatory

[Facility Name/Inspection Date]

[ID number]

LQG/February 2007

Page 2 of 4

e. An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)] Yes  No  N/A

NOTE: If the facility already has a "Spill Prevention, Control and Counter measures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]

29. Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53 (A) & (B)] Yes  No  N/A

30. Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54] Yes  No  N/A

31. Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55] Yes  No  N/A

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

### EMERGENCY PROCEDURES

32. Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so: Yes  No  N/A

a. Was the contingency plan implemented? [3745-65-51(B)] Yes  No  N/A

b. Did the facility follow the emergency procedures in 3745-65-56(A) through (H)? Yes  No  N/A

c. Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)? Yes  No  N/A

NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

### PREPAREDNESS AND PREVENTION

33. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31] Yes  No  N/A  *Very clean*

34. Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:

a. Internal communications or alarm system? [3745-65-32(A)] Yes  No  N/A

b. Emergency communication device? [3745-65-32(B)] Yes  No  N/A

c. Portable fire control, spill control and decon equipment? [3745-65-32(C)] Yes  No  N/A

d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] Yes  No  N/A

NOTE: Verify that the equipment is listed in the contingency plan.

35. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33] Yes  No  N/A

36. Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33] Yes  No  N/A

37. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)] Yes  No  N/A

38. If there is only one employee on the premises, is there immediate access to a device (ex. phone, hand held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32) [3745-65-34(B)] Yes  No  N/A

39. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes  No  N/A

40. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)] Yes  No  N/A

41. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes  No  N/A

### SATELLITE ACCUMULATION AREA REQUIREMENTS

42. Does the generator ensure that satellite accumulation area(s):

a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes  No  N/A

b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes  No  N/A

c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes  No  N/A

[Facility Name/Inspection Date]

[ID number]

LQG/February 2007

Page 3 of 4

- d. Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)] Yes  No  N/A
- e. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)] Yes  No  N/A
- f. Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes  No  N/A
43. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so: Yes  No  N/A
- a. Did the generator comply with 3745-52-34(A)(1)through(4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes  No  N/A
- b. Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] Yes  No  N/A

*NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.*

**USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS**

44. Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)] Yes  No  N/A
45. Is the accumulation date on each container? [3745-52-34(A)(2)] Yes  No  N/A
46. Are hazardous wastes stored in containers which are:
- a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes  No  N/A
- b. In good condition? [3745-66-71] Yes  No  N/A
- c. Compatible with wastes stored in them? [3745-66-72] Yes  No  N/A
- d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes  No  N/A

*NOTE: Record location on process summary sheets, photograph the area, and record on facility map.*

47. Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORC§1.44(A) "Week" means 7 consecutive days. Yes  No  N/A
- a. Are inspections recorded in a log or summary? [3745-66-74] Yes  No  N/A
48. Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76] Yes  No  N/A
49. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes  No  N/A
50. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)] Yes  No  N/A
51. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)] Yes  No  N/A

*NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.*

52. If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745- 66-11? [3745-52-34(A)(1)] Yes  No  N/A

*NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]*

**PRE-TRANSPORT REQUIREMENTS**

53. Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes  No  N/A
54. Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes  No  N/A
55. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes  No  N/A

[Facility Name/Inspection Date]

[ID number]

LQG/February 2007

Page 4 of 4

**SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS**

**Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more**

**Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less**

**PROHIBITIONS**

1. Did the SQUWH dispose of universal waste? [3745-273-11(A)] Yes  No  N/A  RMK#
2. Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)] Yes  No  N/A  RMK#

**WASTE MANAGEMENT & LABELING/MARKING**

**UNIVERSAL WASTE BATTERIES**

3. Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)] Yes  No  N/A  RMK#
4. If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)] Yes  No  N/A  RMK#
5. Does the SQUWH conduct any of the following activities:
- a. Sort batteries by type? Yes  No  N/A  RMK#
  - b. Mix battery types in one container? Yes  No  N/A  RMK#
  - c. Discharge batteries to remove the electric charge? Yes  No  N/A  RMK#
  - d. Regenerated used batteries? Yes  No  N/A  RMK#
  - e. Disassemble them into individual batteries or cells? Yes  No  N/A  RMK#
  - f. Remove batteries from consumer products? Yes  No  N/A  RMK#
  - g. Remove the electrolyte from the battery? Yes  No  N/A  RMK#
- If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)] Yes  No  N/A  RMK#

6. If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

7. Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

*Handled by Chemtion.  
None noted during this inspection*

**UNIVERSAL WASTE LAMPS**

8. Does the SQGUHW contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

9. Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

10. Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)"? [3745-273-14(E)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

**NOTE:** Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of

generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.

**ACCUMULATION TIME**

11. Is the waste accumulated for less than one year? [3745-273-15(A)] If not: Yes  No  N/A  RMK#
- a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)] Yes  No  N/A  RMK#

**NOTE:** *Accumulation is defined as date generated or date received from another handler.*

12. Is the length of time the universal waste is stored documented by one of the following: [3745-273-15(C)] Yes  No  N/A  RMK#
- a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)] Yes  No  N/A  RMK#
- b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)] Yes  No  N/A  RMK#
- c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)] Yes  No  N/A  RMK#
- d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)] Yes  No  N/A  RMK#
- e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)] Yes  No  N/A  RMK#
- f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)] Yes  No  N/A  RMK#

**EMPLOYEE TRAINING**

13. Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16] Yes  No  N/A  RMK#

### **RESPONSE TO RELEASES**

14. Are releases of universal waste and other residues immediately contained? [3745-273-17(A)] Yes  No  N/A  RMK#
15. Is the material released characterized? [3745-273-17(B)] Yes  No  N/A  RMK#
16. If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)] Yes  No  N/A  RMK#

### **OFF-SITE SHIPMENTS**

**NOTE:** *If a SQUWH self-transport waste, then they must comply with the Universal Waste transporter requirements.*

17. Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)] Yes  No  N/A  RMK#

**NOTE:** *SQUWHs are prohibited to send waste to any other facility.*

18. If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)] Yes  No  N/A  RMK#
19. Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)] Yes  No  N/A  RMK#
20. If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do one of the following:
- a. Receive the waste back? [3745-273-18(E)(1)] Yes  No  N/A  RMK#
- b. Agree to where the shipment will be sent? [3745-273-18(E)(2)] Yes  No  N/A  RMK#

21. If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss one of the following:  
 Yes \_\_\_ No  N/A  RMK# \_\_\_  
 a. Sending the waste back to the originating handler? [3745-273-18(F)(1)]  
 Yes \_\_\_ No \_\_\_ N/A  RMK# \_\_\_  
 b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)]  
 Yes \_\_\_ No \_\_\_ N/A  RMK# \_\_\_  
 22. If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]  
 Yes \_\_\_ No  N/A  RMK# \_\_\_  
 23. If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)]  
 Yes \_\_\_ No  N/A  RMK# \_\_\_

**EXPORTS**

24. Is waste being sent to a foreign destination? If so:  
 Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_  
 a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)]  
 Yes \_\_\_ No  N/A  RMK# \_\_\_  
 b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)]  
 Yes \_\_\_ No  N/A  RMK# \_\_\_  
 c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)]  
 Yes \_\_\_ No  N/A  RMK# \_\_\_

**REMARKS**

## LDR CHECKLIST

### GENERAL LDR REQUIREMENTS

1. Has the generator adequately evaluated all wastes to determine if they are restricted from land disposal? [3745-270-07(A)(1)] If so:
- Yes  No  N/A  RMK#
- a. For determinations based solely on knowledge of the waste: Is supporting data retained on-site? [3745-270-07(A)(6)]
- Yes  No  N/A  RMK#
- b. For determinations based upon analytical testing: Is waste analysis data retained on-site? [3745-270-07(A)(6)]
- Yes  No  N/A  RMK#
2. Has the generator determined each EPA hazardous waste code applicable to the waste? [3745-270-07(A)(2) see Table 1]
- Yes  No  N/A  RMK#
3. Has the generator determined the correct "treatability group(s)" (e.g., wastewater, non-wastewater, etc.)? [3745-270-07(A), Table 1]
- Yes  No  N/A  RMK#
4. Does the generator generate a characteristic hazardous waste? If so:
- Yes  No  N/A  RMK#
- a. Have all underlying hazardous constituents (UHCs) been identified? [3745-270-09(A)]
- Yes  No  N/A  RMK#

**NOTE: If the waste is D001 non-wastewater treated by CMBST, RORGS, POLYM in Table 1 of Rule 3745-270-42 UHCs do not need to be identified.**

5. Does the generator generate listed waste(s) which also exhibit hazardous characteristics? [3745-270-09] If so:
- Yes  No  N/A  RMK#
- a. Has the generator also identified the appropriate treatment standard(s) for the constituent(s) which cause the waste to exhibit a characteristic? [3745-270-09(A)]
- Yes  No  N/A  RMK#

**NOTE: The generator is not required to identify the treatment standard for the characteristic if the listing covers the associated characteristic (e.g., a F019/D007 hazardous waste - F019 being listed due to chromium content and D007 being the characteristic waste code for chromium). [See OAC Rule 3745-270-09(B)]**

6. Has the generator correctly determined if restricted wastes meet or do not meet treatment standards? [3745-270-07(A)(1)]
- Yes  No  N/A  RMK#

**NOTE: Wastes with EPA hazardous waste numbers K174 and K175 (chlorinated aliphatic wastes) have specific requirements in rule 3745-270-33. Waste with EPA hazardous waste numbers K176, K177 and K178 (inorganic chemical wastes) have specific requirements in rule 3745-270-36.**

7. Does the owner/operator ensure that restricted wastes or treatment residues are not diluted as a method of achieving/circumventing LDR treatment standards? [3745-270-03] Yes  No  N/A  RMK#

**NOTE: A generator may dilute a waste (that is hazardous only because it exhibits a characteristic) in a treatment system that discharges to waters of the State pursuant to an NPDES permit (§402 of CWA), that treats waste in a CWA equivalent treatment system, or that treats waste for the purposes of pre-treatment requirements under §307 of CWA, unless a method other than DEACT is specified or the waste is a D003 reactive cyanide wastewater or non-wastewater.[3745-270-03(B)]**

8. Is combustion of any of the wastes identified in the Appendix to Rule 3745-270-03 occurring without meeting one or more of the criteria under Rule 3745-270-03(C) upon generation or after treatment? [3745-270-03(C)] Yes  No  N/A  RMK#

**NOTE: In other words, is combustion a legitimate treatment method.**

9. Has the generator added iron to lead-containing hazardous waste in order to achieve LDR treatment standards for lead? [3745-270-03(D)] Yes  No  N/A  RMK#

10. Does the facility have a case-by-case extension to the effective date to land dispose of hazardous waste?[3745-270-05] If so: Yes  No  N/A  RMK#

a. The facility can dispose of hazardous waste in a on-site landfill or surface impoundment.[3745-270-05] Yes  No  N/A  RMK#

11. Does the facility have an extension to allow for a restricted waste to be land disposed?[3745-270-06] If so: Yes  No  N/A  RMK#

a. The facility can land dispose of the waste. [3745-270-06] Yes  No  N/A  RMK#

12. Does the facility treat wastes that are otherwise prohibited from land disposal, in a surface impoundment? If so: Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

a. Has the facility complied with 3745-270-04? Yes \_\_\_ No  N/A  RMK# \_\_\_

**REMARKS**

**NOTIFICATION AND CERTIFICATION REQUIREMENTS**

13. If a generator's waste or contaminated soil does not meet the treatment standards, does the generator have the paperwork required in Column A of Table 1 of 3745-270-07? [3745-270-07(A)(2)] Yes  No  N/A \_\_\_ RMK# \_\_\_

14. If a generators' waste or contaminated soil meets the treatment standard at the original point of generation, does the generator have the paperwork required in Column B of Table 1 of 3745-270-07? [3745-270-07(A)(3)] Yes \_\_\_ No  N/A  RMK# \_\_\_

15. If a generators' waste is exempt (under 3745-270-05, 3745-270-06, national capacity or case-by-case variance, etc.) does the generator have the paperwork required in Column C of Table 1 of 3745-270-07? [3745-270-07(A)(4)] Yes \_\_\_ No  N/A  RMK# \_\_\_

16. If a generator manages a lab pack containing hazardous waste using the alternative treatment standard in 3745-270-42, does the generator have the paperwork required in Column D of Table 1 of 3745-270-07? [3745-270-07(A)(9)] Yes \_\_\_ No  N/A  RMK# \_\_\_

17. Does the generator produce a waste that is hazardous waste from the point of generation, but subsequently excluded from regulation under OAC 3745-51-02 through 3745-51-06? [3745-270-07(A)(7)] If so: Yes \_\_\_ No \_\_\_ N/A  RMK# \_\_\_

a. Is a one-time notice placed in the facility's file stating such generation, subsequent exclusion or exemption, and disposition of the wastes? [3745-270-07(A)(7)] Yes \_\_\_ No  N/A  RMK# \_\_\_

**NOTE: Examples include hazardous wastes discharged to a POTW or to a surface water under a NPDES permit.(See 270-07(A)(7))**

18. Does the generator retain on-site a copy of all notices, certifications, demonstrations and waste analysis data for at least three years from the last shipment of waste sent off-site? [3745-270-07(A)(8)] Yes  No  N/A \_\_\_ RMK# \_\_\_

REMARKS

Not  
Applicable

**GENERATORS TREATING HAZARDOUS WASTE**

1. Is treatment of hazardous waste occurring to meet the treatment standards in 3745-270-40? Yes \_\_\_ No \_\_\_ N/A \_\_\_ RMK# \_\_\_

2. If so, does the generator have a waste analysis plan containing the following requirements? [3745-270-07(A)(5)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

a. A detailed chemical and physical analysis of a representative sample of the wastes being treated? [3745-270-07(A)(5)(a)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

b. All information necessary to treat the waste(s) in accordance with the requirements of 3745-270, including the selected frequency? [3745-270-07(A)(5)(a)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

3. Is the WAP on-site in the facility's files and available to inspectors? [3745-270-07(A)(5)(b)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

4. Has the generator followed their WAP [3745-270-07(A)(5)]? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

5. Have the treated wastes met the applicable treatment standards in 3745-270-40? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

**NOTE: If the waste is a characteristic waste, which has been treated to render it non hazardous and subsequently sent to a solid waste landfill, proceed to question 7 & 8.**

6. Has the generator sent a notification and certification with the initial shipment of waste?[3745-270-07(A)(5)(c)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

7. Does each notification/certification form completed, contain the information found in Table 1 of 3745-270-07? [3745-270-07(A)(5)(c)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

8. Has the generator, who is treating a characteristic waste, submitted a notification and certification to the director which contains the following: Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

a. Name and address of the facility receiving the waste? [3745-270-09(D)(1)(a)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

b. A description of the waste, including EPA hazardous waste codes and treatability group, and UHCs? [3745-270-09(D)(1)(b)] Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

**NOTE: If the waste will be treated and monitored for all UHCs then they do not need to be listed on the notice.**

9. Has the process/operation generating the waste or the solid waste landfill facility changed? If so: Yes\_\_No\_\_N/A\_\_RMK#\_\_
- a. Has the notification and certification been updated in the generators and treaters files? [3745-270-09(D)] Yes\_\_NoN/A\_\_RMK#\_\_
- b. Has the director been notified of such changes? [3745-270-09(D)] Yes\_\_NoN/A\_\_RMK#\_\_

**NOTE: The director need only be notified on an annual basis but no later than December 31.**

10. Is the facility treating contaminated soil using the alternative treatment standards in 3745-270-49? If so: Yes\_\_No\_\_N/A\_\_RMK#\_\_
- a. Has the facility treated the contaminated soil to less than 10 times the Universal Treatment Standards or has a 90% reduction in the total constituent concentrations occurred? [3745-270-49 (C)] Yes\_\_NoN/A\_\_RMK#\_\_
11. Does each notification/certification form completed, contain the information found in Table 1? [3745-270-07(A)(3)] Yes\_\_NoN/A\_\_RMK#\_\_

**NOTE: If the waste will be treated and monitored for all constituents, there is no need to put them all on the LDR notice.**

**REMARKS**

**HAZARDOUS DEBRIS**

1. Does the material in question meet the definition of hazardous debris as defined in rule 3745-270-02(A)(3)? Yes\_\_No\_\_N/A\_\_RMK#\_\_
2. Is the hazardous debris being treated to the waste specific treatment standard in 3745-270-40 to 3745-270-49? (If yes, use the generator checklist.) Yes\_\_No\_\_N/A\_\_RMK#\_\_
3. Is the hazardous debris being treated by the alternative treatment standards in 3745-270-45? If so: Yes\_\_No\_\_N/A\_\_RMK#\_\_

- a. Has the debris or mixtures of debris been treated for each contaminant subject to treatment (toxicity, listed waste and cyanide reactive debris) using one or more of the treatment technologies found in Table 1 in 3745-270-45? [3745-270-45(A)] Yes\_\_ No  N/A\_\_ RMK# \_\_

**NOTE: *If immobilization has been used in a treatment train, it must be the last treatment technology used.***

4. Was the hazardous debris a listed waste treated by an immobilization technology in Table 1? [3745-270-45(A)(1)] If so: Yes\_\_ No\_\_ N/A\_\_ RMK# \_\_

- a. Was immobilization the last treatment technology used? [3745-270-45(A)(3)] Yes\_\_ No  N/A\_\_ RMK# \_\_

5. Is the waste a PCB waste under 40 CFR Part 761? If so: Yes\_\_ No\_\_ N/A\_\_ RMK# \_\_

- a. Has the waste been treated to the most stringent standard in 40 CFR 761 or 3745-270-45? [3745-270-45(A)(5)] Yes\_\_ No  N/A\_\_ RMK# \_\_

6. Has the residue from the treatment of hazardous debris been disposed of in accordance with 3745-270-40 to 3745-270-49? [3745-270-45(D)] Yes\_\_ No  N/A\_\_ RMK# \_\_

7. Does the owner/operator of a treatment facility that claims the debris is excluded from regulation as a hazardous waste under 3745-51-03(F)(1) maintain the following information? Yes\_\_ No\_\_ N/A\_\_ RMK# \_\_

- a. Records of all inspections, evaluations, and analyses of treated debris? [3745-270-07(D)(3)(a)] Yes\_\_ No  N/A\_\_ RMK# \_\_

- b. Records of key operating parameters of the treatment unit? [3745-270-07(D)(3)(b)] Yes\_\_ No  N/A\_\_ RMK# \_\_

- c. A certification statement for each shipment of treated debris? (See 270-07(D)(3)(c) for exact wording) [3745-270-07(D)(3)(c)] Yes\_\_ No  N/A\_\_ RMK# \_\_

8. Does the notifications and certifications of an owner/operator who first claims the debris is excluded under 3745-51-03(F)(1) have the following information? [3745-270-07(D)(3)] Yes\_\_ No\_\_ N/A\_\_ RMK# \_\_

- a. Name and address of licensed solid waste landfill receiving the treated debris? [3745-270-07(D)(1)(a)] Yes\_\_ No  N/A\_\_ RMK# \_\_

- b. Description of hazardous debris as initially generated with applicable waste codes? [3745-270-07(D)(1)(b)] Yes\_\_ No  N/A\_\_ RMK# \_\_

- c. Technology used from Table 1? [3745-270-07(D)(1)(c)] Yes\_\_ No  N/A\_\_ RMK# \_\_

9. Has the above notification been sent to the director? [3745-270-07(D)(1)]

Yes \_\_\_ No \_\_\_ N/A \_\_\_ RMK# \_\_\_

### REMARKS

### TREATING FACILITIES WHICH TREAT WASTE TO MEET LDR STANDARDS

1. Does the treating facility test waste according to their waste analysis plan as required in 3745-54-13 or 3745-65-13? [3745-270-07(B)]

Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

2. Has a one-time notification been sent with the initial shipment of waste or contaminated soil to the land disposal facility? [3745-270-07(B)(3)]

Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

**Note: No further notification is necessary until such time that the waste changes or the receiving facility changes.**

3. Does the one-time notification and certification contain the information listed in Table 2 of 3745-270-07? [3745-270-07(B)(3)]

Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

4. Are wastes or treatment residues being sent to another TSD to be further managed? **If so:**

a. Has the facility complied with the generator notification/certification requirements? [Table 1, 3745-270-07(B)(5)]

5. Are recyclable materials used in a manner constituting disposal and subsequently subject to 3745-266-20? **If so:**

a. Has the treatment facility (recycler) sent a notification (found at 3745-270-07(B)(4)), excluding the manifest number, with each shipment of waste? [3745-270-07(B)(6)]

Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

b. Has the treatment facility (recycler) sent a certification found in 3745-270-07(B)(4) [3745-270-07(B)(6)]

Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

c. Has a copy of the notification and certification been sent to the director? [3745-270-07(B)(6)]

Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

6. Does the recycling facility maintain records of the name and location of each entity receiving the hazardous waste-derived products? [3745-270-07(B)(6)]

Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

7. Does the owner or operator of any land disposal facility disposing of waste subject to regulation under 3745-270 have:

a. Copies of all notices and certifications required in 3745-270?

Yes\_\_NoN/A\_\_RMK#\_\_

b. Test results indicating all waste, extracts of waste or treatment residue are in compliance with 3745-270-40 to 3745-270-49?

Yes\_\_NoN/A\_\_RMK#\_\_

c. The testing frequency specified in the facility's WAP and have they followed the protocol?

Yes\_\_NoN/A\_\_RMK#\_\_

**REMARKS**