



State of Ohio Environmental Protection Agency

**Northwest District Office**

347 North Dunbridge Road  
Bowling Green, OH 43402-9398

TELE: (419) 352-8461 FAX: (419) 352-8468  
www.epa.state.oh.us

Ted Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korleski, Director

Re: Tom Ahl Auto  
Allen County  
Hazardous Waste Inspection  
Notice of Violation  
OHD 018 110 734

December 15, 2008

Mr. Vince Downing, General Manager  
Tom Ahl Auto  
2525 Allentown Road  
Lima, Ohio 45805

Dear Mr. Downing:

Thank you and Ken Good for accompanying me during the Ohio Environmental Protection Agency (Ohio EPA) October 31, 2008, hazardous waste compliance evaluation inspection of Tom Ahl Automobile Dealerships (TAA) located at the address stated above. I inspected TAA to determine its compliance with Ohio hazardous waste laws as found in Chapter 3734 of the Ohio Revised Code (ORC), and Chapter 3745 of the Ohio Administrative Code (OAC). Pollution prevention options were also discussed during this inspection. This letter will list observations I made during the inspection, violations found, and what you need to do to correct these violations.

TAA is a full service automobile dealership. TAA provides mechanical maintenance service as well as auto body repair services. TAA operates one paint booth and has several solvent based parts washer. In addition, TAA burns the used oil generated at the facility in several used oil furnaces located throughout the facility. At the time of this inspection, TAA was operating as a small quantity generator of hazardous waste. Hazardous waste generated at the site includes: spent solvent/waste paint (D001, D035, F003, and F005). Other spent materials include used oil, antifreeze, and spent light bulbs, and spent batteries. Spent paint booth filters are currently being disposed as a solid waste although a proper waste evaluation is yet to be conducted.

During the inspection, I provided you with the following material: a U.S. EPA document entitled Fluorescent Lamps, April 2000.

I found the following violations of Ohio's hazardous waste laws. In order to correct these violations you must do the following and send me the required information within 30 days of your receipt of this letter.

1. **OAC Rule 3745-52-11: Waste Evaluation**

Any person, who generates a waste, as defined in Rule 3745-51-02 of the administrative code, must determine if that waste is a hazardous waste.

- a) TAA did not properly evaluate the spent paint booth filters.

During the inspection, you stated that currently the paint booth filters are being replaced once a year and disposed of with your regular trash.

**To abate this violation, TAA must take representative samples of the spent booth filter from both paint booths.** The samples shall be analyzed for Resource Conservation and Recovery Act (RCRA) metals except mercury and volatile organic compounds (OAC Rule 3745-51-24). I realize that you may not need to replace the paint booth filters at this time and it may be several days perhaps weeks until you do; therefore, in the mean time, you must submit to me a statement of how you are planning to evaluate this waste and conduct this sampling event when filters becomes spent.

TAA may run total concentrations for the RCRA metals as a screening tool. If concentrations are detected for the RCRA metals at or above regulatory limits, a Toxicity Characteristic Leaching Procedure (TCLP) may be required to ensure these constituents are not present above Ohio EPA regulatory levels.

- b) TAA has failed to properly evaluate the spent fluorescent bulbs generated at the facility.

During the inspection, you stated that in the past TAA has disposed of the spent fluorescent light bulbs in the trash. You added that you have not generated any spent bulbs in a while. TAA must not dispose of any spent light bulbs as non-hazardous waste in the local landfill until a proper waste evaluation has been completed. The waste evaluation must be conducted through one of **three options**: **1)** TAA may apply generator knowledge of the hazardous characteristic(s) of the waste in light of the materials or the processes used through adequate documentation [manufacturer analytical information – Toxicity Characteristic Leaching Procedure (TCLP) test results], or **2)** TAA may take a representative sample of this waste to properly evaluate this waste stream through a laboratory analysis which lists constituents present and at what concentration. TAA must ensure that the laboratory chosen to perform this sampling utilizes the proper method(s) to evaluate these bulbs.

TAA must sample the fluorescent bulbs to determine the concentration of mercury (D009), cadmium (D006) and lead (D008) as listed in the OAC Rule 3745-51-24 following the method as outlined in U.S. EPA's SW-846. TAA may run a total concentration for these constituents as a screening tool. If the concentration is detected for mercury, lead or cadmium at or above the regulatory limit, a TCLP may be required to ensure this constituent is not present above the Ohio EPA regulatory level; or **3)** a combination of options 1 and 2.

If the bulbs are determined to be hazardous through a proper waste evaluation, TAA will have to manage their bulbs either as 1) a universal waste (OAC Chapter 3745-273) or 2) as a hazardous waste under Ohio's generator standards (OAC Chapter 3745-52). ***Instead of taking samples for analysis as described above, TAA may recycle their bulbs if they are hazardous or non-hazardous by managing them as universal waste. Ohio EPA would encourage this option as a pollution prevention alternative. Please refer to the information I gave you on how to manage light bulbs as universal waste.***

***To abate this violation, TAA must inform me in writing as to how the facility plans to manage the spent fluorescent light bulbs and other spent light bulbs.***

2. **OAC Rule 3745-279-22(C)(1): Labeling**

Containers, aboveground tanks and fill pipes used for underground storage tanks shall be labeled or marked clearly with the words "Used Oil."

Tanks storing used oil to be burned in your used oil furnaces were not properly labeled with the words "used oil".

***These violations were abated during the inspection.***

3. **OAC Rule 3745-52-42(B): Manifest – Ohio EPA Notification**

If a generator of hazardous waste does not receive a return copy of each completed manifest within 60 days of being accepted by the transporter, he/she must submit to Ohio EPA a copy of the manifest with some indication that the generator has not received confirmation of delivery.

TAA did not make any notification to the Ohio EPA that all manifest copies for the last three years were not received from the designated facility with the required signature.

**To abate this violation, TAA must submit notification to the Ohio EPA regarding the signed manifests that were not received by you with handwritten signature of the designated facility within 60 days of being accepted by the transporter. Include a copy of such notification on your response to this letter. If TAA can obtain the copy with the signature, that would also be acceptable to abate the violation.**

4. **OAC Rule 3745-52-34(D)(5)(a): Preparedness and Prevention – Emergency Coordinator**

A generator of hazardous waste must have a person available at all times to coordinate all emergency response measures. This person is the emergency coordinator.

TAA failed to identify a person to act as the emergency coordinator.

**To abate this violation, TAA must submit a paragraph including the names and contact information of individuals identified as emergency coordinators.**

**5. OAC Rule 3745-52-34(D)(5)(b): Preparedness and Prevention – Emergency Contact Information Display**

A generator of hazardous waste must post the following information by the telephone:

- a. The name and telephone number of emergency coordinator.
- b. Location of fire extinguisher and spill control equipment, and fire alarm if present.
- c. The fire department telephone number.

TAA failed to display the required emergency contact information as described above by the facility telephones.

**To abate this violation, TAA must post the information by each facility telephone and send me photographic documentation of one posting with the required information.**

**6. OAC Rule 3745-52-34(D)(5)(c): Preparedness and Prevention – Employee Training**

A small quantity generator of hazardous waste must ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies.

TAA failed to provide any evidence that its employees have been familiarized with the proper handling of hazardous waste and emergency procedures.

**To abate this violation, TAA must submit copies of employee attendance and content of training to get employees familiar with hazardous waste handling and emergency procedures.**

**7. OAC Rule 3745-65-33: Preparedness and Prevention – Emergency Equipment Inspections**

A generator of hazardous waste must have its emergency equipment tested/inspected as necessary to ensure its proper operation in time of an emergency. These inspections must be recorded in a log or summary and be available for review.

TAA failed to have available for review a log or summary showing that inspections/testing of emergency equipment have been conducted.

**To abate this violation, TAA must determine and include a statement of a schedule to conduct inspection of emergency equipment (spill kits, fire extinguishers, etc.) and submit a blank copy of the sample log/summary to be used to record such inspections. If you decide to conduct inspections on a monthly or weekly basis, also include copies of the log/summary showing one inspection.**

**8. OAC Rule 3745-66-74: Use and Management of Containers – Inspections**

A small quantity generator of hazardous waste must conduct weekly inspections (every seven (7) days or less) of the container accumulation area. Inspections must be recorded in a log or summary and be available for review.

TAA failed to conduct weekly inspections of the hazardous waste container accumulation area.

**To abate this violation, TAA must start conducting weekly inspections immediately upon receipt of this letter. TAA must submit copies of the log/summary showing four (4) weeks worth of inspections.**

The Division of Hazardous Waste Management has created an electronic news service to provide you with quick and timely updates on events and news related to hazardous waste activities in Ohio. If you haven't already, we encourage you to sign up for this free service. You can find more information at <http://www.epa.state.oh.us/dhwm/listserv.html>. Please feel free to share this information with your colleagues.


As we discussed during the inspection, you may be able to reduce the waste your company generates. If you find ways to recycle, reduce or altogether eliminate the amount of waste that your company generates you may be able to reduce your treatment and disposal costs. Thus, you may possibly reduce your regulatory requirements. TAA is currently recycling scrap, paper and plastic. Ohio EPA has helpful information about pollution prevention at the following web address: [www.epa.state.oh.us/ocapp/ocapp.html](http://www.epa.state.oh.us/ocapp/ocapp.html).

Enclosed you will find a copy of the checklists that were completed during the inspection. You can find copies of the rules and other information on the division's web page at [www.epa.state.oh.us/dhwm](http://www.epa.state.oh.us/dhwm).

Should you have any questions or if I can be of assistance, please contact me at (419) 373-3015.

Mr. Vince Downing, General Manager  
December 15, 2008  
Page 6

Sincerely,



Edgar V. Pulido  
Division of Hazardous Waste Management

/llr

Enclosures

pc: Cindy Lohrbach, DHWM, NWDO  
Colleen Weaver, DHWM, NWDO

~~DHWM, NWDO File: Tom Ahl Auto~~

ec: Ed Pulido, DHWM, NWDO

**NOTICE:** Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

**Ohio Environmental Protection Agency  
RCRA SUBTITLE C SITE  
IDENTIFICATION/VERIFICATION FORM**

For Ohio EPA use only

E-mail this completed form to [kristina.durnell@epa.state.oh.us](mailto:kristina.durnell@epa.state.oh.us)  
or mail it to Kristina Durnell, Central Office

<b>Site EPA ID No.</b> <b>Site Name</b>	EPA ID Number: <b>OHD 018 110 734</b> Name: <b>Tom Ahl Auto</b>	Website: <b>www.tomahl.com</b> (Optional)
<b>Site Location Information</b>	Street Address: <b>2525 Allentown Road</b> City, Town, or Village: <b>Lima</b> County Name: <b>Allen</b>	State: <b>OH</b> Zip Code: <b>45805</b>
<b>Site Land Type</b> (check only one) <b>NAICS code(s)</b> <a href="http://www.census.gov/epcd/www/naics.html">www.census.gov/epcd/www/naics.html</a>	Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input checked="" type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>	
	<b>441110</b>	
<b>Facility Representative</b> Additional names can be recorded in number 12. Only provide address information if it is different than the site address	First Name: <b>Vince</b> MI: Last Name: <b>Downing</b> Phone Number: <b>(419)2282345</b> Phone Number Extension: E-Mail Address: <b>vincedowning@tomahl.com</b> Fax Number: <b>(419)228-7464</b> Fax Number Extension: Street or P.O. Box: City, Town or Village: State: Zip Code:	
<b>Legal Owner And Operator of the Site.</b> List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner: Owner Private County District Federal Indian Municipal State Other Type: <input type="checkbox"/> <input type="checkbox"/> Street or P.O. Box: City, Town or Village: State: Name of Site's Operator: Owner Private County District Federal Indian Municipal State Other Type: <input type="checkbox"/> <input type="checkbox"/> Street or P.O. Box: City, Town or Village: State:	Date Became Owner (mm/dd/yyyy): Owner Phone #: Country: Zip Code: Date Became Operator (mm/dd/yyyy): Operator Phone #: United States Zip Code:

**VIOLATIONS CITED?**  Yes  No

<b>TYPE OF HANDLER- A MINIMUM OF ONE BOX MUST BE CHECKED</b>		
<input type="checkbox"/> Not a Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input type="checkbox"/> Large Quantity Generator (LQG) <input checked="" type="checkbox"/> Small Quantity Generator (SQG) <input type="checkbox"/> Conditionally Exempt Small Quantity Generator <input type="checkbox"/> U.S. Importer of Hazardous Waste <input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

**TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)**

- |   |  |
|---|--|
| <input type="checkbox"/> Recycler of Hazardous Waste                    | <input type="checkbox"/> Exempt Boiler and/or Industrial Furnace       |
| <input type="checkbox"/> Underground Injection Control Facility         | <input type="checkbox"/> Small Quantity On-Site Burner Exemption       |
| <input type="checkbox"/> Hazardous Waste Transporter                    | <input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption |
| <input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste |  |

**UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED)**

(CHECK ALL BOXES THAT APPLY)

- |   |   |
|---|---|
| <input type="checkbox"/> Small Quantity Handler of Universal Waste                                    | <input type="checkbox"/> Destination Facility for Universal Waste |
| <input type="checkbox"/> Large Quantity Handler of Universal Waste<br>(accumulates 5,000 kg. or more) |   |

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES

- Batteries  
 Pesticides  
 Mercury containing equipment  
 Lamps

**USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))**

- Used Oil Generator  
 Used Oil Transporter  
 Used Oil Transfer Facility  
 Used Oil Processor  
 Used Oil Re-refiner  
 Off-Specification Used Oil Burner  
 Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil  
 Used Oil Fuel Marketer to Off-Specification Used Oil Burner

**Waste Codes for Federally Regulated Hazardous Wastes.** Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more space is needed. If there are more than 7 waste codes and they are the same as listed in the most recent RCRAInfo source record, you do not need to list them all. Instead just indicate the date of the most recent source record.

**D001 D035 F003 F005**

**COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.**

- |            |   |  |                                      |
|------------|---|--|--------------------------------------|
| Announced  | <input type="checkbox"/> Yes            | <input checked="" type="checkbox"/> No | Additional Facility Representatives: |
| Tanks      | <input type="checkbox"/> Yes            | <input checked="" type="checkbox"/> No | Other Comments:                      |
| Containers | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No            |                                      |

Name of Inspector(s)

Name of Inspector(s)

Date of Inspection/Time  
(mm/dd/yyyy) (hh:mm)

**Ed Pulido**

**10/31/2008 0100 pm**

OPTIONAL CERTIFICATION. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Owner, Operator, or an Authorized Representative

Name and Title (Print)

Date (mm/dd/yyyy)

**SMALL QUANTITY GENERATOR REQUIREMENTS  
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: # 100 Kg. (approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.  
 SQG: Between 100 and 1,000 Kg. (about 25 to under 300 gallons) of waste in a calendar month  
 LQG:  $\geq$ 1,000 Kg. (-300 gallons) of waste in a calendar month or  $\geq$ 1 Kg. of acutely hazardous waste in a calendar month  
 NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds  
 Safety Equipment Used:

**GENERAL REQUIREMENTS**

- |    |   |     |                                     |    |                                     |     |                          |
|----|---|-----|-------------------------------------|----|-------------------------------------|-----|--------------------------|
| 1. | Have all wastes generated at the facility been adequately evaluated? [3745-52-11]   | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 2. | Has the generator obtained a U.S. EPA I.D. number? [3745-52-12]   | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |
| 3. | Has the generator transported or caused to be transported hazardous waste to <b>other</b> than a facility authorized to manage the hazardous waste? [ORC 3734.02 (F)]                               | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 4. | Has the generator disposed of hazardous waste <b>on-site without a permit</b> or at another facility <b>other</b> than a facility authorized to dispose of hazardous waste? [ORC 3734.02 (E) & (F)] | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 5. | Does the generator accumulate hazardous waste?  | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |

NOTE: If the SQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements might still apply, e.g. manifest, marking, LDR, etc.

- |    |   |     |                          |    |                                     |     |                          |
|----|---|-----|--------------------------|----|-------------------------------------|-----|--------------------------|
| 6. | Has the generator accumulated hazardous wastes <u>in excess of (180/270) days</u> without a permit or an extension from the Director? [3745-52-34; ORC §3734-02(E)&(F)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
|----|---|-----|--------------------------|----|-------------------------------------|-----|--------------------------|

NOTE: SQG's shipping waste to a facility greater than 200 miles away can accumulate on-site for 270 days. [3745-52-34 (E)]

- |    |   |     |                          |    |                                     |     |                          |
|----|---|-----|--------------------------|----|-------------------------------------|-----|--------------------------|
| 7. | Is the generator accumulating more than 6,000 kg on site? [3745-52-34(D)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
|----|---|-----|--------------------------|----|-------------------------------------|-----|--------------------------|

NOTE: 6,000 kg = approximately 27, 55-gallon drums. If the facility is accumulating waste for greater than 180/270 days without an extension/permit or is accumulating greater than 6,000 kg on-site, it is classified as a storage facility and TSD standards apply. Complete applicable TSD checklists.

- |    |   |     |                          |    |                          |     |                                     |
|----|---|-----|--------------------------|----|--------------------------|-----|-------------------------------------|
| 8. | Does the generator treat hazardous waste in a:                      |     |                          |    |                          |     |                                     |
|    | a. Container that meets 3745-66-70 to 3745-66-77?                   | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
|    | b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
|    | c. Drip pads that meet 3745-69-40 to 3745-69-45?                    | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
|    | d. Containment building that meets 3745-256-100 to 3745-256-102?    | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

**MANIFEST REQUIREMENTS**

- |     |  |     |                                     |    |                                     |     |                          |
|-----|--|-----|-------------------------------------|----|-------------------------------------|-----|--------------------------|
| 9.  | Are all hazardous wastes either reclaimed under a contractual agreement as defined in OAC rule 3745-52-20(E), or shipped off-site accompanied by a manifest (U.S. EPA Form 8700-22)? [3745-52-20(A)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |
| 10. | Are wastes reclaimed under a contractual agreement? If so: [3745-52-20(E)]   | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |

- a. Does the contractual agreement specify the type of waste and frequency of shipment? Yes  No  N/A
- b. Is the transport vehicle owned and operated by the reclaimer? Yes  No  N/A
- c. Is a copy of the reclamation agreement kept on-site for at least three years after termination/expiration of the agreement? Yes  No  N/A

*NOTE: If wastes are reclaimed under a contractual agreement and an answer to questions 10(a) through 10(c) is no, the generator is in violation of 3745-52-20 (A) (B) & (D), 3745-52-22 and 3745-52-23. Even if the waste is being reclaimed under agreement, LDRs still apply. Complete LDR checklist.*

11. Have items 1 through 20 of each manifest been completed?[3745-52-20(A)] Yes  No  N/A

*NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations, items (21) through (35) must also be complete. [3745-52-20 (A)]*

12. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] Yes  No  N/A

*NOTE: The generator may designate on the manifest one alternative facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]*

13. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternative TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] Yes  No  N/A

14. Have the manifests been signed by the generator and initial transporter? [3745-52-23 (A) (1) and (2)] Yes  No  N/A

*NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have made a good faith effort to minimize their waste generation.*

15. If the generator did not receive a return copy of each completed manifest within 60 days of being accepted by the transporter did the generator submit to Ohio EPA, a copy of the manifest with some indication that the generator has not received confirmation of delivery? 3745-52-42(B)] Yes  No  N/A

16. Are signed copies of all manifests being retained for at least three years? [3745-52-40] Yes  No  N/A

*NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.*

### PREPAREDNESS AND PREVENTION

17. Is an emergency coordinator available at all times (on-site or on-call)? [3745-52-34(D)(5)(a)] Yes  No  N/A

18. Has the following been posted by the telephone: [3745-52-34(D)(5)(b)]

a. Name and telephone number of emergency coordinator? Yes  No  N/A

b. Location of fire and spill control equipment, and, if present, fire alarm(s) Yes  No  N/A

c. Telephone number of local fire department? Yes  No  N/A

19. Are employees familiar with waste handling and emergency procedures [3745-52-34(D)(5)(c)] Yes  No  N/A

20. Has the facility properly responded to all fires and spills? [3745-52-34(D)(5)(d)] Yes  No  N/A

21. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned sudden or nonsudden release of hazardous waste? [3745-65-31] Yes  No  N/A
22. Does the generator have the following equipment at the facility if it is required due to actual hazards associated with the waste:
- a. Internal Alarm system? [3745-65-32(A)] Yes  No  N/A
- b. Emergency communication device? [3745-65-32(B)] Yes  No  N/A
- c. Portable fire control, spill control and decon equipment? [3745-65-32(C)]? Yes  No  N/A
- d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] Yes  No  N/A
23. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33] Yes  No  N/A
- a. Are inspections recorded in a log or summary? [3745-65-33]? Yes  No  N/A
24. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under OAC 3745-65-32)? [3745-65-34(A)] Yes  No  N/A
25. If there is only one employee on the premises is there immediate access to a device (ex. phone, hand-held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32?) [3745-65-34(B)] Yes  No  N/A
26. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes  No  N/A
27. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layout? [3745-65-37(A)] Yes  No  N/A
28. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes  No  N/A

#### SATELLITE ACCUMULATION AREA REQUIREMENTS

29. Does the generator ensure that satellite accumulation area(s):
- a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes  No  N/A
- b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes  No  N/A
- c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes  No  N/A
- d. Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)] Yes  No  N/A
- e. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]. Yes  No  N/A
- f. Containers are marked with the words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes  No  N/A
30. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so: Yes  No  N/A
- a. Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes  No  N/A

- b. Did the generator mark the container(s) holding the excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] Yes  No  N/A

*NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.*

**USE AND MANAGEMENT OF CONTAINERS**

31. Has the generator marked containers with the words "Hazardous Waste"[3745-52-34(D)(4)] Yes  No  N/A
32. Is the accumulation date on each container? [3745-52-34(D)(4)] Yes  No  N/A
33. Are hazardous wastes stored in containers which are:
- a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes  No  N/A
- b. In good condition? [3745-66-71] Yes  No  N/A
- c. Compatible with wastes stored in them? [3745-66-72] Yes  No  N/A
- d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes  No  N/A

*NOTE: Record location on process summary sheets and photograph the area.*

34. Is the container accumulation area(s) inspected at least weekly? [3745-66-74] Per ORC§1.44(A) "Week" means seven(7) consecutive days. Yes  No  N/A
- a. Are inspections recorded in a log or summary? [3745-66-74] Yes  No  N/A
35. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes  No  N/A
36. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B) 3745-66-77(A)] Yes  No  N/A
37. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B) ? [3745-66-77(B)] Yes  No  N/A

*NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.*

**PRE-TRANSPORT REQUIREMENTS**

38. Does each generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes  No  N/A
39. Does each container #100 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes  No  N/A
40. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes  No  N/A

## PROCESS DESCRIPTION/WASTE ACTIVITIES SUMMARY

**Facility Name:** Tom Ahl Auto LQG/SQG/CESQG/TSD      **EPA ID#:** OHD 018 110 734

Description of Waste				On-Site Management			Off-Site Management		
Process/Activity Generating Waste (e.g. plating bath, machining, baghouse, painting, etc)	Waste Generated (e.g. sludge, spent solvent, ash, etc)	EPA Waste Code	QTY Generated per Month	Type of Accumulation/ Storage (e.g. container, tank, etc)	Type of On-Site Treatment (recycle, wwt, etc)	Waste Location (Include map if possible)	Name, state, and type of activity occurring at the facility.	P2 Activities	
1	Automobile Maintenance	Used Oil	N/A	1-2	55-gallon drums	N/A	Near used oil furnaces	NA	Energy Recovery
2	Automobile Maintenance	Antifreeze	N/A	<1	Drum	N/A	Waste Storage Area	DISC Environmental Toledo, Ohio	Reclaimed
3	Maintenance	Waste light bulbs	N/A	<1	N/A	N/A	None being accumulated	Have been disposed as a solid waste in the past	--
4	Auto Painting	Waste Paint Solvent	D001 D035 F003 F005	1/2 drum	55-gallon drum	N/A	Near paint booth	Petro-Chem/PSC Detroit, MI	--
5	Auto Painting	Spend booth filters	N/A	Unk.	N/A	N/A	N/A	Currently being disposed of as a solid waste	--



**GENERATOR LDR CHECKLIST  
DOES NOT APPLY TO CESQGS**

**GENERAL REQUIREMENTS**

- |    |  |  |
|----|--|--|
| 1. | If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07 (A)(7)]                  | Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |
| 2. | Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

*NOTE: This is done by determining if the HW /soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07 (A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).*

- |    |  |  |
|----|--|--|
| 3. | Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]           | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 4. | Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 5. | Does the generator generate a listed HW that exhibits a characteristic? If yes,  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| a. | Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

*FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.*

- |    |   |  |
|----|---|--|
| 6. | Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
|----|---|--|

*NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.*

*NOTE: Written documentation of this determination is not required.*

- |    |   |  |
|----|---|--|
| 7. | Did the generator treat his HW /soil on-site <u>to meet</u> the LDR treatment standard? | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> |
|----|---|--|

*NOTE If "Yes" see question #16.*

- |     |  |  |
|-----|--|--|
| 8.  | Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility?[3745-270-07(A)(2)]          | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 9.  | Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 10. | Does the generator have a copy of the LDR notification form on file?[3745-270-07(A)(2)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| a.  | Is the form kept on file for three years after last HW shipped? [3745-270-07(A)(8)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

**NOTIFICATION FORM**

- |     |   |  |
|-----|---|--|
| 11. | Does the LDR Notification form contain the following information:   |  |
| a.  | Manifest number of the first waste shipment to the TSD?[3745-270-07(A)(2)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| b.  | Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]                           | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| c.  | A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| d.  | A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)].  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

NOTE: A wastewater contains <1% by wt. total suspended solids(TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.

e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories

f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.

g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.

**PROHIBITED DILUTION**

12.	Is the HW treated by burning? If "No," go to #15.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
-----	--	--

13.	Is the HW a metal-bearing HW?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
-----	-------------------------------	--

NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs are given in the Appendix to 3745-270-03.

14.	a.	Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless <u>one</u> of the following conditions apply. [3745-270-03(c)]	
-----	----	---	--

	i.	Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	--------------------	--

	ii.	Contains organic constituents or cyanide at levels greater than the UST levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	-----	---	--

	iii.	Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	------	--	--

	iv.	Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	-----	--	--

	v.	Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	--	--

	b.	If all responses to 14 a.i. through 14 a.v. are "No", HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
--	----	---	--

15.	Was the HW treated by wastewater treatment?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
-----	---	--

	a.	Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	---	--

NOTE: If Yes, HW is improperly being treated by dilution.

	b.	Does the waste carry the D001 code <u>and</u> contain $\geq 10\%$ TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	--	--

	c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	---	--

NOTE: If the answers to b & c are "yes" and "no", respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B) and 3745-270-40(A)(3)].

NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.

GENERATOR TREATMENT			
16.		Does the generator treat to meet LDRs on-site [3745-270-40(A)]?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
		Did the generator treat his hazardous waste/soil on-site in a tank, container, drip pad or containment building to meet the LDR treatment standard?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		If "Yes"...complete the rest of the checklist. If "No"...stop...you are done.	
	a.	Does the generator have a written waste analysis plan (WAP) that describes the procedures he will follow to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	Did the generator use a detailed chemical and physical analysis of the HW/soil in order to develop the WAP? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: This is a laboratory analysis but it does not have to be kept by the generator.</i>			
	c.	Does the WAP contain all information necessary to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d.	Does the WAP include the testing frequency of the treated HW/soil to demonstrate that the LDR treatment standard is being met? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	e.	Does the generator keep the WAP on-site? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	f.	Is the WAP available for the inspector's review during the inspection? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTIFICATION FORM			
17.	a.	Contains all information in #11 a-g above and	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	If the treated HW/soil is listed.....notification contains the following certification statement:  " I certify under penalty of law that I personally have examined and am familiar with the waste, through analysis and testing or trough knowledge of the waste, to support this certification that the waste complies with the treatment stands specified in rule 3745-270-40 to 3745-270-49 of the Administrative Code. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	If the treated HW/soil no longer exhibits a characteristic and is no longer a HW, did the generator:	
		i. Send a one-time notification to the director?[3745-270- 09 (D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		ii. Maintain a copy of the notice onsite?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		iii. Include in the notification: [3745-270-09(D)(1)(a)]	
		1. Name & address of receiving landfill?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		2. Description of HW when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		3. HW code when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		4. Treatability group when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		5. Underlying hazardous constituents present when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv.	Contain the right certification statement as required by 3745-70-07(b)(4)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

**USED OIL INSPECTION CHECKLIST  
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

*NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.*

**PROHIBITIONS**

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: For example, used oil contaminated scrap metal stored in a pile.*

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).*

**GENERATOR STANDARDS**

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.*

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

*NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.*

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil"? [3745-279-22(C)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Stopped the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Contained the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

**ON-SITE BURNING IN SPACE HEATER**

10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).*

**GENERATOR TRANSPORTATION**

11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).*

**COLLECTION CENTERS AND AGGREGATION POINTS**

13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.*