



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Zeigler Government Center  
50 W. Town St., Suite 700  
Columbus, Ohio 43215

Central District Office

TELE: (614) 728-3778 FAX: (614) 728-3898  
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049  
Columbus, OH 43216-1049

July 28, 2010

Jason Bigg  
B&D Concrete  
12897 National Road  
Pataskala, OH 43062

Re: **B&D Concrete, Licking County  
Industrial Storm Water Complaint**

46R00555

Dear Mr. Bigg:

This letter is written in regard to the storm water inspection that I conducted at B&D Concrete located at 12897 National Road, in Pataskala, Ohio. The inspection was conducted on July 20, 2010, as a result of a complaint. Your company makes concrete footers. A ditch run through your property to a wetland located in the southeastern part of your property. This letter also serves as a need to apply for an industrial storm water permit or stabilize the site and remove the old parts contaminated soil. You must immediately address the following issues.

1. Your company had several opened containers of used oil stored along the side of your building. The drums stored outside should be in secondary containment and have a lid and bung.
2. Old vehicle parts (brake shoes and drums) were stored outside. Please store these used parts on a pallet and under a tarp.
3. Better housekeeping needs to be performed at your facility. There was a lot of used automotive fluids on the pavement and ground near your building. Better care should be taken to prevent fluids from spilling on to the pavement or ground. Absorbent material needs to be used more often.
4. All drums or totes stored outside containing oil must be in secondary containment and closed with a lid and/or bung. Empty drums stored outside must be closed with a lid and/or bung. The soil that is stained with oil or other contaminants must be removed from the site and disposed of properly at the appropriate landfill.

Ted Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korleski, Director

Jason Bigg  
B&D Concrete  
Page -2-

5. All concrete wash water must be disposed into a concrete wash pit that is made from straw or geotextile. No wash water must discharge sediment off-site.
6. You may find additional information regarding the industrial storm water permit application at the following weblink:  
<http://www.epa.state.oh.us/dsw/storm/stormform.aspx>. You must apply for the industrial storm water permit within 30 days from the date of this letter.

If you have any questions regarding this letter or my inspection, please do not hesitate to contact me at our Central District Office at 614-728-3851.

Sincerely,




Gregory L. Sanders  
Environmental Specialist  
Division of Surface Water  
Central District Office

Enclosure

c: Jeff Bohne, DSW/CDO


GS/nsm B&D Concrete, July 20, 2010




B&D Concrete  
Better housekeeping  
Cover on stored oil  
Walnut Creek Watershed  
July 28, 2010  
Photo by Greg Sarver



B&D Concrete  
Walnut Creek Watershed  
July 28, 2010  
Photo by Greg Sarver









**ESD Concrete**  
Discontinue use of oil tank  
Remove contaminated soil  
Walnut Creek Watershed  
July 26, 2010  
Photo by: Greg Sanders



**ESD Concrete**  
Discontinue use of oil tank  
Remove contaminated soil  
Walnut Creek Watershed  
July 26, 2010  
Photo by: Greg Sanders







B&D Concrete  
Better housekeeping  
Use alternative  
Walnut Creek Watershed  
July 20, 2010  
Photo by: Greg Sanders



B&D Concrete  
Store parts under roof  
Walnut Creek Watershed  
July 20, 2010  
Photo by: Greg Sanders



