



**Environmental  
Protection Agency**

John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Scott J. Nally, Director

April 28, 2011

**GUERNSEY COUNTY  
GENERAL FILE  
(DETROIT DIESEL SPECIALTY  
TOOL CO.)  
DHW/SEDO  
OHR000149013**

Mr. Michael Heiney  
Detroit Diesel Specialty Tool Co.  
60703 Country Club Road  
Byesville, Ohio 43723

Dear Mr. Heiney:

On March 31, 2011, I performed a compliance inspection of Detroit Diesel's Plant 2 to determine its compliance with Ohio's hazardous waste laws and regulations as found in Chapter 3734 of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC).

Based on our observations and the documentation reviewed from the inspection, your facility was in violation of the following regulations, please provide the documentation requested below within thirty days of the date of this letter:

- (1) **OAC rule 3745-52-34(D)(5)(b) Accumulation time of hazardous waste:** the generator must post the following information next to the telephone: the name and number of the emergency coordinator; ...

At the time of the inspection, Detroit Diesel did not have the name and phone number of the emergency coordinator posted next to the telephone. To document compliance, please provide photographs showing this information posted near the telephones nearest the painting and the drum storage areas.

- (2) **OAC rule 3745-273-13(D)(1) Waste Management – standards for small quantity handlers of universal waste:** A small quantity handler of universal waste must contain any lamps in containers or packages that are structurally sound, adequate to prevent breakage,... Such containers and packages must remain closed and must lack evidence of leakage, spillage or damage...

During the inspection, we observed spent bulbs that were not placed into proper containers to protect them from breakage. You provided photographs showing that the spent bulbs are now stored in containers, therefore this violation has been abated, no additional actions are required.

**Other compliance issues:**

- (a) As we discussed during the inspection, please provide adequate waste evaluation such as toxic characteristic leaching procedure (TCLP) analytical results for the spent shot blasting waste and a description of exactly how this waste is eventually recycled or reclaimed.
- (b) Please see the attached fact sheet regarding the management of spent fluorescent bulbs. You may consider additional training for employees who handle universal wastes at the plant.

I have attached the checklists I used to evaluate your facility for your use. Additional information on the hazardous waste rules is available on Ohio EPA's website at [www.epa.ohio.gov](http://www.epa.ohio.gov). If you have any questions regarding waste management or pollution prevention activities, please call me at (740) 380-5278.

Sincerely,



Richard Stewart  
District Representative  
Division of Materials and Waste Management

RS/mlm

**NOTICE:**

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Send to Central Office <input checked="" type="checkbox"/>	<b>Ohio Environmental Protection Agency RCRA SUBTITLE C SITE IDENTIFICATION/VERIFICATION FORM</b>	For Ohio EPA use only
---	---	-----------------------

Completed verification forms required to be submitted to CO should be e-mailed to [paula.canter@epa.state.oh.us](mailto:paula.canter@epa.state.oh.us).

<b>Site EPA ID No.</b>	EPA ID Number: <b>OHR000149013</b>																	
<b>Site Name</b>	Name: <b>Detroit Diesel Specialty Tool Co.</b>	Website: (Optional)																
<b>Site Location Information</b>	Street Address: <b>8475 Commerce Drive</b>																	
	City, Town, or Village: <b>Cambridge</b>	State: <b>OH</b>																
	County Name: <b>Guernsey</b>	Zip Code: <b>43725</b>																
<b>Site Land Type</b> (check only one)	<table border="1" style="width: 100%;"> <tr> <td>Private</td> <td>County</td> <td>District</td> <td>Federal</td> <td>Indian</td> <td>Municipal</td> <td>State</td> <td>Other</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table>	Private	County	District	Federal	Indian	Municipal	State	Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>							
Private	County	District	Federal	Indian	Municipal	State	Other											
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>											
<b>NAICS code(s)</b> <a href="http://www.census.gov/epcd/www/naics.html">www.census.gov/epcd/www/naics.html</a>																		

<b>Facility Representative</b>	First Name: <b>Michael</b>	MI: <b>R.</b>	Last Name: <b>Heiney</b>
Additional names can be recorded in number 12	Title: <b>Associate</b>		
	Phone Number: <b>740-439-7701</b>	Phone Number Extension:	
Only provide address information if it is different than the site address	E-Mail Address:		
	Fax Number:	Fax Number Extension:	
	Street or P.O. Box: <b>60703 Country Club Road</b>		
	City, Town or Village: <b>Byesville</b>	State: <b>OH</b>	
			Zip Code: <b>43723</b>

<b>Legal Owner And Operator of the Site.</b> List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner:		Date Became Owner (mm/dd/yyyy):	
	Owner Type:	Private	County	District
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Street or P.O. Box:	Federal	Indian	Municipal
	City, Town or Village:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	State:	State	Other	
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Name of Site's Operator:	Street or P.O. Box:	City, Town or Village:	Owner Phone #:
	Operator Type:	State:	Country:	Zip Code:
	Private			
	<input type="checkbox"/>			
	County			
	<input type="checkbox"/>			
	District			
	<input type="checkbox"/>			
	Federal			
	<input type="checkbox"/>			
	Indian			
	<input type="checkbox"/>			
	Municipal			
	<input type="checkbox"/>			
	State			
	<input type="checkbox"/>			
	Other			
	<input type="checkbox"/>			
	Street or P.O. Box:	City, Town or Village:	Operator Phone #:	Zip Code:
	State:	Country:		

**VIOLATIONS CITED?**  Yes  No

**TYPE OF HANDLER - MARK "X" AS APPROPRIATE**

<input type="checkbox"/> Not a HW Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input type="checkbox"/> Large Quantity Generator (LQG)
	<input type="checkbox"/> Short-Term/Temporary Generator (generates from a short-term or one-time event and not from on-going processes). Check the box for the applicable generator status and provide a comment.	<input checked="" type="checkbox"/> Small Quantity Generator (SQG)
		<input type="checkbox"/> Conditionally Exempt Small Quantity Generator
		<input type="checkbox"/> U.S. Importer of Hazardous Waste
		<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)	
<input type="checkbox"/> Hazardous Waste Transporter	<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace
<input type="checkbox"/> Hazardous Waste Transfer Facility	<input type="checkbox"/> Small Quantity On-Site Burner Exemption
<input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste	<input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption
<input type="checkbox"/> Recycler of Hazardous Waste	<input type="checkbox"/> Underground Injection Control Facility
<input type="checkbox"/> 72-Hour Recycler	<input type="checkbox"/> Receives Hazardous Waste from Off-site

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED (CHECK ALL BOXES THAT APPLY))	
<input type="checkbox"/> Small Quantity Handler of Universal Waste	<input type="checkbox"/> Destination Facility for Universal Waste
<input type="checkbox"/> Large Quantity Handler of Universal Waste (accumulates 5,000 kg. or more)	

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES
<input type="checkbox"/> Batteries
<input type="checkbox"/> Pesticides
<input type="checkbox"/> Mercury containing equipment
<input type="checkbox"/> Lamps

USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))
<input checked="" type="checkbox"/> Used Oil Generator
<input type="checkbox"/> Used Oil Transporter
<input type="checkbox"/> Used Oil Transfer Facility
<input type="checkbox"/> Used Oil Processor
<input type="checkbox"/> Used Oil Re-refiner
<input type="checkbox"/> Off-Specification Used Oil Burner
<input type="checkbox"/> Used Oil Fuel Marketer who directs shipment of Off-Spec Used Oil
<input type="checkbox"/> Used Oil Fuel Marketer who first claims the Used Oil meets the specifications

**Eligible Academic Entities with Laboratories:** Facility has previously notified that they are opting into managing laboratory hazardous waste pursuant to OAC rules 3745-52-200 through 3745-52-216. Check the box(es) below to indicate the laboratory type.

<input type="checkbox"/> College or University
<input type="checkbox"/> Teaching hospital that is owned by or has a formal written affiliation agreement with a college or university
<input type="checkbox"/> Non-profit Institute that is owned by or has a formal written affiliation agreement with a college or university

**Waste Codes for Federally Regulated Hazardous Wastes.** Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAInfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

F003                  F005                  D001                  D035

**COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.**

Announced	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Additional Facility Representatives:
Tanks	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
Containers	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	

Name of Inspector(s)	Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
Rich Stewart	Donna Goodman	03/31/11 13:00

**Comments:**

**SMALL QUANTITY GENERATOR REQUIREMENTS  
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: ≤100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.  
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.  
 LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.  
 NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

**GENERAL REQUIREMENTS**

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
2.	Has the generator obtained a U.S. EPA I.D. number? [3745-52-12]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
3.	Has the generator transported or caused to be transported hazardous waste to <b>other</b> than a facility authorized to manage the hazardous waste? [ORC 3734.02 (F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
4.	Has the generator disposed of hazardous waste <b>on-site without a permit</b> or at another facility <b>other</b> than a facility authorized to dispose of hazardous waste? [ORC 3734.02 (E) & (F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
5.	Does the generator accumulate hazardous waste?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the SQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements might still apply, e.g. manifest, marking, LDR, etc.

6.	Has the generator accumulated hazardous wastes <u>in excess of</u> (180/270) days without a permit or an extension from the Director? [3745-52-34; ORC §3734-02(E)&(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

NOTE: SQG's shipping waste to a facility greater than 200 miles away can accumulate on-site for 270 days. [3745-52-34 (E)]

7.	Is the generator accumulating more than 6,000 kg on site? [3745-52-34(D)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

NOTE: 6,000 kg = approximately 27, 55-gallon drums. If the facility is accumulating waste for greater than 180/270 days without an extension/permit or is accumulating greater than 6,000 kg on-site, it is classified as a storage facility and TSD standards apply. Complete applicable TSD checklists.

8.	Does the generator treat hazardous waste in a:	
a.	Container that meets 3745-66-70 to 3745-66-77?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Tank that meets 3745-66-101?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

**MANIFEST REQUIREMENTS**

9.	Are all hazardous wastes either reclaimed under a contractual agreement as defined in OAC rule 3745-52-20(E), or shipped off-site accompanied by a manifest (U.S. EPA Form 8700-22)? [3745-52-20(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	Are wastes reclaimed under a contractual agreement? If so: [3745-52-0(E)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Does the contractual agreement specify the type of waste and frequency of shipment?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is the transport vehicle owned and operated by the reclaimer?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

c.	Is a copy of the reclamation agreement kept on-site for at least three years after termination/expiration of the agreement?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: If wastes are reclaimed under a contractual agreement and an answer to questions 10(a) through 10(c) is no, the generator is in violation of 3745-52-20 (A) (B) & (D), 3745-52-22 and 3745-52-23. Even if the waste is being reclaimed under agreement, LDRs still apply. Complete LDR checklist.		
11.	Have items 1 through 20 of each manifest been completed? [3745-52-20(A)(1)] & [3745-52-27(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations, items (21) through (35) must also be complete. [3745-52-20(A)(1)]		
12.	Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: The generator may designate on the manifest one alternative facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]		
13.	If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternative TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Have the manifests been signed by the generator and initial transporter? [3745-52-23 (A) (1) and (2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have made a good faith effort to minimize their waste generation.		
15.	If the generator did not receive a return copy of each completed manifest within 60 days of being accepted by the transporter did the generator submit to Ohio EPA, a copy of the manifest with some indication that the generator has not received confirmation of delivery? [3745-52-42(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	Are signed copies of all manifests being retained for at least three years? [3745-52-40]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.		
<b>PREPAREDNESS AND PREVENTION</b>		
17.	Is an emergency coordinator available at all times (on-site or on-call)? [3745-52-34(D)(5)(a)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
18.	Has the following been posted by the telephone: [3745-52-34(D)(5)(b)]	
a.	Name and telephone number of emergency coordinator?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
b.	Location of fire and spill control equipment, and, if present, fire alarm(s)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
c.	Telephone number of local fire department?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
19.	Are employees familiar with waste handling and emergency procedures? [3745-52-34(D)(5)(c)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
20.	Has the facility properly responded to all fires and spills? [3745-52-34(D)(5)(d)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
21.	Is the facility operated to minimize the possibility of fire, explosion, or any unplanned sudden or nonsudden release of hazardous waste? [3745-65-31]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
22.	Does the generator have the following equipment at the facility if it is required due to actual hazards associated with the waste:	
a.	Internal Alarm system? [3745-65-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Emergency communication device? [3745-65-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	c.	Portable fire control, spill control and decon equipment? [3745-65-32(C)]?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
23.		Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a.	Are inspections recorded in a log or summary? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
24.		Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste ( <i>unless the device is not required under OAC 3745-65-32</i> )? [3745-65-34(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
25.		If there is only one employee on the premises is there immediate access to a device (ex. phone, hand-held two-way radio) capable of summoning external emergency assistance ( <i>unless not required under OAC 3745-65-32</i> )? [3745-65-34(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
26.		Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
27.		Has the generator attempted to familiarize emergency authorities with possible hazards and facility layout? [3745-65-37(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
28.		Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>SATELLITE ACCUMULATION AREA REQUIREMENTS</b>			
29.		Does the generator ensure that satellite accumulation area(s):	
	a.	Are at or near a point of generation? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	e.	Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	f.	Containers are marked with the words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
30.		Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a.	Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	Did the generator mark the container(s) holding the excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.			
<b>USE AND MANAGEMENT OF CONTAINERS</b>			
31.		Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(D)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
32.		Is the accumulation date on each container? [3745-52-34(D)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

33.	Are hazardous wastes stored in containers which are:		
	a.	Closed (except when adding/removing wastes)? [3745-66-73(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	In good condition? [3745-66-71]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Compatible with wastes stored in them? [3745-66-72]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Handled in a manner which prevents rupture/leakage? [3745-66-73(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

**NOTE:** Record location on process summary sheets and photograph the area.

34.	Is the container accumulation area(s) inspected at least weekly? [3745-66-74] Per ORC§1.44(A) "Week" means seven(7) consecutive days.		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a.	Are inspections recorded in a log or summary? [3745-66-74]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
35.	Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
36.	If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
37.	If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

**NOTE:** OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

**PRE-TRANSPORT REQUIREMENTS**

38.	Does each generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)]		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
39.	Does each container ≤119 gallons have a completed hazardous waste label? [3745-52-32(B)]		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
40.	Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33]		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

**NOTE:** Continue with the generator LDR requirements on the next page.

### GENERATOR LDR REQUIREMENTS

*NOTE: This LDR checklist does not include the requirements for generators that treat to meet LDR standards. If the generator treats, the inspector should use the stand-alone Generator LDR checklist instead of this checklist.*

#### GENERAL REQUIREMENTS

1.	If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07(A)(7)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
2.	Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] If not,	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator send the waste to a permitted HW TREATMENT facility? [3745-270-07(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*NOTE: This is done by determining if the HW /soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07(A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).*

3.	Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Does the generator generate a listed HW that exhibits a characteristic? If yes,	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.*

6.	Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

*NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.*

*NOTE: Written documentation of this determination is not required.*

7.	Did the generator treat his HW /soil on-site to meet the LDR treatment standard?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

*NOTE: If "Yes" see question #16.*

8.	Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	If the generator chose not to make the determination of whether his waste must be treated, did he send a notice to the TSD facility with each shipment? [3745-270-07(A)(2)] If so, did the notice include:	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
i	Applicable HW codes?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
ii	Manifest number of the first shipment to the TSD?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
iii	A statement that conveys that the HW may or may not be subject to the LDR treatment standards and the TSD must make that determination.?"	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
9.	Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	Does the generator have a copy of the LDR notification form/notice on file?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	[3745-270-07(A)(2)]		
a.	Is the form/notice kept on file for three years after last HW shipped? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
<b>NOTIFICATION FORM</b>			
11.	Does the LDR Notification form contain the following information:		
a.	Manifest number of the first waste shipment to the TSD? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
b.	Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
c.	A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
d.	A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
<i>NOTE: A wastewater contains &lt;1% by wt. total suspended solids (TSS) and &lt;1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.</i>			
e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
<i>NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories</i>			
f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	
<i>NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.</i>			
g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
<i>NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.</i>			
<b>PROHIBITED DILUTION</b>			
12.	Is the HW treated by burning? If "No" go to #15.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>	
13.	Is the HW a metal-bearing HW?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>	
<i>NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs is given in the Appendix to 3745-270-03.</i>			
14.	a.	Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless <u>one</u> of the following conditions apply. [3745-270-03(c)]	
	i.	Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii.	Contains organic constituents or cyanide at levels greater than the UTS levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii.	Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv.	Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	v.	Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	If all responses to 14 a.i. through 14 a.v. are "No", HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

15.	Was the HW treated by wastewater treatment?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: If "Yes", HW is improperly being treated by dilution.</i>		
b.	Does the waste carry the D001 code <u>and</u> contain $\geq 10\%$ TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: If the answers to b &amp; c are "yes" and "no", respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B)] and 3745-270-40(A)(3)].</i>		
<i>NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.</i>		

**USED OIL INSPECTION CHECKLIST  
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

*NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.*

**PROHIBITIONS**

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: For example, used oil contaminated scrap metal stored in a pile.*

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).*

**GENERATOR STANDARDS**

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.*

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

*NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.*

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	
a.	Stopped the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Contained the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

**ON-SITE BURNING IN SPACE HEATER**

10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is the heater designed to have a maximum capacity of not more that	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

	0.5 million BTU per hour	
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).</i>		
<b>GENERATOR TRANSPORTATION</b>		
11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#? [3745-279-24]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	If the generator self-transported used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).</i>		
<b>COLLECTION CENTERS AND AGGREGATION POINTS</b>		
13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.</i>		

**SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS – BATTERIES AND LAMPS**

**Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more**

**Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less**

**PROHIBITIONS**

1.	Did the SQUWH dispose of universal waste? [3745-273-11(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
2.	Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in OAC rule 3745-273-17 or managing specific wastes as provided in OAC rule 3745-273-13? [3745-273-11(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

**WASTE MANAGEMENT AND LABELING/MARKING**

**UNIVERSAL WASTE BATTERIES**

3.	Are batteries that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
4.	If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
6.	If the electrolyte is removed or other wastes generated, has it been determined whether the electrolyte or other wastes exhibit a characteristic of hazardous waste? [3745-273-13(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. If the electrolyte or other waste is characteristic, is it managed in compliance with OAC Chapters 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are the batteries or containers of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

**UNIVERSAL WASTE LAMPS**

8.	Does the SQUWH contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
9.	Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage, spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

**NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC rule 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility using a hazardous waste manifest.**

10.	Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)"? [3745-273-14(E)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
-----	--	--

ACCUMULATION TIME		
11.	Is the waste accumulated for less than one year? [3745-273-15(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a. If not, is the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)] (this change makes it like the LQUWH checklist)	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Accumulation is defined as date generated or date received from another handler.</i>		
12.	Is the handler able to demonstrate the length of time the universal waste has been accumulated? [3745-273-15(C)]  If yes, describe below: <b>Disposal manifests</b>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
EMPLOYEE TRAINING		
13.	Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
RESPONSE TO RELEASES		
14.	Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the material released characterized? [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	If the material released is a hazardous waste, was it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to OAC Chapter 3745-52) [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
OFF-SITE SHIPMENTS		
<i>NOTE: If a SQUWH self-transport waste, then the handler must comply with the Universal Waste transporter requirements.</i>		
17.	Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
18.	Is the handler aware of DOT requirements for packaging and shipping?  If no, make aware of 49 CFR 171-180.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
19.	Prior to shipping universal waste off-site, does the originating handler ensure that the receiver agrees to receive the shipment? [3745-273-18(D)] (this change makes it like the LQUWH checklist)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
20.	Has the originating handler ever had an off-site shipment rejected by another handler or destination facility?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. If yes, did the originating handler receive the waste back or agree to where the shipment was sent? [3745-273-18(E)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
21.	If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss and do <u>one of the following</u> :	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. Send the waste back to the originating handler or send the shipment to a destination facility (If both the originating and receiving handler agree)? [3745-273-18(F)(2)] (this change makes it like the LQUWH checklist)	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
22.	If the handler received a shipment of hazardous waste that was not a universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
EXPORTS		
23.	Is waste being sent to a foreign destination?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

## PROCESS, WASTE, P2 SUMMARY SHEET

**Facility Name:** Detroit Diesel Specialty Tool Co.   
**Facility Type:**  LQG  SQG  CESQG  TSD   
**Date of Inspection:** 3/31/11  
**EPA ID#:** OHR000149013

Waste Generated			On- or Off-Site Management		P2 Activities	
Process/Activity Generating Waste (e.g. plating bath, machining, baghouse, painting, general maintenance, etc)	Waste Description (e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applic.	QTY Generated per Month, Type of Accumulation (container, tank, etc) and location of waste accumulation area	Type of On-Site Treatment (recycle, wwt, etc)	Name, state, and type of activity occurring at the off-site facility.	Current P2 Activities	P2 Opportunities
1	Engine clean/rebuild  (Non-Haz)	Used oil  (Non-Haz)  3-400- gal/mo, stored in 500 gal tank behind building,	NA	Environmental Specialists  Newark, OH	Recycled/energy recovery	
2	Lighting/equip maintenance  (UW)	Spent bulbs/batteries  (UW)  Varies, stored in bucket/boxes in building	NA	Veolia  Port Washington, WI	recycled	
3	Engine clean/rebuild	Partwasher solvent  60-300 gal/mo, not accumulated	NA	Environmental Specialists  Newark, OH	Continued use	
4	Engine clean/rebuild	Paint waste/solvent (F003/F005 /D001/D035)  Varies, 2-3 drums/yr Sat. accum. area by paint booth, drum storage area	NA	Chemtron  Avon, OH	Treatment	
5	Engine clean/rebuild	Aerosol cans (D001)  2 drums/ year, Same storage as above	NA	Chemtron  Avon, OH	Treatment	
6	Engine clean/rebuild	Aqueous wastewater/sludge  Shotblast waste  Varies, no accum.  Drums, outside by baghouse	NA  NA	Clean Water  Columbus, OH  Ardleigh Minerals Inc.  Cleveland, OH	Treated  Reclaimed for metal content?	

## REMARKS - GENERAL INFORMATION

### **General Process Information:**

This facility rebuilds diesel engines and associated transmissions from semis, boats and from large off-road vehicles. Processes include engine and parts cleaning, shot blasting, painting and reassembly. Used oil, antifreeze, parts washer solvent, paint waste and blasting wastes are generated routinely.

### **Regulatory/Enforcement History** (if applicable):

This facility notified as a Small Quantity Hazardous Waste Generator in June, 2008, this is the first inspection by DHWM of this facility.

### **Additional P2 remarks and information:**

SEDO has contacted OCAPP.

Would this facility be interested in a P2 assessment?  Yes\*  No \*If yes, refer promptly to your district P2 coordinator.

Office of Compliance Assistance and Pollution Prevention - 1-800-329-7518 or [p2mail@epa.state.oh.us](mailto:p2mail@epa.state.oh.us) or [www.epa.state.oh.us/ocapp/ocapp.html](http://www.epa.state.oh.us/ocapp/ocapp.html)

### **Other:**