



State of Ohio Environmental Protection Agency

Southeast District Office

2195 Front Street
Logan, Ohio 43138

TELE: (740) 385-8501 FAX: (740) 385-6490
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

March 22, 2007

**JACKSON COUNTY
GENERAL FILE
(RAYS APPLIANCE & FURNITURE)
DHWM/SEDO
NON-NOTIFIER**

Mr. David Scharfenberger
111 East 2nd Street
Wellston, Ohio 45692

Dear Mr. Scharfenberger:

Thank you for your February 23, 2007 response to Ohio EPA's February 1, 2007 Notice of Violation letter. The documentation you submitted included a receipt demonstrating that the perchloroethylene stored in the basement of your store was delivered to "Duke Cleaners & Laundry" located at 656 2nd Avenue in Gallipolis, Ohio.

My review of this documentation reveals that Ray's Appliance has adequately demonstrated abatement of the following violations discovered during my January 17, 2007 visit in response to a complaint received by this office alleging that chemicals were being stored in the basement at your facility.

(1) OAC Rule 3745-52-11, Waste evaluation:

Ray's Appliance has returned to compliance regarding the unknown chemicals (perchloroethylene) stored in the basement.

However, Ray's appliance remains in violation of the following hazardous waste laws:

(2) OAC Rule 3745-52-11, Waste evaluation:

Spent fluorescent lamps generated by Ray's Appliance & Furniture have not been evaluated to determine if they are a hazardous waste in violation of this rule. Please evaluate this waste stream and manage accordingly. Please note that spent fluorescent lamps are typically managed as a universal waste as regulated under the Universal Waste Rules found at Ohio Administrative Code 3745-273. Information regarding the proper management of spent fluorescent lamps can be found on Ohio EPA's web site at:

<http://www.epa.state.oh.us/dhwm/guidancedocs.html#fluorescent>

Mr. David Scharfenberger
March 22, 2007
Page 2

Please contact this office **within 15 days** of your receipt of this letter to provide your intended management decision for spent fluorescent lamps generated at your facility.

Should you have any questions, please feel free to call me at (740) 380-5262. You can find copies of Ohio's hazardous waste rules and other information on the division's web page at: <http://www.epa.state.oh.us/dhwm>.

Sincerely,



John Rochotte
District Representative
Division of Hazardous Waste Management

JR/mlm

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.



OH0000969873

Hazardous Waste

RTC

JACKSON

OSBORNE EQUIPMENT SERVICE



State of Ohio Environmental Protection Agency

Southeast District Office

2195 Front Street
Logan, Ohio 43138

TELE: (740) 385-8501 FAX: (740) 385-6490
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

June 5, 2007

**JACKSON COUNTY
OSBORNE EQUIPMENT
DHWM/SEDO
OHD0000969873**

Mr. Eric G. Brown
Office Manager
Osborne Equipment Service
10 McCarty Lane
Jackson, Ohio 45640

Dear Mr. Brown:

Thank you for your May 29, 2007 response to Ohio EPA's February 16, 2007 Notice of Violation letter. The documentation you submitted included photographs of used oil labeling on totes and used oil containers used in your shop; a copy of a quote from your used oil transporter for used oil management services; and information on the "MercPak" container for spent fluorescent lamps.

My review of this documentation reveals that Osborne Equipment Service has abated all violations of Ohio's hazardous waste laws and regulations discovered during the February 6, 2007 inspection.

If you should have any questions, please call me at (740) 380-5262.

Sincerely,

John Rochotte
District Representative
Division of Hazardous Waste Management

JR/mlm

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.