



State of Ohio Environmental Protection Agency

**Northwest District Office**

347 North Dunbridge Road  
Bowling Green, OH 43402-9398

TELE: (419) 352-8461 FAX: (419) 352-8468  
www.epa.state.oh.us

Ted Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korteski, Director

Re: OHR 000 002 295  
Brost Foundry Co.  
Richland County  
Hazardous Waste  
Notice of Violation

December 12, 2008

Mr. Charles Horvath, Plant Manager  
Brost Foundry Company  
198 Wayne Street  
Mansfield, Ohio 44902

Dear Mr. Horvath:

Thank you for accompanying me during the Ohio Environmental Protection Agency (Ohio EPA) November 20, 2008, hazardous waste compliance evaluation inspection of Brost Foundry Co. (Brost) located at 198 Wayne Street, Mansfield, Ohio. I inspected Brost to determine its compliance with Ohio's hazardous waste laws as found in Chapter 3734. of the Ohio Revised Code (ORC) and Chapter 3745. of the Ohio Administrative Code (OAC). Pollution prevention options were also discussed during this inspection.

Brost also generates spent fluorescent lamps, which are currently being disposed as solid waste.

During the inspection you stated that you have disposed of spent light bulbs in the trash in the past. I advised you to immediately until a proper waste evaluation of the spent light bulbs is conducted and a waste management practice is determined.

Based on the observations I made during this inspection, the following violation was found. In order to correct this violation you must do the following and send me the required information within 30 days of your receipt of this letter:

**1. OAC Rule 3745-52-11: Waste Evaluation**

Any person, who generates a waste, as defined in Rule 3745-51-02 of the administrative code, must determine if that waste is a hazardous waste.

Brost has failed to properly evaluate the spent fluorescent bulbs generated at the facility.

During the inspection, you stated that, in the past, Brost has disposed of the spent fluorescent light bulbs as a solid waste. Brost must not dispose of any spent light bulbs as non-hazardous waste in the local landfill until a proper waste evaluation has been completed. The waste evaluation must be conducted through one of **three options**: **1)** Brost may apply generator knowledge of the hazardous characteristic(s) of the waste in light of the materials or the processes used through adequate documentation [manufacturer analytical information – Toxicity Characteristic Leaching Procedure (TCLP) test results], or **2)** Brost may take a representative sample of this waste to properly evaluate this waste stream through a laboratory analysis which lists constituents present and at what concentration. Brost must ensure that the laboratory chosen to perform this sampling utilizes the proper method(s) to evaluate these bulbs. Brost must sample the fluorescent bulbs to determine the concentration of mercury (D009), cadmium (D006) and lead (D008) as listed in the OAC Rule 3745-51-24 following the method as outlined in U.S. EPA's SW-846. Brost may run a total concentration for these constituents as a screening tool. If the concentration is detected for mercury, lead or cadmium at or above the regulatory limit, a TCLP may be required to ensure this constituent is not present above the Ohio EPA regulatory level; or **3)** a combination of options 1 and 2.

If the bulbs are determined to be hazardous through a proper waste evaluation, Brost will have to manage their bulbs either as 1) a universal waste (OAC Chapter 3745-273) or 2) as a hazardous waste under Ohio's generator standards (OAC Chapter 3745-52). ***Instead of taking samples for analysis as described above, Brost may recycle their bulbs if they are hazardous or non-hazardous by managing them as universal waste. Ohio EPA would encourage this option as a pollution prevention alternative. Please refer to the information I gave you on how to manage light bulbs as universal waste.***

***To abate this violation***, Brost must inform me in writing as to how the facility plans to manage the spent fluorescent light bulbs and other spent light bulbs.

The Division of Hazardous Waste Management has created an electronic news service to provide you with quick and timely updates on events and news related to hazardous waste activities in Ohio. If you haven't already, we encourage you to sign up for this free service. You can find more information at the following web site: <http://www.epa.state.oh.us/dhwm/listserv.html>. Please feel free to share this information with your colleagues.

As we discussed during the inspection, you may be able to reduce the waste your company generates. If you find ways to recycle reduce or altogether eliminate the amount of waste that your company generates, you may be able to reduce your treatment and disposal costs. Thus, you may possibly reduce your regulatory requirements. BROST is currently recycling scrap metal, paper and plastic. Ohio EPA has helpful information about pollution prevention at <http://www.epa.state.oh.us/ocapp/ocapp.html>.

Mr. Charles Horvath  
December 12, 2008  
Page 3

Enclosed you will find a copy of the checklists that were completed during the inspection. You can find copies of the rules and other information on the division's web page at <http://www.epa.state.oh.us/dhwm>.

Should you have any questions or if I can be of assistance, please contact me at (419) 373-3015.

Sincerely,



Edgar V. Pulido  
Division of Hazardous Waste Management

/llr

Enclosures

pc: Cindy Lohrbach, DHWM, NWDO  
Colleen Weaver, DHWM, NWDO  
DHWM, NWDO File – Brost Foundry Co. – Richland County  
ec: Ed Pulido, DHWM, NWDO

<p><b>NOTICE:</b> Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.</p>
--

**Ohio Environmental Protection Agency  
RCRA SUBTITLE C SITE  
IDENTIFICATION/VERIFICATION FORM**

For Ohio EPA use only

E-mail this completed form to [kristina.durnell@epa.state.oh.us](mailto:kristina.durnell@epa.state.oh.us)  
or mail it to Kristina Durnell, Central Office

<b>Site EPA ID No.</b>	EPA ID Number: <b>OHR 000 002 295</b>	
<b>Site Name</b>	Name: <b>Brost Foundry Company</b>	Website: (Optional)
<b>Site Location Information</b>	Street Address: <b>198 Wayne Street</b>	State: <b>OH</b>
	City, Town, or Village: <b>Mansfield</b>	Zip Code: <b>44902-1433</b>
	County Name: <b>Richland</b>	
<b>Site Land Type</b> (check only one)	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>
<b>NAICS code(s)</b>	<b>33152</b>	
<a href="http://www.census.gov/epcd/www/naics.html">www.census.gov/epcd/www/naics.html</a>		
<b>Facility Representative</b>	First Name: <b>Charles</b> MI: <b>L.</b> Last Name: <b>Horvath</b>	
	Phone Number: <b>(419)522-1133</b>	Phone Number Extension:
Additional names can be recorded in number 12	E-Mail Address: <b>Chuck@brostfoundry.com</b>	Fax Number Extension:
	Fax Number: <b>(419)522-6030</b>	
Only provide address information if it is different than the site address	Street or P.O. Box:	
	City, Town or Village:	Zip Code:
	State:	
<b>Legal Owner And Operator of the Site.</b>	Name of Site's Legal Owner:	
List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Owner Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>	Date Became Owner (mm/dd/yyyy):
	Type: <input checked="" type="checkbox"/>	
	Street or P.O. Box:	Owner Phone #:
	City, Town or Village:	Country: Zip Code:
	State:	Date Became Operator (mm/dd/yyyy):
	Name of Site's Operator:	
	Owner Private <input type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>	
	Type: <input type="checkbox"/>	
	Street or P.O. Box:	Operator Phone #:
	City, Town or Village:	United States Zip Code:
	State:	

**VIOLATIONS CITED?**  Yes  No

**TYPE OF HANDLER- A MINIMUM OF ONE BOX MUST BE CHECKED**

<input type="checkbox"/> Not a Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input checked="" type="checkbox"/> Large Quantity Generator (LQG)
		<input type="checkbox"/> Small Quantity Generator (SQG)
		<input type="checkbox"/> Conditionally Exempt Small Quantity Generator
		<input type="checkbox"/> U.S. Importer of Hazardous Waste
		<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

**TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)**

- |   |  |
|---|--|
| <input type="checkbox"/> Recycler of Hazardous Waste                    | <input type="checkbox"/> Exempt Boiler and/or Industrial Furnace       |
| <input type="checkbox"/> Underground Injection Control Facility         | <input type="checkbox"/> Small Quantity On-Site Burner Exemption       |
| <input type="checkbox"/> Hazardous Waste Transporter                    | <input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption |
| <input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste |  |

**UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED**

**(CHECK ALL BOXES THAT APPLY)**

- |   |   |
|---|---|
| <input type="checkbox"/> Small Quantity Handler of Universal Waste                                    | <input type="checkbox"/> Destination Facility for Universal Waste |
| <input type="checkbox"/> Large Quantity Handler of Universal Waste<br>(accumulates 5,000 kg. or more) |   |

**CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES**

- Batteries
- Pesticides
- Mercury containing equipment
- Lamps

**USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))**

- Used Oil Generator
- Used Oil Transporter
- Used Oil Transfer Facility
- Used Oil Processor
- Used Oil Re-refiner
- Off-Specification Used Oil Burner
- Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil
- Used Oil Fuel Marketer to Off-Specification Used Oil Burner

**Waste Codes for Federally Regulated Hazardous Wastes.** Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more space is needed. If there are more than 7 waste codes and they are the same as listed in the most recent RCRAInfo source record, you do not need to list them all. Instead just indicate the date of the most recent source record.

**COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.**

- |            |   |  |                                      |
|------------|---|--|--------------------------------------|
| Announced  | <input type="checkbox"/> Yes            | <input checked="" type="checkbox"/> No | Additional Facility Representatives: |
| Tanks      | <input type="checkbox"/> Yes            | <input checked="" type="checkbox"/> No | Other Comments:                      |
| Containers | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No            |                                      |

Name of Inspector(s)

**Ed Pulido**

Name of Inspector(s)

Date of Inspection/Time  
(mm/dd/yyyy) (hh:mm)

**11/20/2008 09:00**

**OPTIONAL CERTIFICATION.** I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Owner, Operator, or an Authorized Representative

Name and Title (Print)

Date (mm/dd/yyyy)

**GENERATOR LDR CHECKLIST  
DOES NOT APPLY TO CESQGS**

**GENERAL REQUIREMENTS**

- |    |  |  |
|----|--|--|
| 1. | If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07 (A)(7)]                  | Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |
| 2. | Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

*NOTE: This is done by determining if the HW /soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07 (A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).*

- |    |  |  |
|----|--|--|
| 3. | Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]           | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 4. | Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 5. | Does the generator generate a listed HW that exhibits a characteristic? If yes,  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| a. | Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

*FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.*

- |    |   |  |
|----|---|--|
| 6. | Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
|----|---|--|

*NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.*

*NOTE: Written documentation of this determination is not required.*

- |    |  |  |
|----|--|--|
| 7. | Did the generator treat his HW /soil on-site to meet the LDR treatment standard? | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> |
|----|--|--|

*NOTE If Yes, see question #16.*

- |     |  |  |
|-----|--|--|
| 8.  | Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility?[3745-270-07(A)(2)]          | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 9.  | Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 10. | Does the generator have a copy of the LDR notification form on file?[3745-270-07(A)(2)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| a.  | Is the form kept on file for three years after last HW shipped? [3745-270-07(A)(8)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

**NOTIFICATION FORM**

- |     |   |  |
|-----|---|--|
| 11. | Does the LDR Notification form contain the following information:   |  |
| a.  | Manifest number of the first waste shipment to the TSD?[3745-270-07(A)(2)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| b.  | Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]                           | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| c.  | A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| d.  | A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)].  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

NOTE: A wastewater contains <1% by wt. total suspended solids(TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.

e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories

f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.

g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for?[3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.

**PROHIBITED DILUTION**

12.	Is the HW treated by burning? If No, go to #15.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
-----	--	--

13.	Is the HW a metal-bearing HW?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
-----	-------------------------------	--

NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs are given in the Appendix to 3745-270-03.

14.	a.	Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless <b>one</b> of the following conditions apply. [3745-270-03(c)]	
-----	----	---	--

	i.	Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	--------------------	--

	ii.	Contains organic constituents or cyanide at levels greater than the UST levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	-----	---	--

	iii.	Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	------	--	--

	iv.	Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	-----	--	--

	v.	Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	--	--

	b.	If all responses to 14 a.i. through 14 a.v. are No, HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	---	--

15.	Was the HW treated by wastewater treatment?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
-----	---	--

	a.	Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	---	--

NOTE: If Yes, HW is improperly being treated by dilution.

	b.	Does the waste carry the D001 code and contain ≥10% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	--	--

	c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	---	--

NOTE: If the answers to b & c are yes and no, respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B) and 3745-270-40(A)(3)].

NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.

GENERATOR TREATMENT			
16.	Does the generator treat to meet LDRs on-site [3745-270-40(A)]?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	Did the generator treat his hazardous waste/soil on-site in a tank, container, drip pad or containment building to meet the LDR treatment standard?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	If Yes...complete the rest of the checklist. If No...stop...you are done.		
	a.	Does the generator have a written waste analysis plan (WAP) that describes the procedures he will follow to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	Did the generator use a detailed chemical and physical analysis of the HW/soil in order to develop the WAP? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>NOTE: This is a laboratory analysis but it does not have to be kept by the generator.</b>			
	c.	Does the WAP contain all information necessary to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d.	Does the WAP include the testing frequency of the treated HW/soil to demonstrate that the LDR treatment standard is being met? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	e.	Does the generator keep the WAP on-site? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	f.	Is the WAP available for the inspector review during the inspection? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTIFICATION FORM			
17.	a.	Contains all information in #11 a-g above and	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	If the treated HW/soil is listed.....notification contains the following certification statement:  I certify under penalty of law that I personally have examined and am familiar with the waste, through analysis and testing or through knowledge of the waste, to support this certification that the waste complies with the treatment standards specified in rule 3745-270-40 to 3745-270-49 of the Administrative Code. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	If the treated HW/soil no longer exhibits a characteristic and is no longer a HW, did the generator:	
	i.	Send a one-time notification to the director?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii.	Maintain a copy of the notice onsite?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii.	Include in the notification: [3745-270-09(D)(1)(a)]	
		1. Name & address of receiving landfill?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		2. Description of HW when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		3. HW code when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		4. Treatability group when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		5. Underlying hazardous constituents present when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv.	Contain the right certification statement as required by 3745-70-07(b)(4)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

**LOW VOLUME QUANTITY GENERATOR REQUIREMENTS  
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: #100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.

SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.

LQG:  $\geq 1,000$  Kg. (~300 gallons) of waste in a calendar month or  $\geq 1$  Kg. of acutely hazardous waste in a calendar month.

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

**GENERAL REQUIREMENTS**

- |   |     |                                     |    |                                     |     |                          |
|---|-----|-------------------------------------|----|-------------------------------------|-----|--------------------------|
| 1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11]  | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 2. Are records of waste determination being kept for at least 3 years?[3745-52-40(C)]   | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |
| 3. Has the generator obtained a U.S. EPA identification number? [3745-52-12]  | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |
| 4. Were annual reports filed with Ohio EPA on or before March 1 <sup>st</sup> ? [3745-52-41(A)]   | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |
| 5. Are annual reports kept on file for at least 3 years?[3745-52-40(B)]   | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |
| 6. Has the generator transported or caused to be transported hazardous waste to <b>other</b> than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)]                                   | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 7. Has the generator disposed of hazardous waste <b>on-site without a permit</b> or at another facility <b>other</b> than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E) & (F)] | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 8. Does the generator accumulate hazardous waste?   | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

- |   |     |                          |    |                                     |     |                          |
|---|-----|--------------------------|----|-------------------------------------|-----|--------------------------|
| 9. Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02 (E) & ( F)? | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
|---|-----|--------------------------|----|-------------------------------------|-----|--------------------------|

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G) & (H).

- |   |     |                          |    |                          |     |                                     |
|---|-----|--------------------------|----|--------------------------|-----|-------------------------------------|
| 10. Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)] |     |                          |    |                          |     |                                     |
| a. Container that meets 3745-66-70 to 3745-66-77?                       | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)?     | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| c. Drip pads that meet 3745-69-40 to 3745-69-45?                        | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| d. Containment building that meets 3745-256-100 to 3745-256-102?        | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

- |   |     |                                     |    |                                     |     |                                     |
|---|-----|-------------------------------------|----|-------------------------------------|-----|-------------------------------------|
| 11. Does the generator export hazardous waste? If so:   | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/>            |
| a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)]                                      | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A | <input checked="" type="checkbox"/> |
| b. Has the generator complied with special manifest requirements? [3745-52-54]                                  | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A | <input checked="" type="checkbox"/> |
| c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55] | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A | <input checked="" type="checkbox"/> |
| d. Has an annual report been submitted to U.S. EPA? [3745-52-56]  | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/>            |
| e. Are export related documents being maintained on-site? [3745-52-57(A)]                                       | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A | <input checked="" type="checkbox"/> |

**MANIFEST REQUIREMENTS**

- |  |     |                                     |    |                          |     |                          |
|--|-----|-------------------------------------|----|--------------------------|-----|--------------------------|
| 12. Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 13. Have items (1) through (20) of each manifest been completed? [3745-52-20(A)]                                       | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |

NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)]

- |  |     |                                     |    |                          |     |                          |
|--|-----|-------------------------------------|----|--------------------------|-----|--------------------------|
| 14. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
|--|-----|-------------------------------------|----|--------------------------|-----|--------------------------|

NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)].

- |   |     |                                     |    |                          |     |                                     |
|---|-----|-------------------------------------|----|--------------------------|-----|-------------------------------------|
| 15. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| 16. Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1) & (2)]   | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/>            |

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.

17. If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)] Yes  No  N/A
18. If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)] Yes  No  N/A
19. Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40] Yes  No  N/A

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

**PERSONNEL TRAINING**

20. Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)] Yes  No  N/A
21. Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)(a-f)] Yes  No  N/A
22. Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)] Yes  No  N/A
23. Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)] Yes  No  N/A
24. Does the generator provide annual refresher training to employees? [3745-65-16(C)] Yes  No  N/A
25. Does the generator keep records and documentation of:
- a. Job titles [3745-65-16D(1)]? Yes  No  N/A
  - b. Job descriptions [3745-65-16D(2)]? Yes  No  N/A
  - c. Type and amount of training given to each person [3745-65-16D(3)]? Yes  No  N/A
  - d. Completed training or job experience required [3745-65-16D(4)]? Yes  No  N/A
26. Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)] Yes  No  N/A

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained

**CONTINGENCY PLAN**

27. Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)] Yes  No  N/A
28. Does the plan describe the following:
- a. Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste [3745-65-52(A)]? Yes  No  N/A
  - b. Arrangements with emergency authorities [3745-65-52(C)]. Yes  No  N/A
  - c. A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)] Yes  No  N/A
  - d. A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)] Yes  No  N/A

e. An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)] Yes  No  N/A

NOTE: If the facility already has a "Spill Prevention, Control and Counter measures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]

29. Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53 (A) & (B)] Yes  No  N/A

30. Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54] Yes  No  N/A

31. Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55] Yes  No  N/A

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

#### EMERGENCY PROCEDURES

32. Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so: Yes  No  N/A

a. Was the contingency plan implemented? [3745-65-51(B)] Yes  No  N/A

b. Did the facility follow the emergency procedures in 3745-65-56(A) through (H)? Yes  No  N/A

c. Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)? Yes  No  N/A

NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

#### PREPAREDNESS AND PREVENTION

33. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31] Yes  No  N/A

34. Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:

a. Internal communications or alarm system? [3745-65-32(A)] Yes  No  N/A

b. Emergency communication device? [3745-65-32(B)] Yes  No  N/A

c. Portable fire control, spill control and decon equipment? [3745-65-32(C)] Yes  No  N/A

d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] Yes  No  N/A

NOTE: Verify that the equipment is listed in the contingency plan.

35. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33] Yes  No  N/A

36. Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33] Yes  No  N/A

37. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)] Yes  No  N/A

38. If there is only one employee on the premises, is there immediate access to a device (ex. phone, hand held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32) [3745-65-34(B)] Yes  No  N/A

39. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes  No  N/A

40. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)] Yes  No  N/A

41. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes  No  N/A

#### SATELLITE ACCUMULATION AREA REQUIREMENTS

42. Does the generator ensure that satellite accumulation area(s):

a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes  No  N/A

b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes  No  N/A

c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes  No  N/A

- d. Do not exceed one quart of acute hazardous waste at any one time? [3745-52-34(C)(1)] Yes  No  N/A
- e. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)] Yes  No  N/A
- f. Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes  No  N/A
43. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so: Yes  No  N/A
- a. Did the generator comply with 3745-52-34(A)(1)through(4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes  No  N/A
- b. Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] Yes  No  N/A

*NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.*

**USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS**

44. Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)] Yes  No  N/A
45. Is the accumulation date on each container? [3745-52-34(A)(2)] Yes  No  N/A
46. Are hazardous wastes stored in containers which are:
- a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes  No  N/A
- b. In good condition? [3745-66-71] Yes  No  N/A
- c. Compatible with wastes stored in them? [3745-66-72] Yes  No  N/A
- d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes  No  N/A
- NOTE: Record location on process summary sheets, photograph the area, and record on facility map.*
47. Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORC§1.44(A) "Week" means 7 consecutive days. Yes  No  N/A
- a. Are inspections recorded in a log or summary? [3745-66-74] Yes  No  N/A
48. Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76] Yes  No  N/A
49. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes  No  N/A
50. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)] Yes  No  N/A
51. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)] Yes  No  N/A

*NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.*

52. If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745- 66-11? [3745-52-34(A)(1)] Yes  No  N/A

*NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]*

**PRE-TRANSPORT REQUIREMENTS**

53. Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes  No  N/A
54. Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes  No  N/A
55. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes  No  N/A

