



State of Ohio Environmental Protection Agency

Northwest District Office

347 North Dunbridge Rd.
Bowling Green, OH 43402-9398

TELE: (419) 352-8461 FAX: (419) 352-8468
www.epa.ohio.gov

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

Re: Baumann Auto Group
OHD018033993
Small Quantity Generator
Sandusky County, NWDO
NOV

February 8, 2010

Mr. Jon Frankart, Service Manager
Baumann Auto Group
2370 West State Street
Fremont, Ohio 43420

Dear Mr. Frankart:

On January 28, 2010, I inspected Baumann Auto Group's Chevrolet/Buick dealership located at 2370 West State Street in Fremont, Ohio. I inspected Baumann Auto Group to determine the facility's compliance with Ohio's hazardous waste laws as found in Chapter 3734. of the Ohio Revised Code (ORC) and Chapter 3745. of the Ohio Administrative Code (OAC). My inspection included a tour of the facility service department and body shop as well as a review of facility records. I also helped Baumann Auto Group identify ways to prevent pollution by reducing waste the facility generates.

Baumann Auto Group is a full service automotive dealership which operates a service shop and auto body repair facility at the 2370 West State Street location. Facility records reviewed during this inspection indicate that Baumann Auto Group generates approximately 20 gallons per month of (D001 ignitable) spent parts washer solvent in the service department and approximately 25 gallons per month of (D001 ignitable/ F003 spent non halogenated solvent /F005 spent non halogenated solvent) spent paint gun cleaning solvent in the body shop.

Baumann Auto Group also generates spent lead acid automotive batteries that are exchanged with new batteries by a battery wholesaler, used oil which is either burned on-site in the service department for heat or shipped off-site for recycling, used oil filters which are sent off-site for solid waste disposal, used anti-freeze/coolant which is sent off-site for recycling, used automotive tires which are sent off-site for shredding, and used paint filters and spent fluorescent light bulbs which are sent off-site for solid waste disposal.

Mr. Jon Frankart
February 8, 2010
Page 2

I found the following violations of Ohio's hazardous waste laws during the inspection. In order to correct these violations you must do the following and send me the required information ***within 30 days*** of your receipt of this letter:

1. **OAC Rule 3745-52-11, Hazardous Waste Determination:** "Any person who generates a waste, as defined in rule 3745-51-02 of the Administrative Code, must determine if that waste is a hazardous waste..."
 - a. Baumann Auto Group has failed to evaluate the paint filters from the facility paint booths to determine if they are hazardous waste. Baumann Auto Group currently manages the spent paint filters as solid waste and disposes of the spent filters in a solid waste dumpster.

To abate this violation, Baumann Auto Group must analyze a representative sample of the spent paint filters for total volatile organic compounds (VOC's) and Resource Conservation and Recovery Act (RCRA) metals using methods as outlined in U.S. EPA's SW-846. On February 3, 2010, Ohio EPA obtained a sample of the spent paint filters used in the two paint booths in the facility body shop. The paint filters are being analyzed for total volatile organic compounds (VOC's) and Resource Conservation and Recovery Act (RCRA) metals using methods as outlined in U.S. EPA's SW-846. Baumann Auto Group should not dispose of any spent paint filters until analysis of the samples has been received.

- b. Baumann Auto Group has failed to evaluate the spent fluorescent lamps used throughout the facility to determine if they are hazardous waste. Baumann Auto Group currently manages the spent lamps as solid waste and disposes of the spent lamps in a solid waste dumpster.

Baumann Auto Group must immediately cease disposing of the spent lamps as non-hazardous waste until a proper waste evaluation has been completed. The spent lamps typically contain mercury and other heavy metals which could make them a hazardous waste.

Baumann Auto Group has the option of handling spent lamps as hazardous waste or as universal waste. Managing hazardous waste lamps under the universal waste rules eases certain regulations imposed on generators of spent fluorescent lamps.

To abate this violation, Baumann Auto Group must choose one of the following options for the spent lamps:

i. Disposal Option:

Baumann Auto Group may manage the lamps as a hazardous waste. Baumann Auto Group must sample each type and brand of lamp used at the facility for RCRA metals using a Toxicity Characteristic Leaching Procedure (TCLP) test. Baumann Auto Group must ensure that all spent lamps that are determined to be hazardous waste are disposed of at a permitted hazardous waste disposal facility. Baumann Auto Group must submit all analytical results to Ohio EPA along with a description of how the spent lamps will be managed or,

ii. Recycling Option:

In lieu of evaluating and disposing of the spent lamps, Baumann Auto Group may manage spent lamps as universal waste. Universal waste spent lamps must be stored in a closed and labeled container. This container must be properly labeled with the wording "**Universal Waste Lamp(s)**", "**Waste Lamp(s)**", or "**Used Lamp(s)**". Baumann Auto Group must also track the accumulation of the spent lamps to ensure spent lamps are **not stored for greater than 365 days**. This can be accomplished with recycling receipts or by marking the container with the accumulation start date (the day the first spent lamp is placed in the container).

No spent lamps were in storage at the time of the inspection.

Ohio EPA recommends that spent lamps be managed as a universal waste and recycled. If Baumann Auto Group should choose the recycling option, you should submit to me the name of the recycling facility Baumann Auto Group intends to use.

The following fact sheets are enclosed with this letter for your use: Universal Waste Rules for Handlers of Lamps, dated June 2005; Fluorescent Lamps: What You Should Know, dated January 2007; and Computer, Fluorescent Lamp and Ballast Recyclers, dated April 2008. These fact sheets are also enclosed

To abate this violation, Baumann Auto Group must identify how the facility intends to properly manage the facility's spent lamps. This information should be submitted to my attention at the Ohio EPA within 30 days of receipt of this letter.

- 2. OAC Rule 3745-52-34(D)(5)(a), Emergency Coordinator:** A generator must designate at least one employee who is either on the premises or on call (i.e., available to respond to an emergency by reaching the facility within a short period of time) with the responsibility for coordinating all emergency response measures in the event of a fire, explosion, or other release of hazardous waste which could threaten human health or the environment.

Baumann Auto Group failed to designate at least one emergency coordinator for the facility.

To abate this violation, Baumann Auto Group must designate at least one emergency coordinator for the facility who has the responsibility for coordinating all emergency response measures in the event of a fire, explosion, or other release of hazardous waste. Baumann Auto Group should submit the name of the emergency coordinator(s) to me along with their position description(s). Because Baumann Auto Group operates a service shop and body shop in separate buildings, Ohio EPA recommends that the facility designate a primary emergency coordinator and a secondary emergency coordinator.

- 3. OAC Rule 3745-52-34(D)(5)(b), Emergency Information Posting:** A generator must post the name and telephone number of the facility emergency coordinator, the location of fire and spill control equipment and the telephone number of the fire department by a telephone located near the hazardous waste storage area.

Baumann Auto Group failed to have emergency information posted near any telephone at the facility.

To abate this violation, Baumann Auto Group must post the name and telephone number of the facility emergency coordinator, the location of fire and spill control equipment and the telephone number of the fire department by a telephone located near the hazardous waste storage area. Baumann Auto Group has one hazardous waste storage area located in the body shop. Ohio EPA recommends that this information be posted in the office located in the body shop.

Baumann Auto Group should submit to me a photograph of the posted information. The photograph should clearly show the information on the posting and the location of the posting.

4. **OAC Rule 3745-66-74, Hazardous Waste Storage Area Inspections:** A generator must inspect areas where hazardous waste is stored. These inspections must be conducted at least once per week. In addition, these inspections must be recorded in a log or summary

Baumann Auto Group failed to inspect the hazardous waste storage area in the body shop.

To abate this violation, Baumann Auto Group must inspect the hazardous waste storage area in the body shop on a weekly basis. These inspections must be recorded in a log or summary. Baumann Auto Group should send me a copy of the inspection log or summary which demonstrates that Baumann Auto Group has started inspecting this hazardous waste storage area.

5. **OAC Rule 3745-279-22(C)(1), Marking of Used Oil Containers:** Containers and above ground tanks used to store used oil at generator facilities must be labeled or marked clearly with the words "Used Oil."

Baumann Auto Group failed to mark all containers used to accumulated used oil with the words, "Used Oil". Specifically, Baumann Auto Group uses one above ground tank, two open topped poly drums and several portable totes to collect used oil from vehicles. These containers were not marked at the time of the inspection.

Baumann Auto Group must label the above ground tank, the open topped poly drums and the portable totes used to collect used oil with the words "used oil". Baumann Auto Group should photograph the properly labeled tank, drums and totes and send a copy of the photos to me to verify that they have been properly labeled or marked. This information should be submitted to my attention at the Ohio EPA within 30 days of receipt of this letter.

In addition to the above violations, Ohio EPA has the following concern:

1. Baumann Auto Group could not provide any documentation demonstrating that spent lead acid batteries generated at the facility are being reclaimed. During the inspection you indicated that your spent lead acid batteries are picked up by Crown Battery for reclamation. On February 4, 2010, I contacted Crown Battery who verified that they pick up your spent lead acid batteries for reclamation. In accordance with OAC Rule 3745-51-02(F) Baumann Auto Group must keep records to demonstrate that the spent lead acid batteries are being reclaimed.
Baumann Auto Group should respond to this concern.

As we discussed during the inspection, you may be able to reduce the waste your company generates. If you find ways to recycle, reduce or eliminate the amount of waste that your company generates you may be able to reduce treatment and disposal costs as well as regulatory requirements. If you can find a way to reduce your hazardous waste generation to less than 25 gallons per month you will reduce your regulatory requirements to those of a conditionally exempt small quantity generator. During the inspection, I observed the following potential pollution prevention (P2) opportunities associated with your operations:

1. Facility records reviewed during the inspection indicate that Baumann Auto Group currently sends approximately 20 gallons of hazardous waste spent parts cleaning solvent off site each calendar month. Ohio EPA suggests that Baumann Auto Group pursue several pollution prevention opportunities to reduce the amount of hazardous waste parts cleaning solvent that your facility generates. These opportunities include: reducing the amount of parts washers you use at the facility; evaluating the need to replace your solvent on a monthly basis; substituting a non-hazardous high flash point solvent aqueous solvent or microbial solvent for the current solvent used; and entering into a continued use program for your spent parts washing solvent.
2. Facility records reviewed during the inspection indicate that Baumann Auto Group currently sends approximately 250 gallons of used oil off site each month for recycling. Baumann Auto Group may want to consider the installation of an additional used oil burner to reduce the cost of sending the used oil off site and to reduce the cost of heating your facility in the winter.
3. Facility records reviewed during the inspection indicate that Baumann Auto Group currently sends approximately 50 used oil filters off site each month for disposal. Baumann Auto Group should consider recycling the used oil filters for the metal content.

The Ohio Department of Development's Office of Energy Efficiency may be able to help with energy efficiency issues. Their website is at:
<http://development.ohio.gov/cdd/oe>

Mr. Jon Frankart
February 8, 2010
Page 7

If you would like a free, non-regulatory on-site pollution prevention assessment or if you would like more information about pollution prevention, please contact me at the number listed below. Ohio EPA has helpful information about this at the following web address: <http://epa.ohio.gov/ocapp>

Enclosed you will find a copy of the checklists that we completed as a result of the inspection. Should you have any questions, please feel free to call me at (419) 373-3056. You can find copies of the rules and other information on the division's web page at: <http://epa.ohio.gov/dhwm>

Sincerely,



Gary S. Deutschman
Environmental Specialist III
Division of Hazardous Waste Management

/llr

pc: Paqi Gill, Baumann Auto Group Body Shop Manager
Cindy Lohrbach, DHWM, NWDO
Colleen Weaver, Supervisor, DHWM, NWDO
(DHWM, NWDO File-General file, Sandusky County ✓)

ec: Gary Deutschman, DHWM, NWDO

NOTICE: Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with applicable regulations.

Send to Central Office <input type="checkbox"/>	Ohio Environmental Protection Agency RCRA SUBTITLE C SITE IDENTIFICATION/VERIFICATION FORM	For Ohio EPA use only
--	---	-----------------------

Completed verification forms required to be submitted to CO should be e-mailed to kristina.durnell@epa.state.oh.us.

Site EPA ID No. Site Name Site Location Information Site Land Type (check only one) NAICS code(s) www.census.gov/epcd/www/naics.html	EPA ID Number: OHD018033993 Name: Baumann Auto Group Website: www.baumannohio.com (Optional) Street Address: 2379 West State Street City, Town, or Village: Fremont State: OH County Name: Sandusky Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/> <div style="display: flex; justify-content: space-around;"> 44110 441310 </div>
---	---

Facility Representative Additional names can be recorded in number 12 Only provide address information if it is different than the site address	First Name: Jon MI: Last Name: Frankart Phone Number: 419-332-8236 Phone Number Extension: E-Mail Address: frankart@baumannautogroup.com Fax Number: 419-332-3787 Fax Number Extension: Street or P.O. Box: City, Town or Village: State: Zip Code:
--	--

Legal Owner And Operator of the Site. List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner: Baumann Owner Type: Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/> Street or P.O. Box: City, Town or Village: State: Zip Code: Date Became Owner (mm/dd/yyyy): Owner Phone #: Country: Zip Code: Name of Site's Operator: Baumann Auto Group Operator Type: Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/> Street or P.O. Box: City, Town or Village: State: Zip Code: Date Became Operator (mm/dd/yyyy): Operator Phone #: Country: Zip Code:
---	---

VIOLATIONS CITED? Yes No

TYPE OF HANDLER - MARK "X" AS APPROPRIATE	
<input type="checkbox"/> Not a HW Generator <input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input type="checkbox"/> Large Quantity Generator (LQG) <input checked="" type="checkbox"/> Small Quantity Generator (SQG) <input type="checkbox"/> Conditionally Exempt Small Quantity Generator <input type="checkbox"/> U.S. Importer of Hazardous Waste <input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)	
<input type="checkbox"/> Recycler of Hazardous Waste <input type="checkbox"/> Underground Injection Control Facility <input type="checkbox"/> Hazardous Waste Transporter <input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste	<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace <input type="checkbox"/> Small Quantity On-Site Burner Exemption <input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED) (CHECK ALL BOXES THAT APPLY)		
<input type="checkbox"/> Small Quantity Handler of Universal Waste	<input type="checkbox"/> Destination Facility for Universal Waste	
<input type="checkbox"/> Large Quantity Handler of Universal Waste (accumulates 5,000 kg. or more)		
CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES		
<input type="checkbox"/> Batteries		
<input type="checkbox"/> Pesticides		
<input type="checkbox"/> Mercury containing equipment		
<input type="checkbox"/> Lamps		
USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))		
<input checked="" type="checkbox"/> Used Oil Generator		
<input type="checkbox"/> Used Oil Transporter		
<input type="checkbox"/> Used Oil Transfer Facility		
<input type="checkbox"/> Used Oil Processor		
<input type="checkbox"/> Used Oil Re-refiner		
<input type="checkbox"/> Off-Specification Used Oil Burner		
<input type="checkbox"/> Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil		
<input type="checkbox"/> Used Oil Fuel Marketer to Off-Specification Used Oil Burner		
Waste Codes for Federally Regulated Hazardous Wastes: Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAinfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.		
D001	F003	F005
COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.		
Announced	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Additional Facility Representatives: Paqi Fill, Body Shop Manager
Tanks	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Containers	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Name of Inspector(s)	Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
Gary Deutschman		1/28/2010
Comments: Baumann Auto Group also generates fluorescent lamps which are not currently being managed as universal waste.		

PROCESS, WASTE, P2 SUMMARY SHEET

Facility Name:	Facility Type: SQG	Date of EPA ID #: OHD018033993
Baumann Auto Group – (Chevrolet)		Inspection: 1/28/10

Waste Generated			On- or Off-Site Management		P2 Activities	
Process/Activity Generating Waste (e.g. plating bath, machining, baghouse, painting, general maintenance, etc)	Waste Description (e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applic.	QTY Generated per Month, Type of Accumulation (container, tank, etc) and location of waste accumulation area	Type of On-Site Treatment (recycle, wwt, etc)	Name, state, and type of activity occurring at the off-site facility.	Current P2 Activities	P2 Opportunities
1 Parts Cleaning	D001 Spent Solvent	20 gallons/ month		Vesco Oil Corporation, 1900 E. Warren, Detroit Mi 48207	Distillation at Vesco	Solvent Substitution/Parts Washer Reduction
2 Battery Replacement	Spent Lead Acid Batteries	12 / month		Crown Battery, 1445 Majestic Drive, P.O. Box 990, Fremont, Ohio 43420 (419) 334-7181	Shipped off-site for Recycling	
3 Oil Change	Used Oil	250 gallons / month	Burning in one on-site heating unit	ZNZ Waste Oil, 3437 Oak Harbor Road, Fremont, Ohio 43420 (419)-333-0344	Used for heating value	
4 Oil Change	Used Filters Oil	50 filters / month	Hot Drained	Solid Waste Disposal		Recycle metal content

5	Coolant Replacement	Used Anti-freeze	100 gallons / 6 months		ZNZ Waste Oil, 3437 Oak Harbor Road, Fremont, Ohio 43420 (419)-333-0344		
6	Lighting	Spent Fluorescent Light Bulbs	Varies		Solid Waste Disposal		Recycling
7	Air Conditioning Re-charge	Spent Freon	Varies	Captured and Re-generated on-site			
8	Tire Replacement	Used Tires	30-60 / month		Enviro Tire, 2709 Bradeberry Road, Fostoria, Ohio (419)435-5611		
9	Paint Booth	Paint Filters	Quarterly		Solid Waste Disposal		
10	Paint Booth	D001/F003/F005 Spent Solvent /Paint Sludge	25 gallons / month		Philip Services, 421 Lycoste, Detroit, MI 48214	Re-Use of Solvent or fuels blending	

REMARKS-GENERAL INFORMATION

General Process Information: Automotive Service and Auto Body Shop. Retailer of Chevrolet Trucks and Automobiles. Body Shop and Service Shop On-Site.

Regulatory/Enforcement History (if applicable):

Additional P2 remarks and information: Baumann Auto Group should consider reducing the number of parts washer units in the service area as well as solvent substitution with non-hazardous solvent. Installation of a second used oil heater to heat the facility may also be a viable option to reduced disposal cost and heating costs. Recycling of spent fluorescent lamps should be considered.

Would this facility be interested in a P2 assessment? Yes* No

*If yes, refer promptly to your district P2 coordinator. Office of Compliance Assistance and Pollution Prevention – 1-800-329-7518 or p2mail@epa.state.oh.us or www.epa.ohio.gov/ocapp

Other:

**SMALL QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: ≤100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.
 LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.
 NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

GENERAL REQUIREMENTS

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
2.	Has the generator obtained a U.S. EPA I.D. number? [3745-52-12]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
3.	Has the generator transported or caused to be transported hazardous waste to other than a facility authorized to manage the hazardous waste? [ORC 3734.02 (F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
4.	Has the generator disposed of hazardous waste on-site without a permit or at another facility other than a facility authorized to dispose of hazardous waste? [ORC 3734.02 (E) & (F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
5.	Does the generator accumulate hazardous waste?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the SQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements might still apply, e.g. manifest, marking, LDR, etc.

6.	Has the generator accumulated hazardous wastes <u>in excess of (180/270) days</u> without a permit or an extension from the Director? [3745-52-34; ORC §3734-02(E)&(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

NOTE: SQG's shipping waste to a facility greater than 200 miles away can accumulate on-site for 270 days. [3745-52-34 (E)]

7.	Is the generator accumulating more than 6,000 kg on site? [3745-52-34(D)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

NOTE: 6,000 kg = approximately 27, 55-gallon drums. If the facility is accumulating waste for greater than 180/270 days without an extension/permit or is accumulating greater than 6,000 kg on-site, it is classified as a storage facility and TSD standards apply. Complete applicable TSD checklists.

8.	Does the generator treat hazardous waste in a:	
	a. Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Tank that meets 3745-66-101?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d. Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

MANIFEST REQUIREMENTS

9.	Are all hazardous wastes either reclaimed under a contractual agreement as defined in OAC rule 3745-52-20(E), or shipped off-site accompanied by a manifest (U.S. EPA Form 8700-22)? [3745-52-20(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	Are wastes reclaimed under a contractual agreement? If so: [3745-52-0(E)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Does the contractual agreement specify the type of waste and frequency of shipment?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Is the transport vehicle owned and operated by the reclaimer?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

c.	Is a copy of the reclamation agreement kept on-site for at least three years after termination/expiration of the agreement?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: If wastes are reclaimed under a contractual agreement and an answer to questions 10(a) through 10(c) is no, the generator is in violation of 3745-52-20 (A) (B) & (D), 3745-52-22 and 3745-52-23. Even if the waste is being reclaimed under agreement, LDRs still apply. Complete LDR checklist.		
11.	Have items 1 through 20 of each manifest been completed? [3745-52-20(A)(1)] & [3745-52-27(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations, items (21) through (35) must also be complete. [3745-52-20(A)(1)]		
12.	Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: The generator may designate on the manifest one alternative facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]		
13.	If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternative TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Have the manifests been signed by the generator and initial transporter? [3745-52-23 (A) (1) and (2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have made a good faith effort to minimize their waste generation.		
15.	If the generator did not receive a return copy of each completed manifest within 60 days of being accepted by the transporter did the generator submit to Ohio EPA, a copy of the manifest with some indication that the generator has not received confirmation of delivery? [3745-52-42(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	Are signed copies of all manifests being retained for at least three years? [3745-52-40]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.		
PREPAREDNESS AND PREVENTION		
17.	Is an emergency coordinator available at all times (on-site or on-call)? [3745-52-34(D)(5)(a)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
18.	Has the following been posted by the telephone: [3745-52-34(D)(5)(b)]	
a.	Name and telephone number of emergency coordinator?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
b.	Location of fire and spill control equipment, and, if present, fire alarm(s)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
c.	Telephone number of local fire department?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
19.	Are employees familiar with waste handling and emergency procedures? [3745-52-34(D)(5)(c)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
20.	Has the facility properly responded to all fires and spills? [3745-52-34(D)(5)(d)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
21.	Is the facility operated to minimize the possibility of fire, explosion, or any unplanned sudden or nonsudden release of hazardous waste? [3745-65-31]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
22.	Does the generator have the following equipment at the facility if it is required due to actual hazards associated with the waste:	
a.	Internal Alarm system? [3745-65-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Emergency communication device? [3745-65-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	c.	Portable fire control, spill control and decon equipment? [3745-65-32(C)]?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
23.		Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a.	Are inspections recorded in a log or summary? [3745-65-33]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
24.		Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under OAC 3745-65-32)? [3745-65-34(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
25.		If there is only one employee on the premises is there immediate access to a device (ex. phone, hand-held two-way radio) capable of summoning external emergency assistance (unless not required under OAC 3745-65-32)? [3745-65-34(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
26.		Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
27.		Has the generator attempted to familiarize emergency authorities with possible hazards and facility layout? [3745-65-37(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
28.		Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
SATELLITE ACCUMULATION AREA REQUIREMENTS			
29.		Does the generator ensure that satellite accumulation area(s):	
	a.	Are at or near a point of generation? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	e.	Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	f.	Containers are marked with the words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
30.		Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a.	Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	Did the generator mark the container(s) holding the excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.			
USE AND MANAGEMENT OF CONTAINERS			
31.		Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(D)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
32.		Is the accumulation date on each container? [3745-52-34(D)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

33.	Are hazardous wastes stored in containers which are:		
	a.	Closed (except when adding/removing wastes)? [3745-66-73(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	In good condition? [3745-66-71]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Compatible with wastes stored in them? [3745-66-72]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Handled in a manner which prevents rupture/leakage? [3745-66-73(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Record location on process summary sheets and photograph the area.</i>			
34.	Is the container accumulation area(s) inspected at least weekly? [3745-66-74] Per ORC§1.44(A) "Week" means seven(7) consecutive days.		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a.	Are inspections recorded in a log or summary? [3745-66-74]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
35.	Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
36.	If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
37.	If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.</i>			
PRE-TRANSPORT REQUIREMENTS			
38.	Does each generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
39.	Does each container ≤119 gallons have a completed hazardous waste label? [3745-52-32(B)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
40.	Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

- #1 – Fluorescent Lamps and Paint Filters not evaluated.
- #17 – No Emergency Coordinator
- #18 – No Emergency Info Posted
- #34 – No Weekly Inspections

OAC 3745-266-80 SPENT LEAD ACID BATTERIES BEING RECLAIMED

1.	Has the handler of reclaimed batteries notified Ohio EPA or US EPA of regulated waste activity?		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
2.	Are the handler's batteries reclaimed through regeneration (such as by electrolyte replacement)?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: If yes, the handler is subject to OAC Chapter 3745-51 and OAC rule 3745-52-11</i>			
3.	Are the handler's batteries reclaimed other than through regeneration?		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a.	If yes, does the handler:	
		i. Generate, collect, and/or transport these batteries?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
		ii. Store these batteries but is not the reclaimer?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
		iii. Store these batteries before reclaiming them?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		iv. Not store these batteries before reclaiming them?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: If the answer to any question 3ai through 3aiv is yes, the handler is subject to OAC Chapters 3745-51 and 3745-270, and OAC rule 3745-52-11. If the handler stores batteries before reclaiming them, the handler is subject to permitting requirements (e.g., general or interim standard facilities). Complete other appropriate checklists (e.g., LDR, TSD).</i>			
4.	Has the handler adequately evaluated all waste generated at their facility?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

#4 – Paint Filters and Fluorescent Lamps not evaluated.

**USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

PROHIBITIONS

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: For example, used oil contaminated scrap metal stored in a pile.

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil"? [3745-279-22(C)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Stopped the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Contained the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

ON-SITE BURNING IN SPACE HEATER

10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	generators?	
b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).

GENERATOR TRANSPORTATION

11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#? [3745-279-24]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).

COLLECTION CENTERS AND AGGREGATION POINTS

13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.

#8 – Used Oil Tank, Poly Drums and Portable Totes not labeled “Used Oil”.

**GENERATOR LDR CHECKLIST
DOES NOT APPLY TO CESQGS**

GENERAL REQUIREMENTS

1.	If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07 (A)(7)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
2.	Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: This is done by determining if the HW /soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07 (A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).		
3.	Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Does the generator generate a listed HW that exhibits a characteristic? If yes,	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.		
6.	Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.		
NOTE: Written documentation of this determination is not required.		
7.	Did the generator treat his HW /soil on-site to meet the LDR treatment standard?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE If "Yes" see question #16.		
8.	Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
10.	Does the generator have a copy of the LDR notification form on file?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the form kept on file for three years after last HW shipped? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTIFICATION FORM		
11.	Does the LDR Notification form contain the following information:	
a.	Manifest number of the first waste shipment to the TSD?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)].	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: A wastewater contains <1% by wt. total suspended solids(TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.

e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories

f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.

g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.

PROHIBITED DILUTION

12.	Is the HW treated by burning? If "No" go to #15.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
-----	---	--

13.	Is the HW a metal-bearing HW?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
-----	-------------------------------	--

NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs are given in the Appendix to 3745-270-03.

14.	a.	Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless <u>one</u> of the following conditions apply. [3745-270-03(c)]	
-----	----	---	--

	i.	Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	--------------------	--

	ii.	Contains organic constituents or cyanide at levels greater than the UTS levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	-----	---	--

	iii.	Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	------	--	--

	iv.	Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	-----	--	--

	v.	Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	--	--

	b.	If all responses to 14 a.i. through 14 a.v. are ANo@, HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
--	----	---	--

15.	Was the HW treated by wastewater treatment?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
-----	---	--

	a.	Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	---	--

NOTE: If Yes, HW is improperly being treated by dilution.

	b.	Does the waste carry the D001 code and contain $\geq 10\%$ TOC?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
--	----	---	--

	c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
--	----	---	--

NOTE: If the answers to b & c are Ayes@ and Ano@, respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B) and 3745-270-40(A)(3)].

NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.

GENERATOR TREATMENT			
16.	Does the generator treat to meet LDRs on-site [3745-270-40(A)]?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	Did the generator treat his hazardous waste/soil on-site in a tank, container, drip pad or containment building to meet the LDR treatment standard?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	If "Yes" ...complete the rest of the checklist. If "No" ...stop...you are done.		
a.	Does the generator have a written waste analysis plan (WAP) that describes the procedures he will follow to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Did the generator use a detailed chemical and physical analysis of the HW/soil in order to develop the WAP? [3745-270-07(A)(5)(a)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: This is a laboratory analysis but it does not have to be kept by the generator.</i>			
c.	Does the WAP contain all information necessary to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)(a)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Does the WAP include the testing frequency of the treated HW/soil to demonstrate that the LDR treatment standard is being met? [3745-270-07(A)(5)(a)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	Does the generator keep the WAP on-site? [3745-270-07(A)(5)(b)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
f.	Is the WAP available for the inspector's review during the inspection? [3745-270-07(A)(5)(b)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTIFICATION FORM FOR GENERATOR TREATMENT			
17.	a.	Contains all information in #11 a-g above and	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	If the treated HW/soil is listed.....notification contains the following certification statement: "I certify under penalty of law that I personally have examined and am familiar with the waste, through analysis and testing or through knowledge of the waste, to support this certification that the waste complies with the treatment standards specified in rule 3745-270-40 to 3745-270-49 of the Administrative Code. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	If the treated HW/soil no longer exhibits a characteristic and is no longer a HW, did the generator:	
	i.	Send a one-time notification to the director?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	ii.	Maintain a copy of the notice onsite?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iii.	Include in the notification: [3745-270-09(D)(1)(a)]	
	1.	Name & address of receiving landfill?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	2.	Description of HW when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	3.	HW code when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	4.	Treatability group when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	5.	Underlying hazardous constituents present when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iv.	Contain the certification statement as required by 3745-70-07(B)(4)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>