



State of Ohio Environmental Protection Agency

Northwest District Office

347 North Dunbridge Rd.
Bowling Green, OH 43402-9398

TELE: (419) 352-8461 FAX: (419) 352-8468
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

Re: FSI Disposal
Hazardous Waste
Sandusky County
Notice of Violation

December 24, 2008

Mr. Randy Miller, Operations Manager
FSI Disposal
330 Elm Street
Clyde, Ohio 43410

Dear Mr. Miller:

Thank you for accompanying Kara Reynolds and me during Ohio EPA's December 3, 2008, hazardous waste compliance evaluation inspection (CEI) of FSI Disposal (FSI) located at 330 Elm Street, Clyde, Ohio. This inspection was conducted to determine FSI's compliance with Ohio's hazardous waste laws as found in Chapter 3734. of the Ohio Revised Code (ORC), and Ohio's hazardous waste regulations as adopted under Chapter 3745. of the Ohio Administrative Code (OAC). FSI was represented by Larry Fultz and you. The inspection included discussions with you and Mr. Fultz and a tour of your facility. This letter will explain the violations I discovered and what you need to do to correct these violations.

FSI is full service garbage pickup facility. FSI is also a solid waste transfer station and a recycling facility. FSI is a non-generator of hazardous waste. FSI has a fleet of 35-40 garbage trucks. FSI changes the oil and oil filters from their fleet onsite, thus FSI is a used oil generator. Wastes generated at your facility include used oil filters, used oil, batteries, and lamps. Household waste recycled at FSI includes metal, wood, concrete, plastic, paper, cardboard, magazines, and aluminum.

During the inspection, I gave you the following information: the fact sheets Universal Waste Rules for Handlers of Lamps; Fluorescent Lamps: What you Should Know; The Regulation of Used Oil: An Overview for Ohio Businesses Who Generate Used Oil; Used Oil Burners – New Guidance for Rebuttable Presumption and a list of computer, fluorescent lamp and ballast recyclers; a list of used oil recyclers.

I found the following violations of Ohio's hazardous waste laws. In order to correct these violations you must do the following and send me the required information **within 30 days** of your receipt of this letter:

**1. Waste Evaluation.
OAC Rule 3745-52-11**

Any person who generates a waste must determine if that waste is a hazardous waste in accordance with the criteria for hazardous waste as set forth in Chapter 3745-51 of the Administrative Code.

FSI failed to have waste evaluation documentation for the fluorescent bulbs generated at the facility.

FSI is currently disposing of their fluorescent bulbs in the trash. FSI must cease disposing of their fluorescent bulbs as non-hazardous waste in the local landfill until a proper waste evaluation has been completed.

The waste evaluation can be conducted by taking a representative sample of this waste to properly evaluate this waste stream through a laboratory analysis which lists constituents present and at what concentration. FSI must ensure that the laboratory chosen to perform this sampling utilizes the proper method(s) to evaluate these bulbs. FSI must sample the fluorescent bulbs to determine the Toxicity Characteristic Leaching Procedure (TCLP) concentrations of barium (D005), cadmium (D006), lead (D008), and mercury (D009) as listed in OAC Rule 3745-51-24 following the methods as outlined in U.S. EPA's SW-846. FSI may run total concentrations for these constituents as a screening tool. If the concentration(s) are detected for any of these constituents at or above the regulatory limit, a TCLP may be required to ensure these constituent(s) are not present above the Ohio EPA regulatory level.

If the bulbs are determined to be hazardous through a proper waste evaluation, FSI will have to manage their bulbs either as 1) a universal waste (OAC Chapter 3745-273), or 2) as a hazardous waste under Ohio's generator standards (OAC Chapter 3745-52). FSI may recycle their bulbs if they are hazardous or non-hazardous. Ohio EPA would encourage this option as a pollution prevention alternative.

- In lieu of conducting a waste evaluation, FSI may choose to manage their bulbs as a universal waste as outlined in OAC Chapter 3745-273. Please consult the fact sheet Universal Waste Rules for Handlers of Lamps given to you during the inspection for more information. If you choose this option, please provide me an outline of your universal waste management plan.
- ***To abate this violation, please submit to me your waste evaluation of your lamps or an outline of your universal waste management plan (indicating how you will manage, label, send off-site within one year, where lamps will be recycled, etc.)***

If you perform sampling, Ohio EPA will use the data you provide, in addition to other documentation, to make regulatory decisions concerning the wastes tested. The data you submit should be reviewed using a data review process, referred to as data validation, to confirm the validity of your data prior to submission. Data validation includes a review of the following components: laboratory test methods, laboratory data completeness, documentation of holding time(s), chain(s) of custody, and quality assurance/quality control (QA/QC) data. To confirm the validity of your data, you may use Ohio EPA's tier 1 data validation plan review form which can be obtained from Ohio EPA's web page: http://www.epa.state.oh.us/dhwm/tier_1_data_validation_manual.html. Ohio EPA may request the documentation needed to confirm the validity of the data submitted.

Please submit a brief narrative of each sampling event which includes: process generating the waste, point in the process the sample was obtained, sampling techniques used to obtain the sample and a description of how this sample was determined to be a representative sample of the waste tested.

In addition, if sampling is performed, please notify me at least seven days prior to taking the samples so that I or an Ohio EPA representative may be present.

2. **Used oil storage requirements - proper labels.**
OAC Rule 3745-279-22 (C) (1)

Containers used to store used oil shall be labeled or marked clearly with the words "Used Oil."

FSI failed to mark approximately 20, 55-gallon drums used to store used oil with the words "Used Oil." In addition, FSI failed to mark one, 15-gallon drum used to collect the used oil from the draining of used oil filters in the maintenance shop with the words "Used Oil".

- ***To abate this violation, FSI must submit photograph documentation indicating that all of these drums used to store used oil have been properly labeled "Used Oil".***

If you find additional ways to recycle, reduce, or altogether eliminate the amount of waste that your company generates you may be able to reduce treatment and disposal costs. Furthermore, you may possibly reduce your regulatory requirements. You can find helpful information about pollution prevention at the following web address: <http://www.epa.state.oh.us/ocapp/ocapp.html>.

Ohio EPA will issue an EPA ID number to track our investigation activity at the property in question. You cannot use this number for manifesting hazardous waste shipments. If you want to use an EPA ID number for manifesting and other hazardous waste, used oil or universal waste activities, you must complete and submit a Notification of Regulated Waste Activity form (*EPA Form 9029 (Rev. 11/2002)*) to Ohio EPA. This form is available on our Web page at <http://www.epa.state.oh.us/dhwm/notiform.html> or you can call me or the Division of Hazardous Waste Management, Central Office, RIS at (614) 644-2977 and we will mail you a copy.

The Division of Hazardous Waste Management (DHWM) has created an electronic news service to provide you with quick and timely updates on events and news related to hazardous waste activities in Ohio. If you haven't already, we encourage you to sign-up for this free service. You can find more information at the following Web link <http://www.epa.state.oh.us/dhwm/listserv.html>. Please feel free to share this information with your colleagues.

Mr. Randy Miller
December 24, 2008
Page Three

Please address all correspondence to Amber Hicks, Ohio EPA, 347 N. Dunbridge Road, Bowling Green, Ohio 43402. Should you have any questions, please feel free to call me at (419) 373-3082.

You can find copies of the rules and other information on the division's web page at <http://www.epa.state.oh.us/dhwm>. Ohio EPA has helpful information about pollution prevention at the following web address: <http://www.epa.state.oh.us/ocapp/ocapp.html>.

Sincerely,



Amber M. Hicks
Division of Hazardous Waste Management

/lb

Enclosures

pc: Colleen Weaver, DHWM, NWDO
Cindy Lohrbach, DHWM, NWDO

ec: ~~DHWM, NWDO File/FST Disposal~~
Amber Hicks, DHWM, NWDO

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

**Ohio Environmental Protection Agency
RCRA SUBTITLE C SITE
IDENTIFICATION/VERIFICATION FORM**

For Ohio EPA use only

E-mail this completed form to kristina.durnell@epa.state.oh.us
or mail it to Kristina Durnell, Central Office

<p>Site EPA ID No. Site Name</p> <p>Site Location Information</p> <p>Site Land Type (check only one) NAICS code(s) www.census.gov/epcd/www/naics.html</p>	<p>EPA ID Number: Name: FSI Disposal</p> <p>Website: (Optional)</p> <p>Street Address: 330 Elm Street City, Town, or Village: Clyde County Name: Sandusky</p> <p>State: OH Zip Code: 43410</p> <p>Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input checked="" type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/></p>
<p>Facility Representative</p> <p>Additional names can be recorded in number 12</p> <p>Only provide address information if it is different than the site address</p>	<p>First Name: Randy MI: Last Name: Miller</p> <p>Phone Number: Phone Number Extension:</p> <p>E-Mail Address: Fax Number Extension:</p> <p>Fax Number: Fax Number Extension:</p> <p>Street or P.O. Box: City, Town or Village: State: Zip Code:</p>
<p>Legal Owner And Operator of the Site.</p> <p>List Additional Owners and/or Operators in the Comment Section or on another copy of this form page</p>	<p>Name of Site's Legal Owner:</p> <p>Date Became Owner (mm/dd/yyyy):</p> <p>Owner Private County District Federal Indian Municipal State Other Type: <input type="checkbox"/> <input type="checkbox"/></p> <p>Street or P.O. Box: City, Town or Village: State: Owner Phone #: Country: Zip Code: Date Became Operator (mm/dd/yyyy):</p> <p>Name of Site's Operator:</p> <p>Owner Private County District Federal Indian Municipal State Other Type: <input type="checkbox"/> <input type="checkbox"/></p> <p>Street or P.O. Box: City, Town or Village: State: Operator Phone #: United States Zip Code:</p>

VIOLATIONS CITED? Yes No

TYPE OF HANDLER-- A MINIMUM OF ONE BOX MUST BE CHECKED

<p><input type="checkbox"/> Not a Generator</p>	<p><input checked="" type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11</p>	<p><input type="checkbox"/> Large Quantity Generator (LQG)</p> <p><input type="checkbox"/> Small Quantity Generator (SQG)</p> <p><input type="checkbox"/> Conditionally Exempt Small Quantity Generator</p> <p><input type="checkbox"/> U.S. Importer of Hazardous Waste</p> <p><input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator</p>
---	---	--

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)	
<input type="checkbox"/> Recycler of Hazardous Waste	<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace
<input type="checkbox"/> Underground Injection Control Facility	<input type="checkbox"/> Small Quantity On-Site Burner Exemption
<input type="checkbox"/> Hazardous Waste Transporter	<input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption
<input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste	

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED) (CHECK ALL BOXES THAT APPLY)	
<input type="checkbox"/> Small Quantity Handler of Universal Waste	<input type="checkbox"/> Destination Facility for Universal Waste
<input type="checkbox"/> Large Quantity Handler of Universal Waste (accumulates 5,000 kg. or more)	

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES	
<input type="checkbox"/> Batteries	
<input type="checkbox"/> Pesticides	
<input type="checkbox"/> Mercury containing equipment	
<input type="checkbox"/> Lamps	

USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))	
<input checked="" type="checkbox"/> Used Oil Generator	
<input type="checkbox"/> Used Oil Transporter	
<input type="checkbox"/> Used Oil Transfer Facility	
<input type="checkbox"/> Used Oil Processor	
<input type="checkbox"/> Used Oil Re-refiner	
<input type="checkbox"/> Off-Specification Used Oil Burner	
<input type="checkbox"/> Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil	
<input type="checkbox"/> Used Oil Fuel Marketer to Off-Specification Used Oil Burner	

Waste Codes for Federally Regulated Hazardous Wastes: Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more space is needed. If there are more than 7 waste codes and they are the same as listed in the most recent RCRAInfo source record, you do not need to list them all. Instead just indicate the date of the most recent source record.

COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.			
Announced	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Additional Facility Representatives:
Tanks	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Other Comments: Larry Fultz
Containers	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	

Name of Inspector(s)	Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
Amber Hicks	Kara Reynolds	12/3/2008 14:20-15:17

OPTIONAL CERTIFICATION. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Owner, Operator, or an Authorized Representative	Name and Title (Print)	Date (mm/dd/yyyy)
---	------------------------	-------------------

**USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

PROHIBITIONS

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: For example, used oil contaminated scrap metal stored in a pile.

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil"? [3745-279-22(C)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Stopped the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Contained the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

ON-SITE BURNING IN SPACE HEATER

10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	generators?	
b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).

GENERATOR TRANSPORTATION

11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
12.	If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).

COLLECTION CENTERS AND AGGREGATION POINTS

13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.

PROCESS, WASTE, P2 SUMMARY SHEET

Facility Name: FSI Disposal Facility Type: LQG SQG CESQG TSD Date of Inspection: 12-3-08 EPA ID#: N/A

Waste Generated		On- or Off-Site Management			P2 Activities		
Process/Activity Generating Waste <small>(e.g. plating bath, machining, baghouse, painting, general maintenance, etc)</small>	Waste Description <small>(e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applic.</small>	QTY Generated per Month, Type of Accumulation (container, tank, etc) and location of waste accumulation area	Type of On-Site Treatment <small>(recycle, wwt, etc)</small>	Name, state, and type of activity occurring at the off-site facility.	Current P2 Activities	P2 Opportunities	
1	Lightning	Fluorescent bulbs	Unknown	NA	Disposing in solid waste stream - 52-11 violation.	None	Gave list of recyclers & explained proper management - UW & recycling.
2	Servicing of garbage truck fleet	Used Oil	Not sure	Burn on-site in used oil burner	NA	Buring on-site for energy recovery	
3	Servicing of garbage truck fleet	Used oil filters	Unknown	NA	Facility properly draining then recycling as scrap metal.	Recycling.	
4	Servicing of garbage truck fleet	Batteries	Unknowne	NA	Crown Battery - Fremont, OH	Recycling.	
5							
6							
7							
8							

9							
---	--	--	--	--	--	--	--

REMARKS-GENERAL INFORMATION

General Process Information:

Facility does not generate hazardous waste (52-II for bulbs). Facility is only a used oil generator.

Regulatory/Enforcement History (if applicable):



Additional P2 remarks and information:

Not sure if facility would be interested or not.

Would this facility be interested in a P2 assessment? Yes* No *If yes, refer promptly to your district P2 coordinator.

Office of Compliance Assistance and Pollution Prevention - 1-800-329-7518 or p2mail@epa.state.oh.us or www.epa.state.oh.us/ocapp/ocapp.html

Other:



OAC 3745-266-80 SPENT LEAD ACID BATTERIES BEING RECLAIMED

1.	Does the facility reclaim spent batteries and store them before reclaiming them?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. If so, has the facility notified Ohio EPA or US EPA of regulated waste activity?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: In addition to the above, the permitted facility is subject to Chapter 3745-55, and the applicable provisions in rules 3745-54-01 to 3745-54-03, 3745-54-10 to 3745-54-19 [but not rule 3745-54-13], 3745-54-30 to 3745-54-37 and 3745-54-50 to 3745-54-56, 3745-54-70 to 3745-54-77 [but not rule 3745-54-71 or 3745-54-72], 3745-54-90 to 3745-54-101, 3745-56-20 to 3745-56-31, and 3745-56-59, 3745-50-40 to 3745-50-66.

In addition to the above, the interim standard facility is subject to Chapter 3745-66, and the applicable provisions in rules 3745-65-01, 3745-65-10 to 3745-65-19 [but not 3745-65-13], 3745-65-30 to 3745-65-37 and 3745-65-50 to 3745-65-56, 3745-65-70 to 3745-65-77 [but not rule 3745-65-71 or 3745-65-72], 3745-65-94, 3745-67-20 to 3745-67-30, and 3745-67-50 to 3745-67-60, 3745-50-40 to 3745-50-66.