



State of Ohio Environmental Protection Agency

Northwest District Office

347 North Dunbridge Road
Bowling Green, OH 43402-9398

TELE: (419) 352-8461 FAX: (419) 352-8468
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

Re: Continental Structural Plastics
OHD 068 109 768
Hazardous Waste
Wood County
NOV/RTC

June 26, 2007

Mr. Vinod C. Shah
Continental Structural Plastics
755 W. Big Beaver Road, Suite 700
Troy, Michigan 48084

Dear Mr. Shah:

On June 19, 2007, Ohio EPA conducted a hazardous waste compliance evaluation inspection (CEI) of Continental Structural Plastics (Continental) located at 100 S. Poe Road, North Baltimore, Ohio. This inspection was conducted to determine Continental's compliance with Ohio's hazardous waste laws as found in Chapter 3734. of the Ohio Revised Code (ORC), and Ohio's hazardous waste regulations as adopted under Chapter 3745. of the Ohio Administrative Code (OAC). Continental was represented by Larry Dales, Rob Sargent, and you. Ohio EPA was represented by Ed Pulido, Mary Ann Miller and the writer. The inspection included a tour of facility operations and a review of facility paperwork. This letter will explain the violations I found.

Continental manufactures fiberglass reinforced parts for the automotive industry. Continental purchased this facility from Thyssenkrupp Budd Co. on July 19, 2006. Continental is a large quantity generator of hazardous waste. Hazardous waste generated at the facility is paint related waste (D001, F003, F005). Other wastes generated at the facility include used oil, paint sludge, paint booth filters, waste polyol, batteries, and fluorescent light bulbs.

During the CEI, I provided Mr. Sargent with the fact sheet Universal Waste Rules for Handlers of Lamps.

I found the following violations of Ohio's hazardous waste laws:

1. **Waste management - standards for small quantity handlers of universal waste (lamps).**
OAC Rule 3745-273-13 (D) (1)

A small quantity handler of universal waste must manage lamps in a way that prevents releases of any universal waste or component of a universal waste to the environment by containing lamps in containers or packages and such containers must remain closed.

Continental was storing approximately 10-15 boxes of lamps. These boxes were not closed, thus, these lamps were not in a container that was closed.

All boxes that contained spent lamps were closed during the CEI, thus this violation is abated.

2. **Waste management - Labeling/marketing standards for small quantity handlers of universal waste (lamps).
OAC Rule 3745-273-14 (E)**

A small quantity handler of universal waste must label or mark a container or package with such lamps with one of the following phrases: "Universal Waste-Lamps," or "Waste Lamps," or "Used Lamps."

Continental failed to mark their used lamps with a proper label.

All boxes that contained spent lamps were labeled with the words "Universal Waste-Lamps" during the CEI, thus this violation is abated.

Pollution Prevention:

- Continental currently recycles their used oil, used batteries, paint sludge, and fluorescent bulbs. Your parts washer in the maintenance area is part of Safety-Kleen's continued use program. If you find additional ways to recycle, reduce, or altogether eliminate the amount of waste that your company generates you may be able to reduce treatment and disposal costs. Furthermore, you may possibly reduce your regulatory requirements. Ohio EPA has helpful information about pollution prevention at the following web address:
<http://www.epa.state.oh.us/ocapp/ocapp.html>.

The Division of Hazardous Waste Management (DHWM) has created an electronic news service to provide you with quick and timely updates on events and news related to hazardous waste activities in Ohio. If you haven't already, we encourage you to sign-up for this free service. You can find more information at the following Web link <http://www.epa.state.oh.us/dhwm/listserv.html>. Please feel free to share this information with your colleagues.

No response to this letter is necessary.

Mr. Vinod C. Shah


June 26, 2007

Page 3

Enclosed you will find a copy of the checklists that I completed during the inspection. Should you have any questions, please feel free to call me at (419) 373-3082.

You can find copies of the rules and other information on the division's web page at <http://www.epa.state.oh.us/dhwm>.

Sincerely,



Amber M. Hicks

Division of Hazardous Waste Management

/l/r

Enclosures

pc: Larry Dales, Continental Structural Plastics
Colleen Weaver, DHWM, NWDO
Cindy Lohrbach, DHWM, NWDO
DHWM, NWDO File: Continental Structural Plastics (w/ original checklists) ,
ec: John Pasquarette, DHWM, NWDO
Amber Hicks, DHWM, NWDO

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Ohio Environmental Protection Agency
RCRA SUBTITLE C SITE
IDENTIFICATION/VERIFICATION FORM

For Ohio EPA use only

E-mail this completed form to
tammy.mcconnell@epa.state.oh.us or mail it to Tammy
McConnell, Central Office

2. Site EPA ID No	EPA ID Number: OHD 068 109 768								
3. Site Name	Name: Continental Structural Plastics					Website: (Optional)			
4. Site Location Information	Street Address: 100 S. Poe Road								
	City, Town, or Village: North Baltimore					State: OH			
	County Name: Wood					Zip Code: 45872			
5. Site Land Type (check only one)	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>	
6. NAICS code(s) www.census.gov/epcd/www/naics.html									
7. Facility Representative Additional names can be recorded in number 12. Only provide address information if it is different than the site address.	First Name: Vinod			MI: C.		Last Name: Shah			
	Phone Number: 248-823-5664; 248-930-6721				Phone Number Extension:				
	E-Mail Address: vinod.shah@cspplastics.com								
	Fax Number: 248-593-9519				Fax Number Extension:				
	Street or P.O. Box: 755 W. Big Beaver Road, Suite 700								
	City, Town or Village: Troy			State: MI		Country: USA		Zip Code: 48084	
8. Legal Owner and Operator of the Site List Additional Owners and/or Operators in the Comment Section or on another copy of this form page.	Name of Site's Legal Owner: Continental Structural Plastics					Date Became Owner (mm/dd/yyyy): 07/19/2006			
	Owner Type:	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								
	City, Town or Village:				Owner Phone #:				
	State:				Country:		Zip Code:		
	Name of Site's Operator:					Date Became Operator (mm/dd/yyyy):			
	Owner Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								
	City, Town or Village:				Operator Phone #:				
	State:				Country:		Zip Code:		
9. Violations Cited?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No								
10A. Type of Regulated Waste Activity (Mark 'X' in all of the appropriate boxes)									
<input type="checkbox"/> Not Regulated				<input type="checkbox"/> Conditionally Exempt Small Quantity Generator					
<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11				<input type="checkbox"/> United States Importer of Hazardous Waste					
<input checked="" type="checkbox"/> Large Quantity Generator (LQG)				<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator					
<input type="checkbox"/> Small Quantity Generator (SQG)									
<input type="checkbox"/> Hazardous Waste Transporter				<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace					
<input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste				<input type="checkbox"/> Small Quantity On-Site Burner Exemption					
<input type="checkbox"/> Recycler of Hazardous Waste				<input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption					
<input type="checkbox"/> Underground Injection Control Facility									

10B Universal Waste Activities (Indicate types of universal waste managed (check all boxes that apply))			
<input checked="" type="checkbox"/> Small Quantity Handler of Universal Waste		<input type="checkbox"/> Large Quantity Handler of Universal Waste (accumulates 5,000 kg. or more)	
<input type="checkbox"/> Destination Facility for Universal Waste			
Check all boxes below that apply for each of the three types of facilities above		10C Used Oil Activities (Indicate Type(s) of Activity(ies))	
	Managed:	<input checked="" type="checkbox"/> Used Oil Generator	<input type="checkbox"/> Off-Specification Used Oil Burner
Batteries	<input checked="" type="checkbox"/>	<input type="checkbox"/> Used Oil Transporter	<input type="checkbox"/> Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil
Pesticides	<input type="checkbox"/>	<input type="checkbox"/> Used Oil Transfer Facility	<input type="checkbox"/> Used Oil Fuel Marketer to Off-Specification Used Oil Burner
Mercury containing equipment	<input type="checkbox"/>	<input type="checkbox"/> Used Oil Processor	
Lamps	<input checked="" type="checkbox"/>	<input type="checkbox"/> Used Oil Re-refiner	
11 Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more space is needed. If there are more than 7 waste codes and they are the same as listed in the most recent RCRA Info source record, you do not need to list them all. Instead just indicate the date of the most recent source record.			
D001	F003	F005	
12 Comments: Use this area to describe whether the inspection was announced, whether the waste is stored in tanks or containers, etc.			
Announced	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Additional Facility Representatives: Larry Dales (on-site) 419-310-8048
Tanks	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Other Comments:
Containers	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
13 Name of Inspector(s)		Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
Amber Hicks		Ed Pulido; Mary Ann Miller	6/19/2007 9:50-13:00
14 OPTIONAL CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.			
Signature of Owner, Operator, or an Authorized Representative		Name and Title (Print)	Date (mm/dd/yyyy)

PROCESS, WASTE, P2 SUMMARY SHEET

Facility Name: Continental Structural Plastics
Facility Type: LQG
Date of Inspection: 6-19-07
EPA ID#: OHD 068 109 768

Waste Generated			On- or Off-Site Management		P2 Activities	
Process/Activity Generating Waste <small>(e.g. plating bath, machining, baghouse, painting, general maintenance, etc.)</small>	Waste Description <small>(e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applicable</small>	QTY Generated per Month, Type of Accumulation (container, tank, etc) and location of waste accumulation area	Type of On-Site Treatment <small>(recycle, wwt, etc)</small>	Name, state, and type of activity occurring at the off-site facility	Current P2 Activities	P2 Opportunities
1 Painting operations	Paint waste/solvent – D001, F003, F005	~2,200 lbs.		Petro-Chem Processing, Inc. – MI		
2 Hydraulics	Used Oil	?	Recycled & re-used on-site	NA		
3 Painting operations	Paint sludge / non-hazardous	?		OmniCheme - MI	Recycled.	
4 Painting operations	Paint booth filters/ non-hazardous	?		Hancock County Landfill		
5 Purging of mold lines	Waste polyol	?		Hancock County Landfill		
6 Lighting	Fluorescent light bulbs	~100 lbs.		Environmental Recycling – OH	Recycled.	

7	General Use	Batteries	?		Environmental Recycling – OH	Recycled.	
8							
9							

REMARKS-GENERAL INFORMATION

General Process Information:

Regulatory/Enforcement History (if applicable):

Additional P2 remarks and information:

Would this facility be interested in a P2 assessment? Yes* No X *If yes, refer promptly to your district P2 coordinator.
 Office of Compliance Assistance and Pollution Prevention - 1-800-329-7518 or p2mail@epa.state.oh.us or www.epa.state.oh.us/ocapp/ocapp.html

Other:

USED OIL INSPECTION CHECKLIST (Short Version)

NOTE: *This checklist does not include requirements for used oil transporters and transfer facilities, processors and re-refiners, burners, and marketers.*

PROHIBITIONS

1. Is used oil being managed in a surface impoundment or waste pile? If so: Yes No N/A RMK#
Is the surface impoundment or waste pile being regulated under OAC 3745-54 to 3745-57 and 3745-205 or 3745-65 to 3745-69 and 3745-256? [3745-279-12(A)] Yes No N/A RMK#
2. Is used oil being used as a dust suppressant? [3745-279-12(B)] Yes No N/A RMK#
3. Is off-specification used oil fuel burned for energy recovery only in devices specified in 3745-279-12(C)? Yes No N/A RMK#

USED OIL GENERATOR STANDARDS

4. Does the generator mix hazardous waste with used oil only as provided in 3745-279-10(B)? [2745-279-21(A)] Yes No N/A RMK#
5. Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)] Yes No N/A RMK#
6. Does the generator only store used oil in tanks, containers, or units subject to OAC 3745-54 to 3745-57 and 3745-205 or 3745-65 to 3745-69 and 3745-256? [3745-279-22(A)] Yes No N/A RMK#
7. Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)] Yes No N/A RMK#
8. Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)] Yes No N/A RMK#
9. Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]
- a. Stopped the release? Yes No N/A RMK#
- b. Contained the release? Yes No N/A RMK#

- c. Cleaned up and properly managed the used oil and other materials? Yes No N/A RMK#
- d. Repaired or replaced the containers or tanks prior to returning them to service, if necessary? Yes No N/A RMK#
10. Does the generator burn used oil in used fired space heaters? [3745-279-23] If so: Yes No N/A RMK#
- a. Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators? Yes No N/A RMK#
- b. Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour? Yes No N/A RMK#
- c. Are the combustion gases from heater vented to the ambient air? Yes No N/A RMK#
11. Does the generator have the used oil hauled only by transporters that have obtained U.S. EPA ID#, unless the generator qualifies for an exemption pursuant to 3745-279-24 (self transportation or tolling agreements)? [3745-279-24] Yes No N/A RMK#

USED OIL COLLECTION CENTERS AND AGGREGATION POINTS

12. Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30] Yes No N/A RMK#
13. Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31] Yes No N/A RMK#
14. Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32] Yes No N/A RMK#

WASTE EVALUATION

15. Have all wastes generated at the facility been evaluated? [3745-52-11] Yes No N/A RMK#

G:\Compliance letters\LQG\Continental.used.oil.wpd

REMARKS

Facility recycles and re-uses their used oil on-site.

**LARGE QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: ≤ 100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.

SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.

LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥ 1 Kg. of acutely hazardous waste in a calendar month.

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

GENERAL REQUIREMENTS

- | | | | | | | |
|---|-----|--------------------------|----|--------------------------|-----|--------------------------|
| 1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11] | Yes | X | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 2. Are records of waste determination being kept for at least 3 years?[3745-52-40(C)] | Yes | X | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 3. Has the generator obtained a U.S. EPA identification number? [3745-52-12] | Yes | X | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 4. Were annual reports filed with Ohio EPA on or before March 1 st ? [3745-52-41(A)] | Yes | X | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 5. Are annual reports kept on file for at least 3 years?[3745-52-40(B)] | Yes | X | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 6. Has the generator transported or caused to be transported hazardous waste to other than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)] | Yes | <input type="checkbox"/> | No | X | N/A | <input type="checkbox"/> |
| 7. Has the generator disposed of hazardous waste on-site without a permit or at another facility other than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E) & (F)] | Yes | <input type="checkbox"/> | No | X | N/A | <input type="checkbox"/> |
| 8. Does the generator accumulate hazardous waste? | Yes | X | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

- | | | | | | | |
|---|-----|--------------------------|----|---|-----|--------------------------|
| 9. Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02 (E) & (F)? | Yes | <input type="checkbox"/> | No | X | N/A | <input type="checkbox"/> |
|---|-----|--------------------------|----|---|-----|--------------------------|

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G) & (H).

- | | | | | | | |
|---|-----|--------------------------|----|--------------------------|-----|---|
| 10. Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | X |
| a. Container that meets 3745-66-70 to 3745-66-77? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | X |
| b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | X |
| c. Drip pads that meet 3745-69-40 to 3745-69-45? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | X |
| d. Containment building that meets 3745-256-100 to 3745-256-102? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | X |

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

- | | | | | | | |
|---|-----|--------------------------|----|--------------------------|-----|--------------------------|
| 11. Does the generator export hazardous waste? If so: | Yes | <input type="checkbox"/> | No | X | N/A | <input type="checkbox"/> |
| a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | X |
| b. Has the generator complied with special manifest requirements? [3745-52-54] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | X |
| c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | X |
| d. Has an annual report been submitted to U.S. EPA? [3745-52-56] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | X |
| e. Are export related documents being maintained on-site? [3745-52-57(A)] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | X |

MANIFEST REQUIREMENTS

- | | | | | | | |
|--|-----|---|----|--------------------------|-----|--------------------------|
| 12. Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)] | Yes | X | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 13. Have items (1) through (20) of each manifest been completed? [3745-52-20(A)] | Yes | X | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |

NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)]

- | | | | | | | |
|--|-----|---|----|--------------------------|-----|--------------------------|
| 14. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] | Yes | X | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
|--|-----|---|----|--------------------------|-----|--------------------------|

NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)].

- | | | | | | | |
|---|-----|--------------------------|----|--------------------------|-----|---|
| 15. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | X |
|---|-----|--------------------------|----|--------------------------|-----|---|

- | | | | | | | |
|---|-----|---|----|--------------------------|-----|--------------------------|
| 16. Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1) & (2)] | Yes | X | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
|---|-----|---|----|--------------------------|-----|--------------------------|

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.

17. If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)] Yes No N/A
18. If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)] Yes No N/A
19. Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40] Yes No N/A

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

PERSONNEL TRAINING

20. Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)] Yes No N/A
21. Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)(a-f)] Yes No N/A
22. Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)] Yes No N/A
23. Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)] Yes No N/A
24. Does the generator provide annual refresher training to employees? [3745-65-16(C)] Yes No N/A
25. Does the generator keep records and documentation of:
- a. Job titles [3745-65-16D(1)]? Yes No N/A
 - b. Job descriptions [3745-65-16D(2)]? Yes No N/A
 - c. Type and amount of training given to each person [3745-65-16D(3)]? Yes No N/A
 - d. Completed training or job experience required [3745-65-16D(4)]? Yes No N/A
26. Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)] Yes No N/A

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained

CONTINGENCY PLAN

27. Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)] Yes No N/A
28. Does the plan describe the following:
- a. Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste [3745-65-52(A)]? Yes No N/A
 - b. Arrangements with emergency authorities [3745-65-52(C)]. Yes No N/A
 - c. A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)] Yes No N/A
 - d. A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)] Yes No N/A

e. An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)] Yes No N/A

NOTE: If the facility already has a "Spill Prevention, Control and Counter measures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]

29. Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53 (A) & (B)] Yes No N/A

30. Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54] Yes No N/A

31. Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55] Yes No N/A

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

EMERGENCY PROCEDURES

32. Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so: Yes No N/A

a. Was the contingency plan implemented? [3745-65-51(B)] Yes No N/A

b. Did the facility follow the emergency procedures in 3745-65-56(A) through (H)? Yes No N/A

c. Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)? Yes No N/A

NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

PREPAREDNESS AND PREVENTION

33. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31] Yes No N/A

34. Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:

a. Internal communications or alarm system? [3745-65-32(A)] Yes No N/A

b. Emergency communication device? [3745-65-32(B)] Yes No N/A

c. Portable fire control, spill control and decon equipment? [3745-65-32(C)] Yes No N/A

d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] Yes No N/A

NOTE: Verify that the equipment is listed in the contingency plan.

35. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33] Yes No N/A

36. Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33] Yes No N/A

37. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)] Yes No N/A

38. If there is only one employee on the premises, is there immediate access to a device (ex. phone, hand held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32) [3745-65-34(B)] Yes No N/A

39. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes No N/A

40. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)] Yes No N/A

41. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes No N/A

SATELLITE ACCUMULATION AREA REQUIREMENTS

42. Does the generator ensure that satellite accumulation area(s):

a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes No N/A

b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes No N/A

c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes No N/A

[Facility Name/Inspection Date]

[ID number]

LQG/February 2007

Page 3 of 4

- d. Do not exceed one quart of acute hazardous waste at any one time? [3745-52-34(C)(1)] Yes X No N/A
- e. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)] Yes X No N/A
- f. Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes X No N/A
- 43. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:
 - a. Did the generator comply with 3745-52-34(A)(1)through(4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes No N/A X
 - b. Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] Yes No N/A X

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS

- 44. Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)] Yes X No N/A
- 45. Is the accumulation date on each container? [3745-52-34(A)(2)] Yes X No N/A
- 46. Are hazardous wastes stored in containers which are:
 - a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes X No N/A
 - b. In good condition? [3745-66-71] Yes X No N/A
 - c. Compatible with wastes stored in them? [3745-66-72] Yes X No N/A
 - d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes X No N/A

NOTE: Record location on process summary sheets, photograph the area, and record on facility map.

- 47. Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORC§1.44(A) "Week" means 7 consecutive days. Yes X No N/A
 - a. Are inspections recorded in a log or summary? [3745-66-74] Yes X No N/A
- 48. Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76] Yes X No N/A
- 49. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes X No N/A
- 50. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)] Yes X No N/A
- 51. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)] Yes No N/A X

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

- 52. If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)] Yes No N/A X

NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]

PRE-TRANSPORT REQUIREMENTS

- 53. Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes X No N/A
- 54. Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes X No N/A
- 55. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes X No N/A

SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS

Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more

Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less

PROHIBITIONS

1. Did the SQUWH dispose of universal waste? [3745-273-11(A)] Yes No N/A ___ RMK# ___
2. Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)] Yes No N/A ___ RMK# ___

WASTE MANAGEMENT & LABELING/MARKING

UNIVERSAL WASTE BATTERIES

3. Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)] Yes No N/A ___ RMK# ___
4. If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)] Yes No N/A ___ RMK# ___
5. Does the SQUWH conduct any of the following activities:
- a. Sort batteries by type? Yes ___ No N/A ___ RMK# ___
 - b. Mix battery types in one container? Yes No ___ N/A ___ RMK# ___
 - c. Discharge batteries to remove the electric charge? Yes ___ No N/A ___ RMK# ___
 - d. Regenerated used batteries? Yes ___ No N/A ___ RMK# ___
 - e. Disassemble them into individual batteries or cells? Yes ___ No N/A ___ RMK# ___
 - f. Remove batteries from consumer products? Yes ___ No N/A ___ RMK# ___
 - g. Remove the electrolyte from the battery? Yes ___ No N/A ___ RMK# ___

If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)]

Yes No N/A RMK#

6. If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)]

Yes No N/A RMK#

a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]

Yes No N/A RMK#

b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]

Yes No N/A RMK#

7. Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]

Yes No N/A RMK#

UNIVERSAL WASTE PESTICIDES

8. Does the SQUWH prevent releases to the environment by managing pesticides in containers that are closed, structurally sound, compatible with the pesticides, and lack evidence of leakage, spillage, or damage? [3745-273-13(B)(1)]

Yes No N/A RMK#

9. If the original pesticide container is in poor condition, was it over-packed into an acceptable container? [3745-273-13(B)(2)]

Yes No N/A RMK#

10. If the pesticide is stored in a tank, are the requirements of 3745-66-90 through 3745-66-101, except for paragraph (C) of 3745-66-97; 3745-66-100 and -66-101 of the OAC met? (Use tank checklist) [3745-273-13(B)(3)]

Yes No N/A RMK#

11. If pesticides are stored in a transport vehicle, is it closed, structurally sound and compatible with the pesticide(s)? [3745-273-13(B)(4)]

Yes No N/A RMK#

12. Are containers, tanks, or transport vehicles that contain universal waste pesticides, labeled with either "Universal Waste Pesticides" or "Waste Pesticides"? [3745-273-14(B)]

Yes No N/A RMK#

UNIVERSAL WASTE THERMOSTATS

13. Are thermostats that show evidence of leaking, spilling, or damage that could cause leaks, properly contained? [3745-273-13(C)(1)] Yes ___ No N/A RMK# ___
14. If the thermostats are contained, are the containers closed, structurally sound, compatible with contents of the thermostats and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(C)(1)] Yes ___ No N/A RMK# ___
15. If the mercury-containing ampules are removed, does the SQUWH: [3745-273-13(C)(2)]
- a. Remove the ampules in a manner to prevent breakage and are they removed over or in a containment device? [3745-273-13(C)(2)(a)(b)] Yes ___ No N/A RMK# ___
- b. Have a clean-up system readily available to transfer spilled mercury to another container that meets the requirements of OAC 3745-52-34 and is the spilled mercury transferred immediately? [3745-273-13(C)(2)(c)(d)] Yes ___ No N/A RMK# ___
- c. Ensure that the area where ampules are removed is well ventilated and monitored in compliance with applicable OSHA exposure levels for mercury? [3745-273-13(C)(2)(e)] Yes ___ No N/A RMK# ___
- d. Ensure that employees are thoroughly familiar with the proper waste handling and emergency procedures? [3745-273-13(C)(2)(f)] Yes ___ No N/A RMK# ___
- e. Ensure that removed ampules are stored in closed, non-leaking containers that are in good condition? [3745-273-13(C)(2)(g)] Yes ___ No N/A RMK# ___
- f. Pack removed ampules in containers with packing material to prevent breaking during storage, handling and transportation? [3745-273-13(C)(2)(h)] Yes ___ No N/A RMK# ___
16. If mercury, clean-up residues, or other wastes are generated, are they evaluated to determine whether they exhibit a characteristic of a hazardous waste? [3745-273-13(C)(3)(a)] Yes No N/A ___ RMK# ___

a. If the waste is characteristic, is it managed in compliance with OAC Chapters 3745-50 through 3745-69? (The handler is considered the generator of the mercury, residues, and/or other waste and is subject to Chapter 3745-52.) [3745-273-13]

Yes No N/A ___ RMK# ___

b. If the mercury, residues and/or other wastes are not hazardous, are they managed in compliance with applicable law? [3745-273-13(C)(3)(c)]

Yes No N/A ___ RMK# ___

17. Are thermostats or containers of thermostats labeled either "Universal Waste-Mercury Thermostat(s)" or "Waste Mercury Thermostat(s)" or "Used Mercury Thermostat(s)"? [3745-273-14(D)]

Yes No N/A ___ RMK# ___

UNIVERSAL WASTE LAMPS

18. Does the SQGUHW contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]

Yes ___ No N/A ___ RMK# 1

19. Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]

Yes No N/A ___ RMK# ___

20. Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)"? [3745-273-14(E)]

Yes ___ No N/A ___ RMK# 2

NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.

ACCUMULATION TIME

21. Is the waste accumulated for less than one year? [3745-273-15(A)] If not: Yes No ___ N/A ___ RMK# ___
- a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)] Yes ___ No N/A RMK# ___

NOTE: *Accumulation is defined as date generated or date received from another handler.*

22. Is the length of time the universal waste is stored documented by one of the following: [3745-273-15(C)] Yes No N/A ___ RMK# ___
- a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)] Yes ___ No ___ N/A ___ RMK# ___
- b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)] Yes ___ No ___ N/A ___ RMK# ___
- c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)] Yes ___ No ___ N/A ___ RMK# ___
- d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)] Yes ___ No ___ N/A ___ RMK# ___
- e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)] Yes ___ No ___ N/A ___ RMK# ___
- f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)] Yes No ___ N/A ___ RMK# 3

EMPLOYEE TRAINING

23. Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16] Yes No N/A ___ RMK# ___

RESPONSE TO RELEASES

24. Are releases of universal waste and other residues immediately contained? [3745-273-17(A)] Yes No N/A ___ RMK# ___
25. Is the material released characterized? [3745-273-17(B)] Yes No N/A ___ RMK# ___
26. If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)] Yes No N/A ___ RMK# ___

OFF-SITE SHIPMENTS

NOTE: *If a SQUWH self-transport waste, then they must comply with the Universal Waste transporter requirements.*

27. Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)] Yes No N/A ___ RMK# ___

NOTE: *SQUWHs are prohibited to send waste to any other facility.*

28. If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)] Yes No N/A ___ RMK# ___
29. Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)] Yes No N/A ___ RMK# ___
30. If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do one of the following:
- a. Receive the waste back? [3745-273-18(E)(1)] Yes ___ No ___ N/A RMK# ___

b. Agree to where the shipment will be sent? [3745-273-18(E)(2)]

Yes ___ No ___ N/A X RMK# ___

31. If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss one of the following:

Yes ___ No N/A X RMK# ___

a. Sending the waste back to the originating handler? [3745-273-18(F)(1)]

Yes ___ No ___ N/A X RMK# ___

b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)]

Yes ___ No ___ N/A X RMK# ___

33. If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]

Yes ___ No N/A X RMK# ___

34. If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)]

Yes ___ No N/A X RMK# ___

EXPORTS

35. Is waste being sent to a foreign destination? If so:

Yes ___ No X N/A ___ RMK# ___

a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)]

Yes ___ No N/A X RMK# ___

b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)]

Yes ___ No N/A X RMK# ___

c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)]

Yes ___ No N/A X RMK# ___

REMARKS

1 - Continental was storing approximately 10-15 boxes of lamps. These boxes were not closed, thus, these lamps were not in a container that was closed. **All boxes that contained spent lamps were closed during the CEI, thus this violation was abated.**

2 - Continental failed to mark their used lamps with a proper label. **All boxes that contained spent lamps**

were labeled with the words "Universal Waste-Lamps" during the CEI, thus this violation was abated.

3 - Facility shows accumulation time through disposal receipts.

**** Facility manages batteries and lamps as UW.**

LDR CHECKLIST

GENERAL LDR REQUIREMENTS

1. Has the generator adequately evaluated all wastes to determine if they are restricted from land disposal? [3745-270-07(A)(1)] If so:
- Yes No N/A RMK# _____
- a. For determinations based solely on knowledge of the waste: Is supporting data retained on-site? [3745-270-07(A)(6)]
- Yes No N/A RMK# _____
- b. For determinations based upon analytical testing: Is waste analysis data retained on-site? [3745-270-07(A)(6)]
- Yes No N/A RMK# _____
2. Has the generator determined each EPA hazardous waste code applicable to the waste? [3745-270-07(A)(2) see Table 1]
- Yes No N/A RMK# _____
3. Has the generator determined the correct "treatability group(s)" (e.g., wastewater, non-wastewater, etc.)? [3745-270-07(A), Table 1]
- Yes No N/A RMK# _____
4. Does the generator generate a characteristic hazardous waste? If so:
- Yes No N/A RMK# _____
- a. Have all underlying hazardous constituents (UHCs) been identified? [3745-270-09(A)]
- Yes No N/A RMK# _____

NOTE: If the waste is D001 non-wastewater treated by CMBST, RORGS, POLYM in Table 1 of Rule 3745-270-42 UHCs do not need to be identified.

5. Does the generator generate listed waste(s) which also exhibit hazardous characteristics? [3745-270-09] If so:
- Yes No N/A RMK# _____
- a. Has the generator also identified the appropriate treatment standard(s) for the constituent(s) which cause the waste to exhibit a characteristic? [3745-270-09(A)]
- Yes No N/A RMK# _____

NOTE: The generator is not required to identify the treatment standard for the characteristic if the listing covers the associated characteristic (e.g., a F019/D007 hazardous waste - F019 being listed due to chromium content and D007 being the characteristic waste code for chromium). [See OAC Rule 3745-270-09(B)]

12. Does the facility treat wastes that are otherwise prohibited from land disposal, in a surface impoundment?
If so:

Yes ___ No N/A ___ RMK# ___

a. Has the facility complied with 3745-270-04?

Yes ___ No N/A RMK# ___

REMARKS

GENERATORS TREATING HAZARDOUS WASTE

1. Is treatment of hazardous waste occurring to meet the treatment standards in 3745-270-40? Yes ___ No N/A ___ RMK# ___
2. If so, does the generator have a waste analysis plan containing the following requirements? [3745-270-07(A)(5)] Yes ___ No N/A RMK# ___
- a. A detailed chemical and physical analysis of a representative sample of the wastes being treated? [3745-270-07(A)(5)(a)] Yes ___ No N/A RMK# ___
- b. All information necessary to treat the waste(s) in accordance with the requirements of 3745-270, including the selected frequency? [3745-270-07(A)(5)(a)] Yes ___ No N/A RMK# ___
3. Is the WAP on-site in the facility's files and available to inspectors? [3745-270-07(A)(5)(b)] Yes ___ No N/A RMK# ___
4. Has the generator followed their WAP [3745-270-07(A)(5)]? Yes ___ No N/A RMK# ___
5. Have the treated wastes met the applicable treatment standards in 3745-270-40? Yes ___ No N/A RMK# ___

NOTE: *If the waste is a characteristic waste, which has been treated to render it non hazardous and subsequently sent to a solid waste landfill, proceed to question 7 & 8.*

6. Has the generator sent a notification and certification with the initial shipment of waste?[3745-270-07(A)(5)(c)] Yes ___ No N/A RMK# ___
7. Does each notification/certification form completed, contain the information found in Table 1 of 3745-270-07? [3745-270-07(A)(5)(c)] Yes ___ No N/A RMK# ___
8. Has the generator, who is treating a characteristic waste, submitted a notification and certification to the director which contains the following:
- a. Name and address of the facility receiving the waste? [3745-270-09(D)(1)(a)] Yes ___ No N/A RMK# ___
- b. A description of the waste, including EPA hazardous waste codes and treatability group, and UHCs? [3745-270-09(D)(1)(b)] Yes ___ No N/A RMK# ___

NOTE: *If the waste will be treated and monitored for all UHCs then they do not need to be listed on the notice.*

1. Does the material in question meet the definition of hazardous debris as defined in rule 3745-270-02(A)(3)?
 Yes ___ No N/A ___ RMK# ___
2. Is the hazardous debris being treated to the waste specific treatment standard in 3745-270-40 to 3745-270-49? (If yes, use the generator checklist.)
 Yes ___ No ___ N/A RMK# ___
3. Is the hazardous debris being treated by the alternative treatment standards in 3745-270-45? If so:
 Yes ___ No ___ N/A RMK# ___
- a. Has the debris or mixtures of debris been treated for each contaminant subject to treatment (toxicity, listed waste and cyanide reactive debris) using one or more of the treatment technologies found in Table 1 in 3745-270-45? [3745-270-45(A)]
 Yes ___ No N/A RMK# ___

NOTE: If immobilization has been used in a treatment train, it must be the last treatment technology used.

4. Was the hazardous debris a listed waste treated by an immobilization technology in Table 1? [3745-270-45(A)(1)] If so:
 Yes ___ No ___ N/A RMK# ___
- a. Was immobilization the last treatment technology used? [3745-270-45(A)(3)]
 Yes ___ No N/A RMK# ___
5. Is the waste a PCB waste under 40 CFR Part 761? If so:
 Yes ___ No N/A ___ RMK# ___
- a. Has the waste been treated to the most stringent standard in 40 CFR 761 or 3745-270-45? [3745-270-45(A)(5)]
 Yes ___ No N/A RMK# ___
6. Has the residue from the treatment of hazardous debris been disposed of in accordance with 3745-270-40 to 3745-270-49? [3745-270-45(D)]
 Yes ___ No N/A RMK# ___
7. Does the owner/operator of a treatment facility that claims the debris is excluded from regulation as a hazardous waste under 3745-51-03(F)(1) maintain the following information?
 Yes ___ No ___ N/A RMK# ___
- a. Records of all inspections, evaluations, and analyses of treated debris? [3745-270-07(D)(3)(a)]
 Yes ___ No N/A RMK# ___
- b. Records of key operating parameters of the treatment unit? [3745-270-07(D)(3)(b)]
 Yes ___ No N/A RMK# ___
- c. A certification statement for each shipment of treated debris? (See 270-07(D)(3)(c) for exact wording) [3745-270-07(D)(3)(c)]
 Yes ___ No N/A RMK# ___

TREATING FACILITIES WHICH TREAT WASTE TO MEET LDR STANDARDS

1. Does the treating facility test waste according to their waste analysis plan as required in 3745-54-13 or 3745-65-13?[3745-270-07(B)]
Yes ___ No N/A RMK# ___

2. Has a one-time notification been sent with the initial shipment of waste or contaminated soil to the land disposal facility? [3745-270-07(B)(3)]
Yes ___ No N/A RMK# ___

Note: *No further notification is necessary until such time that the waste changes or the receiving facility changes.*

3. Does the one-time notification and certification contain the information listed in Table 2 of 3745-270-07?[3745-270-07(B)(3)]
Yes ___ No N/A RMK# ___

4. Are wastes or treatment residues being sent to another TSD to be further managed? **If so:** NA

a. Has the facility complied with the generator notification/certification requirements? [Table 1, 3745-270-07(B)(5)] NA

5. Are recyclable materials used in a manner constituting disposal and subsequently subject to 3745-266-20? **If so:** NO

a. Has the treatment facility (recycler) sent a notification (found at 3745-270-07(B)(4)), excluding the manifest number, with each shipment of waste? [3745-270-07(B)(6)]
Yes ___ No N/A RMK# ___

b. Has the treatment facility (recycler) sent a certification found in 3745-270-07(B)(4)[3745-270-07(B)(6)]
Yes ___ No N/A RMK# ___

c. Has a copy of the notification and certification been sent to the director? [3745-270-07(B))(6)]
Yes ___ No N/A RMK# ___

6. Does the recycling facility maintain records of the name and location of each entity receiving the hazardous waste-derived products? [3745-270-07(B)(6)]
Yes ___ No N/A RMK# ___

7. Does the owner or operator of any land disposal facility disposing of waste subject to regulation under 3745-270 have:

a. Copies of all notices and certifications required in 3745-270?
Yes ___ No N/A RMK# ___

b. Test results indicating all waste, extracts of waste or treatment residue are in compliance with 3745-270-40 to 3745-270-49?
Yes ___ No N/A RMK# ___