



State of Ohio Environmental Protection Agency

Northwest District Office

347 North Dunbridge Rd.
Bowling Green, OH 43402-9398

TELE: (419) 352-8461 FAX: (419) 352-8468
www.epa.ohio.gov

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korteski, Director

Re: Perrysburg Collision & Auto Repair
Wood County
OHD986980456
Hazardous Waste
Notice of Violation

April 21, 2010

Mr. Fred Lange and Mr. Mike Kervin, Owners
Perrysburg Collision & Auto Repair
135 West Third Street
Perrysburg, Ohio 43551

Dear Mr. Lange and Mr. Kervin:

Thank you both for accompanying me during the Ohio Environmental Protection Agency's (Ohio EPA's) April 1, 2010, hazardous waste compliance evaluation inspection of Perrysburg Collision & Auto Repair (PC) located in Perrysburg, Ohio. I inspected PC to determine its compliance with Ohio's hazardous waste laws as found in Chapter 3734 of the Ohio Revised Code (ORC), and Chapter 3745 of the Ohio Administrative Code. Pollution prevention options were also discussed during this inspection. This letter will explain the violations found and what you need to do to correct these violations.

PC provides full service maintenance work and vehicle repairs. PC operates two separate paint booths on-site. PC generates approximately two gallons a month of paint waste solvent (D001, D035, F003, F005). PC cleans the paint spray guns using an on-site gun cleaner and adds the spent solvent into a drum of paint waste solvent. PC has two paint booths and changes the floor filters once every two to three weeks, and the wall filters monthly. Used oil is stored in two 275-gallon storage tanks and burned in an on-site furnace to heat the building. Spent fluorescent lamps are managed as a solid waste. At the time of our inspection, PC was operating as a conditionally exempt small quantity generator (CESQG) of hazardous waste.

I found the following violations of Ohio's hazardous waste and used oil laws. In order to correct these violations you must do the following and send me the required information within 30 days of your receipt of this letter:

1. Waste Evaluation, OAC Rule 3745-52-11:

- a) Any person who generates a waste must determine if that waste is a hazardous waste by using generator knowledge or by testing the waste.

At the time of the inspection, PC did not have waste evaluation documentation for the spent paint filters. PC has historically disposed of this spent material as a non-hazardous waste. PC must immediately cease disposing of the waste paint filters as non-hazardous waste until a proper waste evaluation has been completed.

Mr. Fred Lange
Mr. Mike Kervin
April 21, 2010
Page Two

PC must obtain a representative sample of the spent paint booth filter waste stream and have it analyzed for Toxic Characteristic Leaching Procedure (TCLP) Resource Conservation and Recovery Act (RCRA) metals (SW-846 Method 1311/6010) and volatile organics (SW-846 Method 1311/8260). You must notify me at least seven days prior to the sampling event date so that a representative from Ohio EPA can be present to observe the sampling and to split samples if necessary. To abate this violation, PC must submit a copy of the analytical results to Ohio EPA. Once analytical results have been reviewed, Ohio EPA will advise you on proper disposal options as well as plans for the future management of this waste stream.

Ohio EPA will review the submitted waste evaluation information and determine if there is a change in PC's generator status. Additional violations may be cited based upon your determined generator status. You will be notified of any additional violations in a separate letter.

- b) In addition, PC failed to have waste evaluation documentation or an established recycling plan in place for the fluorescent bulbs generated at the facility.

Hazardous bulbs are considered "spent materials" and remain hazardous waste even when recycled. Hazardous waste lamp generators have the option of handling their lamps as hazardous waste or as universal waste. Managing hazardous waste lamps under the universal waste rules eases certain regulations imposed on generators of spent lamps.

Please be aware that incandescent, fluorescent, metal halide, neon, high-intensity discharge, high-pressure sodium and mercury-vapor lamps could be hazardous waste when discarded. Fluorescent lamps may contain up to 40 milligrams (mg) of mercury, depending on the brand and manufacturer. Lamps may also contain lead and cadmium. Many lamps exhibit a characteristic of toxicity for heavy metals when disposed. A copy of Fluorescent Lamps: What You Should Know, was given to you at the time of my inspection. I recommend that you review this document and contact me if you have any questions.

PC must submit to Ohio EPA documentation to demonstrate how you plan to properly manage your fluorescent bulbs. PC must submit to Ohio EPA documentation to demonstrate how you plan to properly manage your fluorescent bulbs. If PC plans to manage the spent fluorescent bulbs when generated as universal waste, please submit the name of the facility where you plan to recycle the bulbs.

PC must also properly train employees, who handle or have responsibility for managing universal waste, on waste handling and emergency procedures relative to their responsibilities and send me documentation (memo or sign-in sheets) that this has been completed.

2. OAC Rule 3745-279-22(C)(1): Labeling:

Containers, aboveground tanks, and fill pipes used for underground storage tanks shall be labeled or marked clearly with the words "used oil."

Mr. Fred Lange
Mr. Mike Kervin
April 21, 2010
Page Three

PC had two 275-gallon storage tanks and two 55-gallon drums of used oil that were not properly labeled.

At the time of my inspection, PC properly labeled the two 275-gallon storage tanks and the two 55-gallon drums with the words "used oil". A copy of the fact sheet, The Regulation of Used Oil: An Overview for Ohio Businesses Who Generate Use Oil, was given to you at the time of my inspection. Please review this information and contact me if you have any questions.


Therefore, this violation is considered abated.

Ohio EPA has helpful information about compliance assistance and pollution prevention at the following web address: <http://www.epa.ohio.gov/ocapp>. In addition, you can find copies of the rules and other information on the division's web page at: <http://www.epa.ohio.gov/dhwm/>.

Enclosed you will find a copy of the checklists that I completed during the inspection.

Should you have any questions or if I can be of assistance, please contact me at (419) 373-3066.

Sincerely,



Melissa L. Boyers
Division of Hazardous Waste Management

/lb

Enclosures

pc: Cindy Lohrbach, DHWM, NWDO
Colleen Weaver, DHWM, NWDO

~~DHWM, NWDO 2010-Wood County-File (w/original enc.)~~

ec: Melissa Boyers, DHWM, NWDO

Send to Central Office <input checked="" type="checkbox"/>	Ohio Environmental Protection Agency RCRA SUBTITLE C SITE IDENTIFICATION/VERIFICATION FORM	For Ohio EPA use only
---	---	-----------------------

Completed verification forms required to be submitted to CO should be e-mailed to kristina.durnell@epa.state.oh.us.

Site EPA ID No.	EPA ID Number: OHD986982456							
Site Name	Name: Perrysburg Collision & Auto Repair				Website: (Optional)			
Site Location Information	Street Address: 135 West Third Street							
	City, Town, or Village: Perrysburg				State: OH			
	County Name: Wood							
Site Land Type (check only one)	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Zip Code: 43551							
NAICS code(s) www.census.gov/epcd/www/naics.html								

Facility Representative	First Name: Fred		MI:	Last Name: Lange		
Additional names can be recorded in number 12 Only provide address information if it is different than the site address	Phone Number: 419-874-8714			Phone Number Extension:		
	E-Mail Address:					
	Fax Number:			Fax Number Extension:		
	Street or P.O. Box:					
	City, Town or Village:			State:		
			Zip Code:			

Legal Owner And Operator of the Site. List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner:				Date Became Owner (mm/dd/yyyy):				
	Owner Type:	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								
	City, Town or Village:				Owner Phone #:				
	State:				Country:		Zip Code:		
	Name of Site's Operator:				Date Became Operator (mm/dd/yyyy):				
	Operator Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								
	City, Town or Village:				Operator Phone #:				
	State:				Country:		Zip Code:		

VIOLATIONS CITED?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
--------------------------	---

TYPE OF HANDLER - MARK "X" AS APPROPRIATE						
<input type="checkbox"/> Not a HW Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11 <table style="margin-left: 20px; border: none;"> <tr><td><input type="checkbox"/> Large Quantity Generator (LQG)</td></tr> <tr><td><input type="checkbox"/> Small Quantity Generator (SQG)</td></tr> <tr><td><input checked="" type="checkbox"/> Conditionally Exempt Small Quantity Generator</td></tr> <tr><td><input type="checkbox"/> U.S. Importer of Hazardous Waste</td></tr> <tr><td><input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator</td></tr> </table>	<input type="checkbox"/> Large Quantity Generator (LQG)	<input type="checkbox"/> Small Quantity Generator (SQG)	<input checked="" type="checkbox"/> Conditionally Exempt Small Quantity Generator	<input type="checkbox"/> U.S. Importer of Hazardous Waste	<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator
<input type="checkbox"/> Large Quantity Generator (LQG)						
<input type="checkbox"/> Small Quantity Generator (SQG)						
<input checked="" type="checkbox"/> Conditionally Exempt Small Quantity Generator						
<input type="checkbox"/> U.S. Importer of Hazardous Waste						
<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator						

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)	
<input type="checkbox"/> Recycler of Hazardous Waste <input type="checkbox"/> Underground Injection Control Facility <input type="checkbox"/> Hazardous Waste Transporter <input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste	<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace <input type="checkbox"/> Small Quantity On-Site Burner Exemption <input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED

(CHECK ALL BOXES THAT APPLY)

- Small Quantity Handler of Universal Waste Destination Facility for Universal Waste
 Large Quantity Handler of Universal Waste
 (accumulates 5,000 kg. or more)

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES

- Batteries
 Pesticides
 Mercury containing equipment
 Lamps

USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))

- Used Oil Generator
 Used Oil Transporter
 Used Oil Transfer Facility
 Used Oil Processor
 Used Oil Re-refiner
 Off-Specification Used Oil Burner
 Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil
 Used Oil Fuel Marketer to Off-Specification Used Oil Burner

Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAInfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

D001 D035 F003 F005

COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.

Announced Yes No Additional Facility Representatives:
Mike Kervin & Eric Eisel

Tanks Yes No
 Containers Yes No

Name of Inspector(s)
Melissa Boyers

Name of Inspector(s)

Date of Inspection/Time
 (mm/dd/yyyy) (hh:mm)
04/1/2010 1:30 PM

Comments:

52-11 cited for paint booth filters.

PROCESS DESCRIPTION/WASTE ACTIVITIES SUMMARY

Facility Name: Perrysburg Collision & Auto Repair

Facility Type: LQG/SQG/CESQG/TSD

EPA ID#: OHD986980456

Description of Waste				On-Site Management			Off-Site Management	
Process/Activity Generating Waste <small>(e.g. plating bath, machining, baghouse, painting, etc)</small>	Waste Generated <small>(e.g. sludge, spent solvent, ash, etc)</small>	EPA Waste Code	QTY Generated per Month	Type of Accumulation/Storage <small>(e.g. container, tank, etc)</small>	Type of On-Site Treatment <small>(recycle, wwt, etc)</small>	Waste Location <small>(Include map if possible)</small>	Name, state, and type of activity occurring at the facility.	
1	Lighting		Spent Fluorescent Bulbs	Approx. one a month			Managing them as solid waste	
2	Painting		Spent Paint Solvents	D001, D035, F003, F005	Less than 2 gal.	drum	Outside in the area between the shop and paint areas	Chemtron
3	Painting		Spent Paint Booth Filters	Floor filter (20 ft. roll) changed every 2-3 weeks. Wall filters changed monthly.				Currently managing as a solid waste
4								

**CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: #100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.
SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.
LQG: 1,000 Kg. (~300 gallons) of waste in a calendar month or 1 Kg. of acutely hazardous waste in a calendar month.
NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

WASTE EVALUATION

1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11] Yes No N/A

GENERATOR CLASSIFICATION

2. Does the generator produce <100 kg. of hazardous waste per month? [conditionally exempt small quantity generator ("CESQG")] Yes No N/A

NOTE: If quantities of hazardous waste accumulated on-site at any one time exceed 1,000 Kg. - or the generator produces between 100 and 1,000 Kg. of hazardous waste per month, it is operating as a Small Quantity Generator ("SQG"). If so, complete the Small Quantity Generator Requirements checklist.

OFF-SITE SHIPMENT OF HAZARDOUS WASTE

3. Does the CESQG ensure delivery of hazardous waste(s) to an off-site permitted TSD? [3734.02(F)] Chemtron Yes No N/A

TREATMENT OF HAZARDOUS WASTE

4. Does the generator treat hazardous waste in a:
- a. Container that meets 3745-66-70 to 3745-66-77? Yes No N/A
 - b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97(C)? Yes No N/A
 - c. Drip pads that meet 3745-69-40 to 3745-69-45? Yes No N/A
 - d. Containment building that meets 3745-256-100 to 3745-256-102? Yes No N/A

NOTE: Complete appropriate checklist for each unit.
NOTE: If the CESQG conducts treatment they are subject to the LQG requirements.
NOTE: If waste is treated to meet LDRs, use LDR checklist.

REMARKS

#1 - Fluorescent Bulbs & Spent Paint Booth Filters

**USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

PROHIBITIONS

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: For example, used oil contaminated scrap metal stored in a pile.

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., If generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are <u>containers</u> , <u>above ground tanks</u> , and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	
a.	Stopped the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Contained the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

ON-SITE BURNING IN SPACE HEATER

10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	c.	Are the combustion gases from heater vented to the ambient air?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).

GENERATOR TRANSPORTATION

11.		Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
12.		If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]			
	a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?[3745-279-24]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	b.	Does the generator transport more than 55 gallons of used oil at any time?[3745-279-24]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).

COLLECTION CENTERS AND AGGREGATION POINTS

13.		Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
14.		Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
15.		Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.