

**Environmental  
Protection Agency**

John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Scott J. Nally, Director

September 9, 2011

**RE: JEFFERSON COUNTY  
FAC - STEUBENVILLE CITY LANDFILL**

The Honorable Domenick Mucci  
Mayor, City of Steubenville  
302 Market Street  
Steubenville, Ohio 43952

**Subject: Review of Third Quarter 2011 Explosive Gas Results**

Dear Mayor Mucci:


The Southeast District Office of the Ohio Environmental Protection Agency has completed a review of the explosive gas results for the Steubenville Landfill as received on September 7, 2011. The data was reviewed for compliance with the Ohio Administrative Code (OAC) Rule 3745-27-12. Based on a review of the results, no explosive gas was detected in the explosive gas monitoring probes.

However, as stated by your consulting engineer the Old Dog pond is currently not being monitored as required by your approved explosive gas plan. Please be advised that this structure must continue to be monitored in accordance with the approved explosive gas plan. Please provide access to the sampling personnel and report the results as required by the approved explosive gas plan.

At this time, it appears that the City of Steubenville is not in compliance with the approved explosive gas plan and therefore OAC 3745-27-12. The City of Steubenville should continue to monitor for explosive gas at the Steubenville Landfill in accordance with the approved explosive gas monitoring plan.

Please submit a written response to this letter outlining the steps the City of Steubenville will take to bring this facility into compliance. If you have any questions or I can assist you in any way, please feel free to contact me at (740) 380-5435.

Sincerely,



Dale W. Warner, R.S.  
Environmental Specialist II  
Division of Materials and Waste Management

DWW/jg

cc: Jefferson County Health Department  
Barry Chapman, DSIWM-CO