



State of Ohio Environmental Protection Agency

Southeast District Office

2195 Front Street
Logan, Ohio 43138

TELE: (740) 385-8501 FAX: (740) 385-6490
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

September 4, 2007

**RE: WASHINGTON COUNTY
FAC - TTL LANDFILL**

Mr. Thomas Vandale
Route #5
Marietta, Ohio 45750

Dear Mr. Vandale:

On April 30, 2001, Ohio EPA sent a letter to you advising you of a violation of Ohio Administrative Code (OAC) Rule 3745-27-12 at the TTL Landfill. This letter to you requested a written response from you within fifteen days. To date, Ohio EPA has not received a response.

On November 22, 1994, you were notified by the Washington County Health Department of your statutory obligation to submit an explosive gas monitoring plan to the Ohio EPA, for review, approval, and subsequent implementation pursuant to Ohio Administrative Code (OAC) Rule 3745-27-12. To date, the explosive gas plan has not been received by Ohio EPA. Please be aware that in accordance with OAC Rule 3745-27-12, an explosive gas monitoring plan is still required in order for the site to be in compliance. Inasmuch as there are buildings, including residences, within one thousand feet of the placement of waste, I strongly encourage the expeditious submittal and implementation of the explosive gas monitoring plan.

Please respond in writing within fifteen days detailing your intentions and actions taken to comply with OAC Rule 3745-27-12. Please be advised that this violation will continue to accrue to you and your property until an explosive gas monitoring plan has been approved by Ohio EPA and implemented at the site. Please contact me at (740) 380-5443 if you have any questions regarding this matter.

Sincerely,

Trevor L. Irwin, RS
Environmental Specialist
Division of Solid & Infectious Waste Management

TLI/jg