Ohio | Environmental Protection Agency
John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

231993

June 17, 2011

Ms. Grace Kendrick
Cincinnati Hematology Oncology, Inc.
3000 Mack Road
Fairfield, OH 45014

Re: Cincinnati Hematology Oncology, Inc., Infectious Waste Notice of Violation (NOV), Butler County, Reg # 31-G-00738.

Dear Ms. Kendrick,

On June 16, 2011, I met with you at Cincinnati Hematology Oncology, Inc. to conduct a Large Generator of Infectious Waste inspection. The purpose of the inspection was to determine compliance with applicable State of Ohio Infectious Waste regulations, Ohio Administrative Code (OAC) Rules 3745-27-30, 33, 34, 35, 36.

During my visit, I conducted a full facility inspection, which included but was not limited to; review of the shipping papers, infectious waste segregation, sharps containers, packaging of infectious waste, and infectious waste storage areas.

The following violation was documented as a result of the inspection. All violations are prefaced by the appropriate Ohio Administrative Code (OAC) citation.

1) Spill Containment / Cleanup procedures. OAC 3745-27-30 (A)(11)(e).

- This regulation states in part:

Ensure that clean-up materials / kits are available in those areas designated in the spill containment and clean-up procedures. Materials utilized in the clean-up of a spill of infectious waste shall include but are not limited to:

(a) Materials designed to absorb spilled materials;

(b) A U.S. EPA registered hospital disinfectant that is also a tuberculocidal, for a contact time as specified by the manufacturer, an unexpired dated stabilized bleach product that is a U. S. EPA registered hospital disinfectant that is also a tuberculocidal, for a contact time as specified by the manufacturer, or materials necessary to prepare a minimum 10 per cent sodium hypochlorite solution prepared immediately

Southwest District Office
401 East Fifth Street
Dayton, OH 45402-2911

937 | 285 6357
937 | 285 6249 (fax)
www.epa.ohio.gov

prior to use with a minimum of thirty minutes of contact time with the waste;

(c) Red or biohazard labeled bag(s) as specified in paragraph (a) of rule 3745-27-34 of the Administrative Code;

(d) Latex gloves, or equivalent type of glove, and any other personal protective equipment necessary to implement the spill containment and clean-up procedure; and

(e) A first aid kit, unless emergency medical care is available on the premises, boundary tape, and other appropriate safety equipment.

- During my inspection, it was determined that Cincinnati Hematology Oncology, Inc. did not have a spill kit located at the facility.

Please correct the violation immediately and submit documented proof of the correction within thirty (30) days of the date of this letter.

Failure to list specific deficiencies in this correspondence does not relieve you from complying with all applicable Solid and Infectious waste rules and regulations.

Should you require any technical or regulatory assistance, please feel free to contact me at (937) 285-6648.

Sincerely,

Pat Willoughby
DMWM/SWDO

cc: DMWM/SWDO file.

PW/tf