



**Environmental
Protection Agency**

Ohio Governor
Ohio Lt. Governor
Ohio Director



November 29, 2011

NOTICE OF VIOLATION – ACTION REQUIRED

Mr. Philip J. Presjak
Hole in the Wall
2286 Greenville Road
Cortland, OH 44410

TRUMBULL COUNTY
HOLE IN THE WALL
NON-COMMUNITY, TRANSIENT PWS
PWS ID: OH7833012

Subject: Failure to Sample Source Water for Fecal Indicators (Total Coliform) as Required

Dear Mr. Presjak:

Hole in the Wall is in violation of Ohio Administrative Code (OAC) 3745-81-42 for failure to comply with the Ground Water Rule monitoring requirements.

Monitoring Period:	November 2011
Required Monitoring:	1
Sample Results Submitted:	None

ACTION REQUIRED:

- 1. To address this violation, return to compliance, and prevent federal enforcement action, the required source water samples must be collected. Failure to collect the required source water sample(s) may result in enforcement action by the Ohio EPA.** If source water (raw) samples were collected as required, submit the results to the appropriate Ohio EPA District Office as soon as possible. The monitoring violation would be rescinded and a reporting violation given for late submittal of the results. If raw water samples were not collected, they must still be collected and Ohio EPA must receive results to return to compliance.
- 2. Notify the people served by this water system** using one or more of the methods and the timing as required by OAC, Rule 3745-81-32 to reach all persons served.

Timing: As soon as practical, but no later than 30 days after learning of the violation:


- Posting in conspicuous location, such as bulletin boards, restrooms, drinking fountains, vending areas;
- Mail or other direct delivery to each customer;
- Newsletters or newspaper;
- E-mail to employees or students;
- Send to parents or guardians of children at schools or day care facilities;

HOLE IN THE WALL
NOVEMBER 29, 2011
PAGE 2

- Posted notices must remain in place as long as the violation or situation exists, but in no case less than seven days (even if the violation is resolved). The language in italics on the enclosed public notice is mandatory and must be included, as written. Do not make changes to the public notice without consulting with the Ohio EPA beforehand.
3. **Complete the enclosed Verification Form within 10 days of issuing the Public Notice** and mail it to Ohio EPA - NEDO. Include a copy of each notice distributed, published or posted.

If you have any questions, contact me at 330-963-1242.

Sincerely,


Charlotte E. Hammar
Environmental Specialist
Division of Drinking and Ground Waters

CEH:dms

enclosures: Tier 3 Public Notification
Public Notice Instructions & Verification Form

cc: Trumbull County Health Department
Information Management Section, Ohio EPA, DDAGW, CO
Kim Etters, Ohio EPA, DDAGW, NEDO