





Environmental  
Protection Agency

John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Scott J. Nally, Director



November 21, 2011

RE: REVLIS CORPORATION  
OHD 061 022 828  
SUMMIT COUNTY  
NOTICE OF VIOLATION

Bob Pfeiffer  
Akrochem Corporation  
255 Fountain St.  
Akron, OH 44304-1991

Dear Mr. Pfeiffer:

On November 9, 2011, Sherry Slone and I inspected Revlis Corporation located at 255 Huntington Avenue, Akron, Ohio. The purpose of this was to determine if Revlis was in compliance with Ohio's hazardous waste and used oil laws and rules as found in Chapter 3734 of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC).

Please see the attached Process and Waste Summary chart for my understanding of this facility's operations and wastes. Completed inspection checklists are also attached.

Revlis is typically a Large Quantity Generator (LQG) of hazardous waste. This is per OAC 3745-51-05 (E) and because you typically generate greater than one kilogram (2.2 pounds) of acute hazardous waste per calendar month. Your acute hazardous waste has the waste code of P205.

The following violations were found:

1. **OAC Rule 3745-65-16(C) – Annual review of initial training.**

This rule requires that facility personnel take part in an annual review of the initial required training.

Revlis violated this rule by having the last annual review conducted in January 2010 for the following employees: Raymond Campbell, Shawn Dowdy, Watt Gibson, and Johnie Leib. **Please provide this annual review and submit documentation of that to me.**

2. **OAC Rule 3745-65-52(E) – Contingency plan emergency equipment.**

This rule requires the contingency plan to include a list of all emergency equipment at the facility (such as fire extinguishing systems, spill control equipment, communications, and alarm systems), where this equipment is required. Included must be the location, physical description, and capabilities of each item on the list.

Revlis violated this rule by not including this information in its contingency plan. **This information must be added and a copy of the revised page(s) sent to me. It is suggested that this equipment be marked on a map of the facility which is included in the contingency plan.**

Bob Pfeiffer  
Akrochem Corporation  
November 21, 2011  
Page 2

OAC 3745-270-07(A)(2) requires that a one-time land disposal restriction notification form is sent to the treatment, storage, or disposal facility (TSD) with the first shipment of each type of hazardous waste. You have chosen to send this form with every shipment, which is allowed but, then each form needs to be correct. The form sent with manifest 008088578JJK (shipped 2-11-11) indicated that the waste was to be exported but you said that was not the case. In the form sent with manifest 008633837JJK, the line describing the waste was not filed out.

Both of these manifests were for wastes shipped to Clean Harbors in El Dorado, Arkansas, and included your P205 waste. **Please send me a correct form for the P205 waste being shipped to this TSD.** You may want to consider keeping one correct LDR form on file and not send one with each shipment. This form would only need to be updated if the waste changes or if it is sent to a different TSD.

**Please submit the above requested documentation to me within 30 days of the date of this letter.**

Your hazardous waste container storage area and emergency equipment inspection logs were very detailed and covered things not required by the hazardous waste rules. Example inspection logs were given to you and can also be found at: <http://epa.ohio.gov/portals/32/pdf/equiplog.PDF>.

You may want to review your current logs to see what is required and what is useful to you.

Other information and suggestions:

- Ohio EPA's Office of Compliance Assistance and Pollution Prevention (OCAPP) provides compliance and pollution prevention assistance on environmental issues (including sources of funding) related to air, land, and water. They can be contacted at (800) 329-7518, or <http://www.epa.ohio.gov/Default.aspx?alias=www.epa.ohio.gov/ocapp>.
- Entrepreneurs for Sustainability is a group that seeks to "build a sustainable regional economy in Northeast Ohio that will create prosperity and total community health." They offer workshops, conferences, a business to business directory and more. Their website is at: <http://www.e4s.org/content/index.asp>.
- ENERGY STAR is a government-backed program helping businesses and individuals protect the environment through superior energy efficiency. Their website is at: <http://www.energystar.gov/>.
- The Clean Air Resource Center offers help in understanding EPA air quality requirements. In addition, if your business is required to purchase new equipment, they can offer better-cost financing with special tax incentives. Their phone number is (800) 225-5051 and website is <http://www.ohioairquality.org/>.

Bob Pfeiffer  
Akrochem Corporation  
November 21, 2011  
Page 3

- Ohio Bureau of Workers' Compensation has an OSHA On-Site Consultation service which includes free on-site safety inspections and consultation, safety program assistance, and safety and hygiene training or seminars. More information can be found at: <http://www.ohiobwc.com/employer/programs/safety/SandHOSHAOnSite.asp>.

If you have any questions, please contact me at (330) 963-1217, or [robert.almquist@epa.state.oh.us](mailto:robert.almquist@epa.state.oh.us).

Sincerely,



Robert Almquist  
Division of Materials and Waste Management

RA:cl  
Enclosures

ec: Frank Popotnik, DMWM, NEDO  
Natalie Oryshkewych, DMWM, NEDO  
Marlene Kinney, DMWM, NEDO  
Jeff Mayhugh, DMWM, CO

**Notice:**

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your facility from its obligation to comply with all applicable regulations.



Send to Central Office <input checked="" type="checkbox"/>	<b>Ohio Environmental Protection Agency</b> <b>RCRA SUBTITLE C SITE</b> <b>IDENTIFICATION/VERIFICATION FORM</b>	For Ohio EPA use only
---	---	-----------------------

Completed verification forms required to be submitted to CO should be e-mailed to [brad.hauser@epa.state.oh.us](mailto:brad.hauser@epa.state.oh.us).

<b>Site EPA ID No.</b>	EPA ID Number: <b>OHD061022828</b>						
<b>Site Name</b>	Name: <b>Revlis Corporation</b>				Website: (Optional)		
<b>Site Location Information</b>	Street Address: <b>255 Huntington Ave.</b>						
	City, Town, or Village: <b>Akron</b>				State: <b>OH</b>		
<b>Site Land Type</b> (check only one)	County Name: <b>Summit</b>		Zip Code: <b>44306-1017</b>				
<b>NAICS code(s)</b> <a href="http://www.census.gov/epcd/www/naics.html">www.census.gov/epcd/www/naics.html</a>	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>
	<b>325998</b>						

<b>Facility Representative</b>	First Name: <b>same</b>		MI:	Last Name:		
Additional names can be recorded in number 12	Title:					
	Phone Number:			Phone Number Extension:		
Only provide address information if it is different than the site address	E-Mail Address:					
	Fax Number:			Fax Number Extension:		
	Street or P.O. Box:					
	City, Town or Village:					
	State:			Zip Code:		

<b>Legal Owner And Operator of the Site.</b> List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner: <b>same</b>		Date Became Owner (mm/dd/yyyy):				
	Owner Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>
	Street or P.O. Box:						
	City, Town or Village:			Owner Phone #:			
	State:			Country:		Zip Code:	
	Name of Site's Operator: <b>same</b>		Date Became Operator (mm/dd/yyyy):				
	Operator Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>
	Street or P.O. Box:						
	City, Town or Village:			Operator Phone #:			
	State:			Country:		Zip Code:	

**VIOLATIONS CITED?**     Yes     No

**TYPE OF HANDLER - MARK "X" AS APPROPRIATE**

<input type="checkbox"/> Not a HW Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input checked="" type="checkbox"/> Large Quantity Generator (LQG)
	<input type="checkbox"/> Short-Term/Temporary Generator (generates from a short-term or one-time event and not from on-going processes). <i>Check the box for the applicable generator status and provide a comment.</i>	<input type="checkbox"/> Small Quantity Generator (SQG)
		<input type="checkbox"/> Conditionally Exempt Small Quantity Generator
		<input type="checkbox"/> U.S. Importer of Hazardous Waste
		<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

**TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)**

- |   |  |
|---|--|
| <input type="checkbox"/> Hazardous Waste Transporter                    | <input type="checkbox"/> Exempt Boiler and/or Industrial Furnace       |
| <input type="checkbox"/> Hazardous Waste Transfer Facility              | <input type="checkbox"/> Small Quantity On-Site Burner Exemption       |
| <input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste | <input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption |
| <input type="checkbox"/> Recycler of Hazardous Waste                    | <input type="checkbox"/> Underground Injection Control Facility        |
| <input type="checkbox"/> 72-Hour Recycler                               | <input type="checkbox"/> Receives Hazardous Waste from Off-site        |

**UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED**

**(CHECK ALL BOXES THAT APPLY)**

- |   |   |
|---|---|
| <input checked="" type="checkbox"/> Small Quantity Handler of Universal Waste                         | <input type="checkbox"/> Destination Facility for Universal Waste |
| <input type="checkbox"/> Large Quantity Handler of Universal Waste<br>(accumulates 5,000 kg. or more) |   |

**CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES**

- Batteries  
 Pesticides  
 Mercury containing equipment  
 Lamps

**USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))**

- Used Oil Generator  
 Used Oil Transporter  
 Used Oil Transfer Facility  
 Used Oil Processor  
 Used Oil Re-refiner  
 Off-Specification Used Oil Burner  
 Used Oil Fuel Marketer who directs shipment of Off-Spec Used Oil  
 Used Oil Fuel Marketer who first claims the Used Oil meets the specifications

**Eligible Academic Entities with Laboratories:** Facility has previously notified that they are opting into managing laboratory hazardous waste pursuant to OAC rules 3745-52-200 through 3745-52-216. Check the box(es) below to indicate the laboratory type.

- College or University  
 Teaching hospital that is owned by or has a formal written affiliation agreement with a college or university  
 Non-profit Institute that is owned by or has a formal written affiliation agreement with a college or university

**Waste Codes for Federally Regulated Hazardous Wastes.** Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAInfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

**D001      P205      U116      U146      U190      U244**

**COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.**

Announced       Yes       No      Additional Facility Representatives:      **William H. Silver**  
 Tanks               Yes       No  
 Containers         Yes       No

Name of Inspector(s)	Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
<b>Robert Almquist</b>	<b>Sherry Slone</b>	<b>11/09/2011</b>

**Comments:**

Process and Waste Summary for:

Revlis Corporation, OHD061022828, LQG, 11-9-11 inspection

#	Process generating the waste	Waste description and haz. codes	Profile #	Date of last analysis	Date of last LDR	Amount generated	On-site management	Off-site management
1	Custom cureblend and rubber chemical dispersion production	Zinc dimethyldithiocarbamate, P205 (acute hazardous waste)				79 pounds shipped so far in 2011	Stored in less than 90 day container	Clean Harbors, El Dorado, AR for incineration (H040)
2		Out-of-date, obsolete, or off-spec chemicals, U244, U116, U190				227 pounds shipped so far in 2011	containers	Clean Harbors, El Dorado, AR for incineration (H040)
3		Containers with residue of P205 in them and PPE contaminated with P205				769 pounds shipped so far in 2011	Cardboard-lined cubic yard bag	Michigan Disposal, Bellville, MI for chemical oxidation (H075)
4	Cleaning	Spent parts washer solvent, D001				381 pounds shipped so far in 2011	Container in storage cabinet near parts washer	Chemical Solvents, Cleveland, OH
5		Used oil	VEX 3633			2481 pounds (6 drums) shipped on 10-7-11	drums	Vexor Technology, Medina, OH



**USED OIL INSPECTION CHECKLIST  
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

*NOTE: 1. A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.*

*2. Inspectors can check BUSTR's web-site at [https://www.comapps.ohio.gov/sfm/fire\\_apps/bustr/bustr/PublicInquiry.asp](https://www.comapps.ohio.gov/sfm/fire_apps/bustr/bustr/PublicInquiry.asp) to determine if a UST containing used oil is registered with BUSTR. Inspectors may call BUSTR at 614-752-7938 or a BUSTR site coordinator to report an unregistered UST or a UST that appears to not be in compliance with BUSTR regulations. A list of BUSTR coordinators by county are at: [https://www.comapps.ohio.gov/sfm/fire\\_apps/bustr/bustr/SearchByCounty.asp](https://www.comapps.ohio.gov/sfm/fire_apps/bustr/bustr/SearchByCounty.asp).*

**PROHIBITIONS**

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*NOTE: For example, used oil contaminated scrap metal stored in a pile.*

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).*

**GENERATOR STANDARDS**

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.*

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

*NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.*

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Stopped the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Contained the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

<b>ON-SITE BURNING IN SPACE HEATER</b>		
10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).</i>		
<b>GENERATOR TRANSPORTATION</b>		
11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#? [3745-279-24]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	If the generator self-transported used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).</i>		
<b>COLLECTION CENTERS AND AGGREGATION POINTS</b>		
13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.</i>		

**LARGE QUANTITY GENERATOR REQUIREMENTS  
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: ≤100 Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.  
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.  
 LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.  
 NOTE: To convert from gallons to pounds: *Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.*

Safety Equipment Used: Safety glasses and safety boots

**GENERAL REQUIREMENTS**

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
2.	Are records of waste determination being kept for at least 3 years? [3745-52-40(C)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
3.	Has the generator obtained a U.S. EPA identification number? [3745-52-12]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
4.	Were annual reports filed with Ohio EPA on or before March 1 <sup>st</sup> ? [3745-52-41(A)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
5.	Are annual reports kept on file for at least 3 years? [3745-52-40(B)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
6.	Has the generator transported or caused to be transported hazardous waste to <b>other</b> than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)]	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
7.	Has the generator disposed of hazardous waste <b>on-site without a permit</b> or at another facility <b>other</b> than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E)&(F)]	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
8.	Does the generator accumulate hazardous waste?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

9.	Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02(E)&(F)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
----	--	------------------------------	--	------------------------------

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G)&(H).

10.	Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)]			
	a. Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	b. Tank that meets 3745-66-90 to 3745-66-100 except 3745-66-97(C)?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	c. Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	d. Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

11.	Does the generator export hazardous waste? If so:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
	a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	b. Has the generator complied with special manifest requirements? [3745-52-54]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	d. Has an annual report been submitted to U.S. EPA? [3745-52-56]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

e.	Are export related documents being maintained on-site? [3745-52-57(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>MANIFEST REQUIREMENTS</b>		
12.	Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)(1)]	Yes x No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Have items (1) through (20) of each manifest been completed? [3745-52-20(A)(1)]&[3745-52-27(A)]	Yes x No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)(1)]</i>		
14.	Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)]	Yes x No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]</i>		
15.	If the transporter was unable to deliver a shipment of hazardous waste to the designated facility, did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A x
16.	Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1)&(2)]	Yes x No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.</i>		
17.	If the generator received a rejected load or residue and accumulated the waste on-site, did the generator sign item 18c or 20 of the manifest? [3745-52-34(M)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A x
18.	If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter, did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A x
19.	If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A x
20.	Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40]	Yes x No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.</i>		
<b>PERSONNEL TRAINING</b>		
21.	Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)]	Yes x No <input type="checkbox"/> N/A <input type="checkbox"/>
22.	Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)]	Yes x No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: For facility employees that receive emergency response training pursuant to OSHA regulations, the facility is not required to provide separate emergency response training, provided that the overall facility training meets all the requirements of OAC 3745-65-16(A). [3745-65-16(A)(4)]</i>		
23.	Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)]	Yes x No <input type="checkbox"/> N/A <input type="checkbox"/>
24.	Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)]	Yes x No <input type="checkbox"/> N/A <input type="checkbox"/>
25.	Does the generator provide annual refresher training to employees? [3745-65-16(C)]	Yes <input type="checkbox"/> No x N/A <input type="checkbox"/>

26.	Does the generator keep records and documentation of:		
	a.	Job titles? [3745-65-16(D)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Job descriptions? [3745-65-16(D)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Type and amount of training given to each person? [3745-65-16(D)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Completed training or job experience required? [3745-65-16(D)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
27.	Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)]		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.*

<u>Job Performed</u>	<u>Name of Employee</u>	<u>Date Trained</u>

**CONTINGENCY PLAN**

28.	Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)]		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
29.	Does the plan describe the following:		
	a.	Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste? [3745-65-52(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Arrangements with emergency authorities? [3745-65-52(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	e.	An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*NOTE: If the facility already has a "Spill Prevention, Control and Countermeasures Plan" under 40 CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. The facility may develop one contingency plan which meets all regulatory requirements. Ohio EPA recommends that the plan be based on the "National Response Team's Integrated Contingency Plan Guidance (One Plan)." [3745-65-52(B)]*

30.	Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53(A)&(B)]		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
31.	Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54]		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
32.	Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55]		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.*

<b>EMERGENCY PROCEDURES</b>		
33.	Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Was the contingency plan implemented? [3745-65-51(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Did the facility follow the emergency procedures in 3745-65-56(A) through (H)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(I)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: OAC 3745-65-51(B) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.</i>		
<b>PREPAREDNESS AND PREVENTION</b>		
34.	Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
35.	Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:	
a.	Internal communications or alarm system? [3745-65-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Emergency communication device? [3745-65-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Portable fire control, spill control and decon equipment? [3745-65-32(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Verify that the equipment is listed in the contingency plan.</i>		
36.	Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
37.	Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
38.	Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
39.	If there is only one employee on the premises, is there immediate access to a device (eg., phone, hand held two-way radio) capable of summoning external emergency assistance (unless not required under 3745-65-32)? [3745-65-34(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
40.	Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
41.	Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
42.	Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>SATELLITE ACCUMULATION AREA REQUIREMENTS</b>		
43.	Does the generator ensure that satellite accumulation area(s):	
a.	Are at or near a point of generation? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	e.	Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	f.	Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
44.		Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	<input type="checkbox"/>
	a.	Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>
	b.	Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>

*NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.*

**USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS**

45.		Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
46.		Is the accumulation date on each container? [3745-52-34(A)(2)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
47.		Are hazardous wastes stored in containers which are:						
	a.	Closed (except when adding/removing wastes)? [3745-66-73(A)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	b.	In good condition? [3745-66-71]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	c.	Compatible with wastes stored in them? [3745-66-72]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	d.	Handled in a manner which prevents rupture/leakage? [3745-66-73(B)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>

*NOTE: Record location on process summary sheets, photograph the area, and record on facility map.*

48.		Is the container accumulation areas(s) inspected weekly? [3745-66-74]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	a.	Are inspections recorded in a log or summary? [3745-66-74]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>

*NOTE: "Week" means 7 consecutive days per ORC§1.44(A).*

49.		Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
50.		Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>
51.		If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>
52.		If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>

*NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.*

53.		If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>
-----	--	--	-----	--------------------------	----	--------------------------	-----	-------------------------------------

*NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]*

**PRE-TRANSPORT REQUIREMENTS**

54.	Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)]	Yes	x	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
55.	Does each container ≤119 gallons have a completed hazardous waste label? [3745-52-32(B)]	Yes	x	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
56.	Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33]	Yes	x	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>

*NOTE: Continue with the generator LDR requirements on the next page.*

### GENERATOR LDR REQUIREMENTS

*NOTE: This LDR checklist does not include the requirements for generators that treat to meet LDR standards. If the generator treats, the inspector should use the stand-alone Generator LDR checklist instead of this checklist.*

#### GENERAL REQUIREMENTS

1.	If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07(A)(7)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
2.	Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] If not:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator send the waste to a permitted HW TREATMENT facility? [3745-270-07(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*NOTE: This is done by determining if the HW /soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07(A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).*

3.	Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Does the generator generate a listed HW that exhibits a characteristic? If yes,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.*

6.	Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

*NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.*

*NOTE: Written documentation of this determination is not required.*

7.	Did the generator treat his HW /soil on-site to meet the LDR treatment standard?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

*NOTE: If "Yes" see question #16.*

8.	Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	If the generator chose not to make the determination of whether his waste must be treated, did he send a notice to the TSD facility with each shipment? [3745-270-07(A)(2)] If so, did the notice include:	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
i.	Applicable HW codes?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
ii.	Manifest number of the first shipment to the TSD?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
iii.	A statement that conveys that the HW may or may not be subject to the LDR treatment standards and the TSD must make that determination.?"	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	Does the generator have a copy of the LDR notification form/notice on file?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	[3745-270-07(A)(2)]	
a.	Is the form/notice kept on file for three years after last HW shipped? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>NOTIFICATION FORM</b>		
11.	Does the LDR Notification form contain the following information:	
a.	Manifest number of the first waste shipment to the TSD? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: A wastewater contains <1% by wt. total suspended solids (TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.		
e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories		
f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.		
g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.		
<b>PROHIBITED DILUTION</b>		
12.	Is the HW treated by burning? If "No" go to #15.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Is the HW a metal-bearing HW?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs is given in the Appendix to 3745-270-03.		
14.	a. Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless <b>one</b> of the following conditions apply. [3745-270-03(c)]	
	i. Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	ii. Contains organic constituents or cyanide at levels greater than the UTS levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iii. Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iv. Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	v. Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. If all responses to 14 a.i. through 14 a.v. are "No", HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
15.	Was the HW treated by wastewater treatment?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

	a.	Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>
<i>NOTE: If "Yes", HW is improperly being treated by dilution.</i>								
	b.	Does the waste carry the D001 code and contain $\geq 10\%$ TOC?	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>
	c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>
<i>NOTE: If the answers to b &amp; c are "yes" and "no", respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B)] and 3745-270-40(A)(3)].</i>								
<i>NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.</i>								

