Ohio | Environmental Protection Agency

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

Re: Tenneco Clevite Elastomers
OHD022969653
Erie County
NOV/RTC

October 4, 2011

Mr. Bill King, EHS Engineer
Tenneco Clevite Elastomers
33 Lockwood Road
Milan, Ohio 44846

Dear Mr. King:

On September 13, 2011, Ohio EPA conducted a hazardous waste compliance evaluation inspection (CEI) of Tenneco Clevite Elastomers (Tenneco) located at 33 Lockwood Road, Milan, Ohio. This inspection was conducted to determine Tenneco's compliance with Ohio's hazardous waste laws as found in Chapter 3734. of the Ohio Revised Code (ORC), and Ohio's hazardous waste regulations as adopted under Chapter 3745. of the Ohio Administrative Code (OAC). Tenneco was represented by Dale Schnittker, Brian Palecek, Tony Francisco and you (via telephone). Ohio EPA was represented by Kara Reynolds and the writer. The inspection included a tour of facility operations and a review of facility paperwork. This letter will explain the violations I found.

Tenneco is a research and development facility for rubber. Tenneco engineers, designs, prototypes and tests rubber products. Tenneco is a small quantity generator of hazardous waste. Hazardous wastes generated at the facility include zinc phosphate waste (D002), old and off-specification rubber chemicals/products [phthalic anhydride (U190)], aerosol cans (D001), and solvent/adhesive waste which has become old and unusable (D001, D008, D019, F003, F005). Tenneco also generates used oil and propylene glycol. Universal wastes are lamps and batteries.

During the CEI, I provided Tenneco with the Ohio EPA fact sheet Universal Waste and a U.S. EPA document entitled Understanding the Hazardous Waste Rules: A Handbook for Small Businesses - 1996. Please let me know if you have any questions pertaining to this information.

I found the following violations of Ohio's hazardous waste laws:

1. **Waste management - Labeling/marking standards for small quantity handlers of universal waste (batteries).**
   OAC Rule 3745-273-14 (A),

A small quantity handler of universal waste must label or mark a container or package with such batteries with one of the following phrases: "Universal Waste-Batteries," or "Waste Batteries," or "Used Batteries."

Tenneco failed to mark their used batteries with a proper label.

- ***All 5-gallon buckets that contained spent batteries were labeled with the words "Used Batteries" during the CEI on September 13, 2011, thus this violation is abated.***

2. **Used oil storage requirements - proper labels.**
   OAC Rule 3745-279-22 (C) (1)

   Containers used to store used oil shall be labeled or marked clearly with the words "Used Oil."

   Tenneco failed to mark one drum containing used oil and one bucket (approximately 5-gallons) containing used oil with the words "Used Oil".

   - ***Both these containers were labeled "Used Oil" during the CEI on September 13, 2011, thus this violation is abated.***

Pollution Prevention:

- Tenneco currently recycles their used oil, batteries and lamps. The facility solvent from the parts washer is also recycled through Safety Kleen's continued use program.
- Our Office of Compliance Assistance and Pollution Prevention (OCAPP) may be able to assist you in finding alternatives (or have information pertaining to alternatives that you already know about). This assessment is free and does not encompass compliance issues. If you are interested, please contact me or Ron Nabors, OCAPP, at 419-373-3147, to discuss an assessment or other possible pollution prevention options.
- If you find additional ways to recycle, reduce, or altogether eliminate the amount of waste that your company generates you may be able to reduce treatment and disposal costs. Furthermore, you may possibly reduce your regulatory requirements. You can find helpful information about pollution prevention at the following web address: http://www.epa.ohio.gov/ocapp/

I have enclosed the document Hazardous Waste Generator Requirement Summary Table which lists out the various requirements for a CESQG, SQG and LQG of hazardous waste.

The Ohio Department of Development's Office of Energy Efficiency may be able to help with energy efficiency issues. Their website is at: http://www.development.ohio.gov/cdd/oee/

The Division of Materials and Waste Management (DMWM) has created an electronic news service to provide you with quick and timely updates on events and news related to hazardous waste activities in Ohio. If you haven't already, we encourage you to sign-up for this free service. You can find more information at the following Web link http://ohioepa.custhelp.com/cgi-bin/ohioepa.cfg/php/enduser/doc_serve.php?2=subscriptionpage. Please feel free to share this information with your colleagues.

Enclosed you will find a copy of the checklists that I completed during the inspection. No response to this letter is necessary. Should you have any questions, please feel free to call me at (419) 373-3082 or email at amber.hicks@epa.ohio.gov.

You can find copies of the rules and other information on the division's web page at http://www.epa.ohio.gov/dmwm.aspx.

Sincerely,

Amber Hicks

Amber M. Hicks
Division of Materials and Waste Management

/llr

Enclosures

pc: Cindy Lohrbach, DMWM, NWDO
DMWM-HW-NWDO-File-Tenneco-Clevite Elastomers

ec: Amber Hicks, DMWM, NWDO
Colleen Weaver, DMWM, NWDO (and checklists)
Dale Schnittker, Tenneco – dschnittker@tenneco.com

NOTICE:
Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Send to Central Office ☒	Ohio Environmental Protection Agency **RCRA SUBTITLE C SITE** **IDENTIFICATION/VERIFICATION FORM**	For Ohio EPA use only

Completed verification forms required to be submitted to CO should be e-mailed to brad.hauser@epa.state.oh.us.

Site EPA ID No.	EPA ID Number: **OHD022969653**							
Site Name	Name: **Tenneco Clevite Elastomers**				Website: (Optional)			
Site Location Information	Street Address: **33 Lockwood Road**							
	City, Town, or Village: **Milan**				State: OH			
	County Name: **Erie**				Zip Code: **44846**			
Site Land Type (check only one)	Private ☒	County ☐	District ☐	Federal ☐	Indian ☐	Municipal ☐	State ☐	Other ☐
NAICS code(s) www.census.gov/epcd/www/naics.html	**54171**							

Facility Representative	First Name: **Bill**	MI:	Last Name: **King**
Additional names can be recorded in number 12	Title: **EHS Engineer**		
	Phone Number: **419-499-2541**	Phone Number Extension: **269**	
	E-Mail Address: **bking@tenneco.com**		
Only provide address information if it is different than the site address	Fax Number: **419-499-4149**	Fax Number Extension:	
	Street or P.O. Box:		
	City, Town or Village:		
	State:	Zip Code:	

Legal Owner And Operator of the Site. List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner: **Tenneco, Inc.**				Date Became Owner (mm/dd/yyyy): **06/15/1995**			
	Owner Type:	Private ☒	County ☐	District ☐	Federal ☐	Indian ☐	Municipal ☐	State ☐	Other ☐
	Street or P.O. Box: **500 N. Field Dr.**							
	City, Town or Village: **Lake Forest**				Owner Phone #: **847-482-5000**			
	State: **IL**				Country: **USA**		Zip Code: **60045**	
	Name of Site's Operator: **(same as owner)**				Date Became Operator (mm/dd/yyyy):			
	Operator Type:	Private ☐	County ☐	District ☐	Federal ☐	Indian ☐	Municipal ☐	State ☐	Other ☐
	Street or P.O. Box:							
	City, Town or Village:				Operator Phone #:			
	State:				Country		Zip Code:	

VIOLATIONS CITED?	☒ Yes ☐ No

TYPE OF HANDLER - MARK "X" AS APPROPRIATE

☐ Not a HW Generator	☐ UNKNOWN: Cited for violation of 3745-52-11	☐ Large Quantity Generator (LQG)
	☐ Short-Term/Temporary Generator (generates from a short-term or one-time event and not from on-going processes). *Check the box for the applicable generator status and provide a comment.*	☒ Small Quantity Generator (SQG)
		☐ Conditionally Exempt Small Quantity Generator
		☐ U.S. Importer of Hazardous Waste
		☐ Mixed Waste (Hazardous and Radioactive) Generator

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)

- ☐ Hazardous Waste Transporter
- ☐ Hazardous Waste Transfer Facility
- ☐ Treater, Storer or Disposer of Hazardous Waste
- ☐ Recycler of Hazardous Waste
- ☐ 72-Hour Recycler
- ☐ Exempt Boiler and/or Industrial Furnace
  - ☐ Small Quantity On-Site Burner Exemption
  - ☐ Smelting, Melting, Refining Furnace Exemption
- ☐ Underground Injection Control Facility
- ☐ Receives Hazardous Waste from Off-site

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED (CHECK ALL BOXES THAT APPLY)

- ☒ Small Quantity Handler of Universal Waste
- ☐ Large Quantity Handler of Universal Waste (accumulates 5,000 kg. or more)
- ☐ Destination Facility for Universal Waste

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES

- ☒ Batteries
- ☐ Pesticides
- ☐ Mercury containing equipment
- ☒ Lamps

USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S)

- ☒ Used Oil Generator
- ☐ Used Oil Transporter
- ☐ Used Oil Transfer Facility
- ☐ Used Oil Processor
- ☐ Used Oil Re-refiner
- ☐ Off-Specification Used Oil Burner
- ☐ Used Oil Fuel Marketer who directs shipment of Off-Spec Used Oil
- ☐ Used Oil Fuel Marketer who first claims the Used Oil meets the specifications

Eligible Academic Entities with Laboratories: Facility has previously notified that they are opting into managing laboratory hazardous waste pursuant to OAC rules 3745-52-200 through 3745-52-216. Check the box(es) below to indicate the laboratory type.

- ☐ College or University
- ☐ Teaching hospital that is owned by or has a formal written affiliation agreement with a college or university
- ☐ Non-profit Institute that is owned by or has a formal written affiliation agreement with a college or university

Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAInfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

D001	D002	D008	D019	D035	F003	F005**

COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.

Announced ☐ Yes ☒ No

Additional Facility Representatives: **Dale Schnittker, Facility Manager; Brian Palecek, Materials Engineering Manager; Tony Francisco, Lab leader**

Tanks ☐ Yes ☒ No

Containers ☒ Yes ☐ No

Name of Inspector(s)	Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
Amber Hicks	**Kara Reynolds**	**09/13/11 10:36**

Comments:

**** U190. The facility solvent/adhesive waste varies thus the waste codes will vary.**

Revised 09.05.10

PROCESS, WASTE, P2 SUMMARY SHEET

Facility Name: Tenneco Clevite Elastomers **Facility Type:** ☐LQG ☒SQG ☐CESQG ☐TSD **Date of Inspection:** 9-13-11 **EPA ID#:** OHD022969653

***Waste* Generated**				***On- or Off-Site Management***		**P2 Activities**	
	Process/Activity Generating Waste (e.g. plating bath, machining, baghouse, painting, general maintenance, etc)	**Waste Description** (e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA **Waste Code, if applic.**	**QTY Generated per Month, Type of** Accumulation (container, tank, etc) and location of waste accumulation area	**Type of On-Site Treatment** (recycle, wwt, etc)	**Name, state, and type of activity occurring at the off-site facility.**	**Current P2 Activities**	**P2 Opportunities**
1	Lighting	Fluorescent bulbs	~243 bulbs/year	NA	U.S. Industrial Technologies - MI	Recycling.	
2	Maintenance activities - hydraulic/maching fluids	Used Oil	~ 55-gallons		U.S. Industrial Technologies - MI	Burning for energy recovery.	
3	Maintenance/paintin g	Aerosol cans/D001	~1/2 drum a year	NA	Petro-Chem Processing Group - MI	Waste stored/bulked and transferred with no treatment or recovery	
	Plating and phosphating	Zinc phosphate waste/D002	~ 2 drums a year		Petro-Chem Processing Group - MI	Waste stored/bulked and transferred with no treatment or recovery	
5	Clean-out	Old/off-specification rubber chemicals/produ cts (phthalic anhydride - U190)	~15 gallons/year		Petro-Chem Processing Group - MI	Waste stored/bulked and transferred with no treatment or recovery	

6	Old product	Solvent/adhesive product which becomes old and unusable/D001, D008, D019, D035, F003, F005	~55-gallons/6 months		Petro-Chem Processing Group - MI	Waste stored/bulked and transferred with no treatment or recovery	
7	Dirty product	Ethylene glycol used in specific products/becomes dirty	~ 1 drum/2 years		U.S. Industrial Technologies - MI	Waste stored/bulked and transferred with no treatment or recovery	
8	Maintenance	Batteries	~200 lbs/year		U.S. Industrial Technologies - MI	Recycling.	
9							

REMARKS-GENERAL INFORMATION

General Process Information:

Regulatory/Enforcement History (if applicable):

Additional P2 remarks and information:
Not sure if facility would be interested or not.

Would this facility be interested in a P2 assessment? ☐ Yes* ☐ No *If yes, refer promptly to your district P2 coordinator.
Office of Compliance Assistance and Pollution Prevention - 1-800-329-7518 or p2mail@epa.state.oh.us or www.epa.state.oh.us/ocapp/ocapp.html

Other:

SMALL QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET

CESQG: ≤100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.
SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.
LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.
NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

GENERAL REQUIREMENTS

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11] (need to evaluate fluorescent lamps)		Yes	☒	No	☐	N/A ☐
2.	Has the generator obtained a U.S. EPA I.D. number? [3745-52-12]		Yes	☒	No	☐	N/A ☐
3.	Has the generator transported or caused to be transported hazardous waste to **other** than a facility authorized to manage the hazardous waste? [ORC 3734.02 (F)]		Yes	☐	No	☒	N/A ☐
4.	Has the generator disposed of hazardous waste **on-site without a permit** or at another facility **other** than a facility authorized to dispose of hazardous waste? [ORC 3734.02 (E) & (F)]		Yes	☐	No	☒	N/A ☐
5.	Does the generator accumulate hazardous waste?		Yes	☒	No	☐	N/A ☐
NOTE: If the SQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements might still apply, e.g. manifest, marking, LDR, etc.							
6.	Has the generator accumulated hazardous wastes in excess of (180/270) days without a permit or an extension from the Director? [3745-52-34; ORC §3734-02(E)&(F)]		Yes	☐	No	☒	N/A ☐
NOTE: SQG's shipping waste to a facility greater than 200 miles away can accumulate on-site for 270 days. [3745-52-34 (E)]							
7.	Is the generator accumulating more than 6,000 kg on site? [3745-52-34(D)]		Yes	☐	No	☒	N/A ☐
NOTE: 6,000 kg = approximately 27, 55-gallon drums. If the facility is accumulating waste for greater than 180/270 days without an extension/permit or is accumulating greater than 6,000 kg on-site, it is classified as a storage facility and TSD standards apply. Complete applicable TSD checklists.							
8.	Does the generator treat hazardous waste in a:						
	a.	Container that meets 3745-66-70 to 3745-66-77?	Yes	☐	No	☐	N/A ☒
	b.	Tank that meets 3745-66-101?	Yes	☐	No	☐	N/A ☒
	c.	Drip pads that meet 3745-69-40 to 3745-69-45?	Yes	☐	No	☐	N/A ☒
	d.	Containment building that meets 3745-256-100 to 3745-256-102?	Yes	☐	No	☐	N/A ☒
NOTE: Complete appropriate checklist for each unit.							
NOTE: If waste is treated to meet LDRs, use LDR checklist.							

MANIFEST REQUIREMENTS

9.	Are all hazardous wastes either reclaimed under a contractual agreement as defined in OAC rule 3745-52-20(E), or shipped off-site accompanied by a manifest (U.S. EPA Form 8700-22)? [3745-52-20(A)(1)]		Yes	☒	No	☐	N/A ☐
10.	Are wastes reclaimed under a contractual agreement? If so: [3745-52-0(E)]		Yes	☐	No	☐	N/A ☒
	a.	Does the contractual agreement specify the type of waste and frequency of shipment?	Yes	☐	No	☐	N/A ☒
	b.	Is the transport vehicle owned and operated by the reclaimer?	Yes	☐	No	☐	N/A ☒

	c.	Is a copy of the reclamation agreement kept on-site for at least three years after termination/expiration of the agreement?	Yes ☐ No ☐ N/A ☒
NOTE: If wastes are reclaimed under a contractual agreement and an answer to questions 10(a) through 10(c) is no, the generator is in violation of 3745-52-20 (A) (B) & (D), 3745-52-22 and 3745-52-23. Even if the waste is being reclaimed under agreement, LDRs still apply. Complete LDR checklist.			
11.		Have items 1 through 20 of each manifest been completed? [3745-52-20(A)(1)] & [3745-52-27(A)]	Yes ☒ No ☐ N/A ☐
NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations, items (21) through (35) must also be complete. [3745-52-20(A)(1)]			
12.		Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)]	Yes ☒ No ☐ N/A ☐
NOTE: The generator may designate on the manifest one alternative facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]			
13.		If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternative TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)]	Yes ☐ No ☐ N/A ☒
14.		Have the manifests been signed by the generator and initial transporter? [3745-52-23 (A) (1) and (2)]	Yes ☒ No ☐ N/A ☐
NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have made a good faith effort to minimize their waste generation.			
15.		If the generator did not receive a return copy of each completed manifest within 60 days of being accepted by the transporter did the generator submit to Ohio EPA, a copy of the manifest with some indication that the generator has not received confirmation of delivery? [3745-52-42(B)]	Yes ☐ No ☐ N/A ☒
16.		Are signed copies of all manifests being retained for at least three years? [3745-52-40]	Yes ☒ No ☐ N/A ☐
NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.			
PREPAREDNESS AND PREVENTION			
17.		Is an emergency coordinator available at all times (on-site or on-call)? [3745-52-34(D)(5)(a)]	Yes ☒ No ☐ N/A ☐
18.		Has the following been posted by the telephone: [3745-52-34(D)(5)(b)]	
	a.	Name and telephone number of emergency coordinator?	Yes ☒ No ☐ N/A ☐
	b.	Location of fire and spill control equipment, and, if present, fire alarm(s)?	Yes ☒ No ☐ N/A ☐
	c.	Telephone number of local fire department?	Yes ☒ No ☐ N/A ☐
19.		Are employees familiar with waste handling and emergency procedures? [3745-52-34(D)(5)(c)]	Yes ☒ No ☐ N/A ☐
20.		Has the facility properly responded to all fires and spills? [3745-52-34(D)(5)(d)]	Yes ☐ No ☐ N/A ☒
21.		Is the facility operated to minimize the possibility of fire, explosion, or any unplanned sudden or nonsudden release of hazardous waste? [3745-65-31]	Yes ☒ No ☐ N/A ☐
22.		Does the generator have the following equipment at the facility if it is required due to actual hazards associated with the waste:	
	a.	Internal Alarm system? [3745-65-32(A)]	Yes ☒ No ☐ N/A ☐
	b.	Emergency communication device? [3745-65-32(B)]	Yes ☒ No ☐ N/A ☐

	c.	Portable fire control, spill control and decon equipment? [3745-65-32(C)]?	Yes ☒ No ☐ N/A ☐
	d.	Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)]	Yes ☒ No ☐ N/A ☐
23.	Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]		Yes ☒ No ☐ N/A ☐
	a.	Are inspections recorded in a log or summary? [3745-65-33]	Yes ☒ No ☐ N/A ☐
24.	Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (*unless the device is not required under OAC 3745-65-32)? [3745-65-34(A)]*		Yes ☒ No ☐ N/A ☐
25.	If there is only one employee on the premises is there immediate access to a device (ex. phone, hand-held two-way radio) capable of summoning external emergency assistance (*unless not required under OAC 3745-65-32*)? [3745-65-34(B)]		Yes ☒ No ☐ N/A ☐
26.	Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]		Yes ☐ No ☐ N/A ☒
27.	Has the generator attempted to familiarize emergency authorities with possible hazards and facility layout? [3745-65-37(A)]		Yes ☒ No ☐ N/A ☐
28.	Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]		Yes ☐ No ☐ N/A ☒
SATELLITE ACCUMULATION AREA REQUIREMENTS			
29.	Does the generator ensure that satellite accumulation area(s):		
	a.	Are at or near a point of generation? [3745-52-34(C)(1)]	Yes ☒ No ☐ N/A ☐
	b.	Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)]	Yes ☒ No ☐ N/A ☐
	c.	Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)]	Yes ☒ No ☐ N/A ☐
	d.	Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)]	Yes ☐ No ☐ N/A ☒
	e.	Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]	Yes ☒ No ☐ N/A ☐
	f.	Containers are marked with the words "Hazardous Waste" <u>or</u> other words identifying the contents? [3745-52-34(C)(1)(b)]	Yes ☒ No ☐ N/A ☐
30.	Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:		Yes ☐ No ☒ N/A ☐
	a.	Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)]	Yes ☐ No ☐ N/A ☒
	b.	Did the generator mark the container(s) holding the excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)]	Yes ☐ No ☐ N/A ☒
NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.			
USE AND MANAGEMENT OF CONTAINERS			
31.	Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(D)(4)] no drums in storage...		Yes ☒ No ☐ N/A ☐
32.	Is the accumulation date on each container? [3745-52-34(D)(4)]		Yes ☒ No ☐ N/A ☐

33.	Are hazardous wastes stored in containers which are:		
	a.	Closed (except when adding/removing wastes)? [3745-66-73(A)]	Yes ☒ No ☐ N/A ☐
	b.	In good condition? [3745-66-71]	Yes ☒ No ☐ N/A ☐
	c.	Compatible with wastes stored in them? [3745-66-72]	Yes ☒ No ☐ N/A ☐
	d.	Handled in a manner which prevents rupture/leakage? [3745-66-73(B)]	Yes ☒ No ☐ N/A ☐
NOTE: Record location on process summary sheets and photograph the area.			
34.	Is the container accumulation area(s) inspected at least weekly? [3745-66-74] Per ORC§1.44(A) "Week" means seven(7) consecutive days.		Yes ☒ No ☐ N/A ☐
	a.	Are inspections recorded in a log or summary? [3745-66-74]	Yes ☒ No ☐ N/A ☐
35.	Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)]		Yes ☐ No ☐ N/A ☒
36.	If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)]		Yes ☐ No ☐ N/A ☒
37.	If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)]		Yes ☐ No ☐ N/A ☒
NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.			
PRE-TRANSPORT REQUIREMENTS			
38.	Does each generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)]		Yes ☒ No ☐ N/A ☐
39.	Does each container ≤119 gallons have a completed hazardous waste label? [3745-52-32(B)]		Yes ☒ No ☐ N/A ☐
40.	Before off-site transportation, does the generator placard <u>or</u> offer the appropriate DOT placards to the initial transporter? [3745-52-33]		Yes ☒ No ☐ N/A ☐

GENERATOR LDR REQUIREMENTS				
NOTE: This LDR checklist does not include the requirements for generators that treat to meet LDR standards. If the generator treats, the inspector should use the stand-alone Generator LDR checklist instead of this checklist.				
GENERAL REQUIREMENTS				
1.	If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07(A)(7)]			Yes ☐ No ☐ N/A ☒
2.	Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] If not,			Yes ☒ No ☐ N/A ☐
	a.	Did the generator send the waste to a permitted HW TREATMENT facility? [3745-270-07(A)(1)]		Yes ☐ No ☐ N/A ☒
NOTE: This is done by determining if the HW /soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07(A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).				
3.	Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]			Yes ☒ No ☐ N/A ☐
4.	Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)]			Yes ☒ No ☐ N/A ☐
5.	Does the generator generate a listed HW that exhibits a characteristic? If yes,			Yes ☒ No ☐ N/A ☐
	a.	Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)]		Yes ☒ No ☐ N/A ☐
FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.				
6.	Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)]			Yes ☒ No ☐ N/A ☐
NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.				
NOTE: Written documentation of this determination is not required.				
7.	Did the generator treat his HW /soil on-site to meet the LDR treatment standard?			Yes ☐ No ☒ N/A ☐
NOTE: If "Yes" see question #16.				
8.	Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility? [3745-270-07(A)(2)]			Yes ☒ No ☐ N/A ☐
	a.	If the generator chose not to make the determination of whether his waste must be treated, did he send a notice to the TSD facility with each shipment? [3745-270-07(A)(2)] If so, did the notice include:		Yes ☐ No ☐ N/A ☒
		i	Applicable HW codes?	Yes ☐ No ☐ N/A ☒
		ii	Manifest number of the first shipment to the TSD?	Yes ☐ No ☐ N/A ☒
		iii	A statement that conveys that the HW may or may not be subject to the LDR treatment standards and the TSD must make that determination."?	Yes ☐ No ☐ N/A ☒
9.	Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)]			Yes ☐ No ☐ N/A ☒
10.	Does the generator have a copy of the LDR notification form/notice on file? [3745-270-07(A)(2)]			Yes ☒ No ☐ N/A ☐

	a.	Is the form/notice kept on file for three years after last HW shipped? [3745-270-07(A)(8)]	Yes ☒ No ☐ N/A ☐
NOTIFICATION FORM			
11.	Does the LDR Notification form contain the following information:		
	a.	Manifest number of the first waste shipment to the TSD? [3745-270-07(A)(2)]	Yes ☒ No ☐ N/A ☐
	b.	Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]	Yes ☒ No ☐ N/A ☐
	c.	A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)]	Yes ☒ No ☐ N/A ☐
	d.	A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)]	Yes ☒ No ☐ N/A ☐
NOTE: A wastewater contains <1% by wt. total suspended solids (TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.			
	e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes ☒ No ☐ N/A ☐
NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories			
	f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes ☒ No ☐ N/A ☐
NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.			
	g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for? [3745-270-07(A)(2)]	Yes ☒ No ☐ N/A ☐
NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.			
PROHIBITED DILUTION			
12.	Is the HW treated by burning? If "No" go to #15.		Yes ☐ No ☒ N/A ☐
13.	Is the HW a metal-bearing HW?		Yes ☐ No ☒ N/A ☐
NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs is given in the Appendix to 3745-270-03.			
14.	a.	Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless **one** of the following conditions apply. [3745-270-03(c)]	
	i.	Contains > 1% TOC?	Yes ☐ No ☐ N/A ☒
	ii.	Contains organic constituents or cyanide at levels greater than the UTS levels?	Yes ☐ No ☐ N/A ☒
	iii.	Is made up of combustible material e.g., paper, wood, plastic?	Yes ☐ No ☐ N/A ☒
	iv.	Has a reasonable heating value (e.g., > 5000 Btu)?	Yes ☐ No ☐ N/A ☒
	v.	Co-generated with a HW that must be combusted?	Yes ☐ No ☐ N/A ☒
	b.	If all responses to 14 a.i. through 14 a.v. are "No", HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes ☐ No ☐ N/A ☒
15.	Was the HW treated by wastewater treatment?		Yes ☐ No ☒ N/A ☐

	a.	Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes ☐ No ☐ N/A ☒
NOTE: If "Yes", HW is improperly being treated by dilution.			
	b.	Does the waste carry the D001 code <u>and</u> contain ≥10% TOC?	Yes ☐ No ☒ N/A ☐
	c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes ☐ No ☐ N/A ☒
NOTE: If the answers to b & c are "yes" and "no", respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B)] and 3745-270-40(A)(3)].			
NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.			

ON-SITE BURNING IN SPACE HEATER			
10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:		
	a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes ☐ No ☐ N/A ☒
	b.	Is the heater designed to have a maximum capacity of not more that 0.5 million BTU per hour?	Yes ☐ No ☐ N/A ☒
	c.	Are the combustion gases from heater vented to the ambient air?	Yes ☐ No ☐ N/A ☒
NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).			
GENERATOR TRANSPORTATION			
11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#? [3745-279-24]		Yes ☒ No ☐ N/A ☐
12.	If the generator self-transports used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]		
	a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator? [3745-279-24]	Yes ☐ No ☐ N/A ☒
	b.	Does the generator transport more than 55 gallons of used oil at any time? [3745-279-24]	Yes ☐ No ☐ N/A ☒
NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).			
COLLECTION CENTERS AND AGGREGATION POINTS			
13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]		Yes ☐ No ☐ N/A ☒
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]		Yes ☐ No ☐ N/A ☒
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]		Yes ☐ No ☐ N/A ☒
NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.			

USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS

NOTE: 1. A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

2. Inspectors can check BUSTR's web-site at https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/PublicInquiry.asp to determine if a UST containing used oil is registered with BUSTR. Inspectors may call BUSTR at 614-752-7938 or a BUSTR site coordinator to report an unregistered UST or a UST that appears to not be in compliance with BUSTR regulations. A list of BUSTR coordinators by county are at: https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/SearchByCounty.asp.

PROHIBITIONS

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:		Yes ☐ No ☒ N/A ☐
	a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes ☐ No ☐ N/A ☒

NOTE: For example, used oil contaminated scrap metal stored in a pile.

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]		Yes ☐ No ☒ N/A ☐
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?		Yes ☐ No ☐ N/A ☒

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., If generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4.	Does the generator mix hazardous waste with used oil? If so,		Yes ☐ No ☒ N/A ☐
	a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes ☐ No ☐ N/A ☒

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]		Yes ☐ No ☐ N/A ☒

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]		Yes ☒ No ☐ N/A ☐
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]		Yes ☒ No ☐ N/A ☐
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)]		Yes ☐ No ☒ N/A ☐
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]		Yes ☒ No ☐ N/A ☐
	a.	Stopped the release?	Yes ☒ No ☐ N/A ☐
	b.	Contained the release?	Yes ☒ No ☐ N/A ☐
	c.	Cleaned up and properly managed the used oil and other materials?	Yes ☒ No ☐ N/A ☐
	d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes ☒ No ☐ N/A ☐

SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS			
Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more			
Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less			
PROHIBITIONS			
1.	Did the SQUWH dispose of universal waste? [3745-273-11(A)]		Yes ☐ No ☒ N/A ☐
2.	Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)]		Yes ☐ No ☒ N/A ☐
WASTE MANAGEMENT & LABELING/MARKING			
UNIVERSAL WASTE BATTERIES			
3.	Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)]		Yes ☒ No ☐ N/A ☐
4.	If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)]		Yes ☒ No ☐ N/A ☐
5.	Does the SQUWH conduct any of the following activities:		
	a.	Sort batteries by type?	Yes ☐ No ☒ N/A ☐
	b.	Mix battery types in one container?	Yes ☐ No ☒ N/A ☐
	c.	Discharge batteries to remove the electric charge?	Yes ☐ No ☒ N/A ☐
	d.	Regenerated used batteries?	Yes ☐ No ☒ N/A ☐
	e.	Disassemble them into individual batteries or cells?	Yes ☐ No ☒ N/A ☐
	f.	Remove batteries from consumer products?	Yes ☐ No ☒ N/A ☐
	g.	Remove the electrolyte from the battery?	Yes ☐ No ☒ N/A ☐
	If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)]		Yes ☐ No ☒ N/A ☐
6.	If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)]		Yes ☐ No ☐ N/A ☒
	a.	If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]	Yes ☐ No ☐ N/A ☒
	b.	If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]	Yes ☐ No ☐ N/A ☒
7.	Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)?" [3745-273-14(A)]		Yes ☐ No ☒ N/A ☐
UNIVERSAL WASTE LAMPS			
8.	Does the SQGUHW contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]		Yes ☒ No ☐ N/A ☐
9.	Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or		Yes ☒ No ☐ N/A ☐

	releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]		
10.	Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)?" [3745-273-14(E)]		Yes ☒ No ☐ N/A ☐

*NOTE: **Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]**. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.*

ACCUMULATION TIME			
11.	Is the waste accumulated for less than one year? [3745-273-15(A)] If not:		Yes ☒ No ☐ N/A ☐
	a.	Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)]	Yes ☐ No ☐ N/A ☒
NOTE: Accumulation is defined as date generated or date received from another handler.			
12.	Is the length of time the universal waste is stored documented by **one** of the following: [3745-273-15(C)]		Yes ☒ No ☐ N/A ☐
	a.	Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)]	Yes ☒ No ☐ N/A ☐
	b.	Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)]	Yes ☐ No ☐ N/A ☒
	c.	Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)]	Yes ☐ No ☐ N/A ☒
	d.	Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)]	Yes ☐ No ☐ N/A ☒
	e.	Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)]	Yes ☐ No ☐ N/A ☒
	f.	Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)] **(shipping papers)**	Yes ☒ No ☐ N/A ☐
EMPLOYEE TRAINING			
13.	Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]		Yes ☒ No ☐ N/A ☐
RESPONSE TO RELEASES			
14.	Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]		Yes ☒ No ☐ N/A ☐
15.	Is the material released characterized? [3745-273-17(B)]		Yes ☒ No ☐ N/A ☐
16.	If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)]		Yes ☒ No ☐ N/A ☐
OFF-SITE SHIPMENTS			
NOTE: If a SQUWH self-transports waste, then they must comply with the Universal Waste transporter requirements.			
17.	Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]		Yes ☒ No ☐ N/A ☐

NOTE: SQUWHs are prohibited to send waste to any other facility.			
18.	If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)]		Yes ☒ No ☐ N/A ☐
19.	Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)]		Yes ☒ No ☐ N/A ☐
20.	If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do one of the following:		
	a.	Receive the waste back? [3745-273-18(E)(1)]	Yes ☐ No ☐ N/A ☒
	b.	Agree to where the shipment will be sent? [3745-273-18(E)(2)]	Yes ☐ No ☐ N/A ☒
21.	If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss one of the following:		Yes ☐ No ☐ N/A ☒
	a.	Sending the waste back to the originating handler? [3745-273-18(F)(1)]	Yes ☐ No ☐ N/A ☒
	b.	Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)]	Yes ☐ No ☐ N/A ☒
22.	If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]		Yes ☐ No ☐ N/A ☒
23.	If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)]		Yes ☐ No ☐ N/A ☒
EXPORTS			
24.	Is waste being sent to a foreign destination? If so:		Yes ☐ No ☒ N/A ☐
	a.	Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)]	Yes ☐ No ☐ N/A ☒
	b.	Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)]	Yes ☐ No ☐ N/A ☒
	c.	Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)]	Yes ☐ No ☐ N/A ☒