



Environmental
Protection Agency

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

Re: Notice of Violation
Van Wert County
Willshire WWTP
Ohio EPA Permit No. 2PA00013
NPDES Permit No. OH0031003

September 23, 2011

Mr. David Carr
WWTP & WTP Superintendent
Village of Willshire
P. O. Box 110
Willshire, Ohio 45898

Dear Mr. Carr:

We are in receipt of your self-monitoring reports covering the months of April through June 2011 for the referenced facility. Our review indicates violations of the conditions of your NPDES permit. The specific instances of noncompliance are attached on a separate sheet. Further review of your self-monitoring reports for the previous six months, ending in June 2011, indicates that you are in significant non-compliance (SNC) with two effluent limitations contained in your NPDES permit. The specific instances of SNC are attached on a separate sheet.

We have received your August 1, 2011, email regarding the above mentioned violations that occurred in June 2011 and require no further information at this time for those violations. Please inform this office in writing as to the reasons for the above referenced April 2011 violations, as well as a description of the actions taken or proposed to prevent any further violations. Your response should include the dates, either actual or proposed, for completion of the actions.


Please be advised that failure to comply with the effluent limitations and/or monitoring requirements, including adequate laboratory controls, appropriate quality assurance procedures, and records retention, as specified in your Part III-General conditions of your NPDES permit may be cause for enforcement action pursuant to Ohio Revised Code, Chapter 6111. If these violations continue to occur and if satisfactory progress is not made, it may be necessary to initiate enforcement action to achieve compliance.

The Ohio EPA strongly encourages pollution prevention as the preferred approach for waste management. The first priority of pollution prevention is to eliminate the generation of wastes and pollutants at the source (source reduction). For those wastes or pollutants that are generated, the second priority is to recycle or reuse them in an environmentally sound manner. You can benefit economically, help preserve the environment, and improve your public image by implementing pollution prevention programs. For more information about pollution prevention, including fact sheets or U. S. EPA's "*Facility Pollution Prevention Guide*" (EPA/600/R-92.008), please contact the Ohio EPA Pollution Prevention Section at (614)644-3469.

Mr. David Carr
September 23, 2011
Page Two

If there are any questions, feel free to contact me at (419) 373 – 3022.

Sincerely,



Justin A. Williams
Division of Surface Water

/cs

Enclosure

pc w/Enclosure: NWDO DSW:File

Get New Data

Violations for Willshire WWTB - April - June 2011

Permit No.	Reporting Period	Station	Reporting Code	Parameter	Limit Type	Limit	Reported Value	Violation Date
2PA00013*FD	June 2011	001	00530	Total Suspended Solids	7D Conc	45	54.	6/8/2011
2PA00013*FD	June 2011	001	00530	Total Suspended Solids	7D Qty	11.33	13.0809	6/8/2011
2PA00013*FD	June 2011	001	80082	CBOD 5 day	7D Conc	40	66.	6/15/2011
2PA00013*FD	April 2011	001	00530	Total Suspended Solids	30D Conc	30	63.	4/1/2011
2PA00013*FD	April 2011	001	00530	Total Suspended Solids	7D Conc	45	240.	4/22/2011
2PA00013*FD	April 2011	001	00530	Total Suspended Solids	30D Qty	7.55	79.2730	4/1/2011
2PA00013*FD	April 2011	001	00530	Total Suspended Solids	7D Qty	11.33	311.581	4/22/2011
2PA00013*FD	April 2011	001	80082	CBOD 5 day	7D Conc	40	54.	4/22/2011
2PA00013*FD	April 2011	001	80082	CBOD 5 day	30D Qty	6.29	19.5930	4/1/2011
2PA00013*FD	April 2011	001	80082	CBOD 5 day	7D Qty	10.07	70.1057	4/22/2011



1. 2

Get New Data

Get Detail for Selected Permit

Facilities in Significant Non-Compliance **

Period: Jan-11 Jun-11

County	Permit #	Facility Name	Major	Station Code	Param Code	Parameter Name	Max % Exceed	# Months Signif Exceed (1)**	# Months Exceed (2)**
Van Wert	2PA00013	Willshire WWTP		1	00530	Total Suspended Solids	2650.1	2	3
Van Wert	2PA00013	Willshire WWTP		1	80082	CBOD 5 day	596.2	3	3

Footnotes

for Significant NonCompliance

** Significant non-compliance with effluent limits occurred if one or more pollutants met the following conditions:

1. During 2 or more months, the reported effluent concentration (or computed load) for a parameter exceeded an effluent limit by:
 - a. 40% for Group 1 pollutants **plus Fecal Coliform**
 - b. 20% for Group 2 pollutants **plus pH, Temperature, whole effluent toxicity**
 -- or --
2. During 4 or more months, the reported concentration (or computed load) exceeded the limit by > 1%.

Note: This method differs from USEPA Significant Non-compliance (SNC) method in the following ways:

- USEPA only evaluates SNC for average limits. In above analyses, maximum and weekly limits were also considered.



1111