



State of Ohio Environ



\* 0 H 8 0 3 1 6 1 2 9 7 9 2 6 0 8 \*

STREET ADDRESS:

**Central District Office**

MAILING ADDRESS:

Lazarus Government Center  
50 W. Town St., Suite 700  
Columbus, Ohio 43215TELE: (614) 728-3778 FAX: (614) 728-3898  
www.epa.state.oh.usP.O. Box 1049  
Columbus, OH 43216-1049

November 14, 2007

**Re: Union County  
New Horizons Baptist Church  
Transient Non-Community  
PWS ID #8031612**

Pastor  
New Horizons Baptist Church  
17939 Paver Barns Road  
Marysville, OH 43040

**Subject: Notice of Violation - Failure to Sample Drinking Water as Required  
for Total Coliforms**

Your public water system is in violation of Rule 3745-81-21 of the Ohio Administrative Code for failure to comply with the coliform monitoring requirements:

<b>Monitoring Period:</b>	<b>July - September 2007</b>
<b>Required Coliform Sampling:</b>	<b>At least 1 sample each calendar quarter.</b>
<b>Sample Results Submitted:</b>	<b>NONE</b>

<b>Actions required as a result of the above violation</b>	
<b>Step 1</b>	<p>Within 30 days issue public notice of the violation in accordance with rule 3745-81-32 of the Ohio Administrative Code by the following methods:</p> <ol style="list-style-type: none"> <li>1. Continuous posting, mail, or other direct delivery; and</li> <li>2. If necessary, the system must also use any other method reasonably calculated to reach all persons.</li> </ol> <p>The language in <i>italic</i> on the attached public notice is mandatory and must be included as written.</p>
<b>Step 2</b>	<p>Within ten (10) days of completing <b>Step 1</b> above, fill out the attached verification form and send along with a copy of the public notification issued to the District Office of the Ohio EPA.</p>

Ted Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korteski, Director

Pastor  
New Horizons Baptist Church  
Page -2-

If you have any questions, please contact me at (614) 728-5033.

Sincerely,



Susan Hampton  
Environmental Specialist III  
Division of Drinking and Ground Waters  
Central District Office

Enclosures

c: Toni Buchanan, DDAGW/CO  
Union County Health Department  
CDO File

SH/nsm 8031612 NOV2or24 July-Sept. 2007