



State of Ohio Environmental Protection Agency

Northeast District Office

RECEIVED  
ODAGW

2110 East Aurora Rd.  
Twinsburg, Ohio 44087

TELE: (330) 963-1200 FAX: (330) 487-0769  
www.epa.state.oh.us

2008 AUG 27 PM 1:50

Ed Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korleski, Director

**NOTICE OF VIOLATION – ACTION REQUIRED**

August 25, 2008

RE: STARK COUNTY  
**CLEARVIEW GOLF COURSE**  
TRANSIENT NON COMMUNITY  
PWS ID: OH7663912

Clearview Golf Course  
8410 Lincoln Street SE  
East Canton, OH 44730

**Subject: Failure to Sample Drinking Water for Total Coliforms as Required**

Clearview Golf Course is in violation of Ohio Administrative Code (OAC), Rule 3745-81-21 for failure to comply with the total coliform monitoring.

**Monitoring Period:** July 2008  
**Required Coliform Monitoring:** 5 routines the month following a routine positive  
**Sample Results Submitted:** 0

To ensure the safety of drinking water provided by your system monitoring for total coliforms is essential.

**ACTION REQUIRED:**

1. **Notify the people served by this water system** using one or more of the methods and the timing as required by OAC, Rule 3745-81-32 to reach all persons served.

Transient or Non Transient Non Community	
<b>Timing:</b>	As soon as practical, but no later than 30 days after learning of the violation:
<b>Methods:</b>	<ul style="list-style-type: none"> <li>• Posting in conspicuous location, such as bulletin boards, restrooms, drinking fountains, vending areas</li> <li>• Mail or other direct delivery to each customer</li> <li>• Newsletters or newspaper</li> <li>• E-mail to employees or students</li> <li>• Send to parents or guardians of children at schools or day care facilities</li> </ul>
Posted notices must remain in place as long as the violation or situation exists, but in no case less than seven days (even if the violation is resolved). The language in italics on the enclosed public notice is mandatory and must be included, as written. Do not make changes to the public notice without consulting with the Ohio EPA beforehand.	

CLEARVIEW GOLF COURSE  
AUGUST 25, 2008  
PAGE 2

2. **Complete the enclosed Verification Form within 10 days of issuing the Public Notice** and mail it to Ohio EPA - Northeast District Office. Include a copy of each notice distributed, published or posted.

If total coliform samples were collected as required, submit the results as soon as possible. The monitoring violation would be rescinded and a reporting violation given for late submittal of the results.

If you have any questions, contact me at 330-963-1269.

Sincerely,



Mandy Razzano  
Environmental Specialist  
Division of Drinking and Ground Waters

MR:ds

enclosures: Tier 3 Public Notification  
Public Notice Instructions & Verification Form

cc: Stark County Health Department  
Northeast District Office Files  
Information Management Section, DDAGW, CO

**2003 CONTAMINANT MONITORING SCHEDULE**


PWS ID: OH7663912    PWS NAME: CLEARVIEW GOLF COURSE  
PWS TYPE: Transient Noncommunity    SOURCE: Ground Water  
STU ID: 7658525    STU NAME: CLEARVIEW GOLF COURSE  
Effective Date: 1/1/08

**THIS SCHEDULE DOES NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.**

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements	Sample Monitoring Point
NITRATE - 1040	1 Sample(s) Quarterly	<i>Sample should be taken at EP001</i>
NITRITE - 1041	Not Required	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Quarterly	<i>Sample should be taken at DS000</i>

### Where to Collect Samples For a Small Public Water System



\* If system does not have treatment, EP001 is the first tap after the well.

Use for Sample Tracking Purposes				
Nitrate Quarterly Sample Date(s):	Jan - Mar Sample Date(s)	Apr - Jun Sample Date(s)	Jul - Sept Sample Date(s)	Oct - Dec Sample Date(s)
TCR Quarterly Sample Date(s):	Jan - Mar Sample Date(s)	Apr - Jun Sample Date(s)	Jul - Sept Sample Date(s)	Oct - Dec Sample Date(s)

