



**Environmental
Protection Agency**

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

February 13, 2012

**HOCKING COUNTY
OSBURN ASSOCIATES
DMWM/SEDO
OHR000128066**

Mr. Jeff Osburn
Osburn Associates
PO Box 912
Logan, OH 43138

Dear Mr. Osburn:

On January 31, 2012, Ohio EPA inspected Osburn Associates ("Osburn") in Logan, Ohio to determine compliance with Ohio's hazardous waste laws as found in Chapter 3734 of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC).

I found the following violations of Ohio's hazardous waste laws. In order to correct these violations, you must do the following within 21 days of the date of this letter:

- (1) OAC rule 3745-52-11, Hazardous waste determination:** Any person who generates a waste, as defined in rule 3745-51-02 of the Administrative Code, must determine if that waste is a hazardous waste using the following method: (A) He should first determine if the waste is excluded from regulation under rule 3745-51-04 of the Administrative Code. (B) He must then determine if the waste is listed as a hazardous waste in rules. (C) For purposes of compliance with Chapter 3745-270 of the Administrative Code, or if the waste is not listed as a hazardous waste in rules 3745-51-30 to 3745-51-35 of the Administrative Code, the generator must then determine whether the waste is identified in rules 3745-51-20 to 3745-51-24 of the Administrative Code by either: (1) Testing the waste according to the methods set forth in rules 3745-51-20 to 3745-51-24 of the Administrative Code, or according to an equivalent method approved by the Region V Administrator of U.S. EPA pursuant to 40 CFR 260.21; or (2) Applying knowledge of the hazardous characteristic of the waste in light of the materials or the processes used.

Osburn failed to evaluate the following wastes:

- a) Spent waste liquids from Osburn's anodizing dip tanks that were accumulating outside the plant in six plastic tanks had not been evaluated per this rule. In order to abate this violation, Osburn must evaluate the waste in each outdoor tank to determine if it is a hazardous waste, and submit analytical results to this office for review.
- b) Wastewater generated from washing screen wash from printing screens In order to abate this violation, Osburn must evaluate the waste generated

from the screen wash process to determine if it is a hazardous waste, and submit analytical results to this office for review.

- c) Two plastic drums of unknown contents which were stored next to six large tanks behind the facility. Osburn must identify the contents of the drums either using process knowledge or chemical analysis, and submit the results of the evaluation to this office for review.

(2) OAC Rule 3745-65-16, Personnel Training: Facility personnel who handle hazardous waste must be trained within six months of hiring, and annually thereafter, in hazardous waste management so they can effectively respond to emergencies. The program must be directed by a person trained in hazardous waste management procedures. Specific records and other requirements of this rule must also be maintained.

Osburn is an episodic large quantity generator of hazardous waste (LQG) and must comply with all applicable hazardous waste regulations during those months that it generates large quantities (more than 275 gallons) of hazardous waste. During the inspection I determined that Osburn had failed to train personnel and maintain all required documentation per this rule. In order to abate this violation, Osburn must develop a training program pursuant to this rule and submit it to this office for review. Upon approval, Osburn must then train personnel, maintain all required training and other records and submit documentation to this office that this has been done.

Alternatively, if Osburn can minimize or eliminate the hazardous waste that it generates, and document to Ohio EPA that future volumes of hazardous waste will be less than 275 gallons per month for each month of the year, this regulation and other regulations cited in this letter may either be abated or may no longer apply to your company in the future. For example, if the spent liquids that Osburn generates from its tank system each December and ships offsite does not meet the definition of a corrosive (D002) or other hazardous waste, the above-cited hazardous waste regulation would not apply. The Ohio EPA Office of Compliance Assistance and Pollution Prevention may be able to assist you with methods of minimizing your hazardous waste. They can be contacted at 614-644-3469.

(3) OAC Rule 3745-65-51, Contingency Plan: The owner or operator of a facility must have a contingency plan designed to minimize hazards to human health or the environment from fires, explosions or releases of hazardous waste to air, water, soil or surface water.

Osburn is an episodic large quantity generator of hazardous waste (LQG) and must comply with all applicable hazardous waste regulations during those months that it generates large quantities of hazardous waste. Osburn did not have a contingency plan. Osburn must develop a contingency plan pursuant to the above-cited rule and submit it to this office for review. Alternatively, if Osburn can minimize or eliminate the hazardous waste that it generates, and document to Ohio EPA that future volumes of hazardous waste will be minimized or eliminated, this regulation may either be abated or may no longer apply to your company in the future.

- (4) **OAC Rule 3745-65-33, Testing and Maintenance of Equipment:** Facility communication and alarm systems, fire protection equipment, spill control and decontamination equipment must be tested and maintained as necessary. Inspections must be recorded in a log or summary.

Osburn is an episodic large quantity generator of hazardous waste (LQG) and must comply with all applicable hazardous waste regulations during those months that it generates large quantities of hazardous waste. Osburn was unable to provide logs that document required equipment is being tested and maintained as necessary during those months that it generates large quantities of hazardous waste. In order to abate this violation, Osburn should provide two weeks of logs. Alternatively, if Osburn can minimize or eliminate the hazardous waste that it generates, and document to Ohio EPA that future volumes of hazardous waste will be minimized or eliminated, this regulation may either be abated or may no longer apply to your company in the future.

- (5) **OAC 3745-65-37, Arrangements with Local Authorities:** The owner/operator must attempt to make arrangements with police, fire departments and emergency response teams to respond to an emergency related to a fire, explosion or release of hazardous waste, if necessary. Where local authorities decline to enter into such arrangements, this refusal must be documented.

Osburn is an episodic large quantity generator of hazardous waste (LQG) and must comply with all applicable hazardous waste regulations during those months that it generates large quantities of hazardous waste. Osburn was unable to document that it has made the required arrangements. In order to abate this violation, Osburn should document in its contingency plan that it has made required arrangements per this rule. Alternatively, if Osburn can minimize or eliminate the hazardous waste that it generates, and document to Ohio EPA that future volumes of hazardous waste will be minimized or eliminated, this regulation may either be abated or may no longer apply to your company in the future.

- (6) **OAC 3745-65-31, Maintenance and Operation of Facility:** Facilities must be maintained and operated to minimize the possibility of a fire, explosion or unplanned sudden or non-sudden release of hazardous waste.

Osburn is an episodic large quantity generator of hazardous waste (LQG) and must comply with all applicable hazardous waste regulations during those months that it generates large quantities of hazardous waste. Osburn failed to maintain and operate its facility to minimize a fire, explosion or release in that it failed to evaluate waste, train personnel, develop a contingency plan and familiarize emergency authorities on their hazardous waste operations. In order to abate this violation, Osburn must abate all other violations cited in this letter. Alternatively, if Osburn can minimize the volume of hazardous waste that it generates, and document to Ohio EPA that future volumes of hazardous waste will be minimized, this regulation may either be abated or may no longer apply to your company in the future.

GENERAL COMMENTS

- A. Ohio EPA acknowledges that as of February 6, 2012, Osburn had sampled the contents of the six tanks and the screen wash wastewater, and is now awaiting analytical results to be submitted by Osburn.
- B. Tanks behind the facility did not have lids and were collecting rain water. Ohio EPA recommends that all tanks be closed in the future.
- C. Your company generates spent fluorescent lamps which are a universal waste in Ohio. Information on proper management of universal waste lamps, as well as a list of recyclers of spent fluorescent lamps, can be found at the following link: <http://www.epa.ohio.gov/dhwm/fluorescent.aspx>

Osburn must immediately take the necessary measures to return to compliance with Ohio's environmental laws. Within 21 days of the date of this letter, SF is requested to provide documentation to this office including the steps taken to abate the violations cited above. Documentation of steps taken to return to compliance includes written correspondence, updated policies, and photographs, as appropriate, and may be submitted via the postal service or electronically to donna.goodman@epa.state.oh.us.

Please be advised that violations cited above will continue until the violations have been properly abated. Failure to comply with Chapter 3734, of the Ohio Revised Code and rules promulgated thereunder may result in a civil penalty of up to \$10,000 per day for each violation. It is imperative that you return to compliance. If circumstances delay the abatement of violations, Osburn is requested to submit written correspondence of the steps that will be taken by date certain to attain compliance.

If you have any questions, please contact me by telephone at (740) 380-5293 or by e-mail at donna.goodman@epa.state.oh.us.

Sincerely,



Donna Goodman
Inspector
Division of Materials and Waste Management

DG/sb

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Send to Central Office <input checked="" type="checkbox"/>	Ohio Environmental Protection Agency RCRA SUBTITLE C SITE IDENTIFICATION/VERIFICATION FORM	For Ohio EPA use only
---	---	-----------------------

Completed verification forms required to be submitted to CO should be e-mailed to brad.hauser@epa.state.oh.us.

Site EPA ID No.	EPA ID Number: OHR000128066	
Site Name	Name: Osburn Associates, Inc.	Website: osburnsigns.com (Optional)
Site Location Information	Street Address: 11931 State Route 93N	
	City, Town, or Village: Logan	State: OH
	County Name: Hocking	Zip Code: 43138
Site Land Type (check only one)	Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>	
NAICS code(s) www.census.gov/epcd/www/naics.html	339950	

Facility Representative	First Name: Casey	MI:	Last Name: Burdette
Additional names can be recorded in number 12	Title: Supervisor		
	Phone Number: 740-385-9820	Phone Number Extension:	
	E-Mail Address:		
Only provide address information if it is different than the site address	Fax Number:		Fax Number Extension:
	Street or P.O. Box:		
	City, Town or Village:		
	State:	Zip Code:	

Legal Owner And Operator of the Site. List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner: Osburn Associates, Inc.		Date Became Owner (mm/dd/yyyy):	
	Owner Type: <input checked="" type="checkbox"/> Private	<input type="checkbox"/> County	<input type="checkbox"/> District	<input type="checkbox"/> Federal
	<input type="checkbox"/> Indian	<input type="checkbox"/> Municipal	<input type="checkbox"/> State	<input type="checkbox"/> Other
	Street or P.O. Box: PO Box 912 (street address 9383 Vanatta Road, Logan)			
	City, Town or Village: Logan		Owner Phone #: 800-523-8917	
	State: OH		Country:	Zip Code: 43138
	Name of Site's Operator: Osburn Associates, Inc		Date Became Operator (mm/dd/yyyy):	
	Operator Type: <input checked="" type="checkbox"/> Private	<input type="checkbox"/> County	<input type="checkbox"/> District	<input type="checkbox"/> Federal
	<input type="checkbox"/> Indian	<input type="checkbox"/> Municipal	<input type="checkbox"/> State	<input type="checkbox"/> Other
	Street or P.O. Box:			
	City, Town or Village:		Operator Phone #:	
	State:	Country:	Zip Code:	

VIOLATIONS CITED?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
--------------------------	---

TYPE OF HANDLER - MARK "X" AS APPROPRIATE

<input type="checkbox"/> Not a HW Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11 <input type="checkbox"/> Short-Term/Temporary Generator (generates from a short-term or one-time event and not from on-going processes). <i>Check the box for the applicable generator status and provide a comment.</i>	<input checked="" type="checkbox"/> Large Quantity Generator (LQG)
		<input type="checkbox"/> Small Quantity Generator (SQG)
		<input type="checkbox"/> Conditionally Exempt Small Quantity Generator
		<input type="checkbox"/> U.S. Importer of Hazardous Waste
		<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)

- | | |
|---|--|
| <input type="checkbox"/> Hazardous Waste Transporter | <input type="checkbox"/> Exempt Boiler and/or Industrial Furnace |
| <input type="checkbox"/> Hazardous Waste Transfer Facility | <input type="checkbox"/> Small Quantity On-Site Burner Exemption |
| <input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste | <input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption |
| <input type="checkbox"/> Recycler of Hazardous Waste | <input type="checkbox"/> Underground Injection Control Facility |
| <input type="checkbox"/> 72-Hour Recycler | <input type="checkbox"/> Receives Hazardous Waste from Off-site |

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED

(CHECK ALL BOXES THAT APPLY)

- | | |
|---|---|
| <input type="checkbox"/> Small Quantity Handler of Universal Waste | <input type="checkbox"/> Destination Facility for Universal Waste |
| <input type="checkbox"/> Large Quantity Handler of Universal Waste
(accumulates 5,000 kg. or more) | |

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES

- Batteries
- Pesticides
- Mercury containing equipment
- Lamps

USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))

- Used Oil Generator
- Used Oil Transporter
- Used Oil Transfer Facility
- Used Oil Processor
- Used Oil Re-refiner
- Off-Specification Used Oil Burner
- Used Oil Fuel Marketer who directs shipment of Off-Spec Used Oil
- Used Oil Fuel Marketer who first claims the Used Oil meets the specifications

Eligible Academic Entities with Laboratories: Facility has previously notified that they are opting into managing laboratory hazardous waste pursuant to OAC rules 3745-52-200 through 3745-52-216. Check the box(es) below to indicate the laboratory type.

- College or University
- Teaching hospital that is owned by or has a formal written affiliation agreement with a college or university
- Non-profit Institute that is owned by or has a formal written affiliation agreement with a college or university

Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAInfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

D002

COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.

Announced Yes No Additional Facility Representatives:
Tanks Yes No
Containers Yes No

Name of Inspector(s)
Donna Goodman

Name of Inspector(s)

Date of Inspection/Time
(mm/dd/yyyy) (hh:mm)
1/31/12

Comments:

PROCESS, WASTE, P2 SUMMARY SHEET

Facility Name: Osburn Assoc. Facility Type: LQG SQG Date of Inspection: 01/31/12 EPA ID#: OHR000128066

Waste Generated		On- or Off-Site Management			P2 Activities		
Process/Activity Generating Waste <small>(e.g. plating bath, machining, baghouse, painting, general maintenance, etc)</small>	Waste Description <small>(e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applic.</small>	QTY Generated per Month, Type of Accumulation (container, tank, etc) and location of waste accumulation area	Type of On-Site Treatment <small>(recycle, wwt, etc)</small>	Name, state, and type of activity occurring at the off-site facility.	Current P2 Activities	P2 Opportunities	
1	Aluminum Cleaning and Coating	Possibly D002, need current waste evaluation.	10-12,000 gallons changed out once per year, some pumped out directly from tanks. During inspection, approx.. 9000 stored in six plastic tanks behind facility		Vickery Waste Management, Vickery OH Injection		Evaporator
2	Washing Silk Screens	Unevaluated wastewater from screen washing	Unknown volume disposed of in septic system.	On-site septic system			
3	Unknown	Two drums unknown stored next to wastewater tanks behind facility					
4							
5							

6							
7							
8							
9							

REMARKS/GENERAL INFORMATION

General Process Information:

Osburn Associates produces road signs for local, county and state roads, as well as a variety of special order signs.. A large open production building located on the corner of Rt. 93 and Bear Run Rd. is where aluminum in coils is cut and dipped into a 6-tank anodizing process. Anodizing consists of six 2000 gallon tanks which contain, in this order, detergent, rinse, rinse, acid wash, rinse, and conversion coating. Once coated, signs are silk screened or thermally printed, air dried and shipped. In the silk screening process, inks are vacuumed off the screens while still wet and the screens washed with screen wash, which is rinsed down the drain in a washing area into a septic system.

Several buildings on the opposite side of Rt. 93, Bear Run Road and on Vanatta Road are used for storage and producing PVC pipe bends and fittings for electrical PVC conduit. No hazardous waste is generated in these structures.

Regulatory/Enforcement History (if applicable):

Company last inspected on December 21, 2007 and RTCed on January 25, 2008.

Additional P2 remarks and information:

Would this facility be interested in a P2 assessment? Yes* No *If yes, refer promptly to your district P2 coordinator.

Office of Compliance Assistance and Pollution Prevention - 1-800-329-7518 or p2mail@epa.state.oh.us or www.epa.state.oh.us/ocapp/ocapp.html

Other:

**LARGE QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: ≤100 Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.
 LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.
 NOTE: To convert from gallons to pounds: *Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.*

Safety Equipment Used:

GENERAL REQUIREMENTS

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11] Waste accumulated in 6 outdoor tanks has not been evaluated.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
2.	Are records of waste determination being kept for at least 3 years? [3745-52-40(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
3.	Has the generator obtained a U.S. EPA identification number? [3745-52-12]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Were annual reports filed with Ohio EPA on or before March 1 st ? [3745-52-41(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Are annual reports kept on file for at least 3 years? [3745-52-40(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
6.	Has the generator transported or caused to be transported hazardous waste to other than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
7.	Has the generator disposed of hazardous waste on-site without a permit or at another facility other than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E)&(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
8.	Does the generator accumulate hazardous waste?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

9.	Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02(E)&(F)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G)&(H).

10.	Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)]	
a.	Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Tank that meets 3745-66-90 to 3745-66-100 except 3745-66-97(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

11.	Does the generator export hazardous waste? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Has the generator notified U.S. EPA of export activity? [3745-52-53(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Has the generator complied with special manifest requirements? [3745-52-54]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Has an annual report been submitted to U.S. EPA? [3745-52-56]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

[Facility Name/Inspection Date]

[ID number]

LQG/September 2010

Page 1 of 6

e.	Are export related documents being maintained on-site? [3745-52-57(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
MANIFEST REQUIREMENTS		
12.	Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Have items (1) through (20) of each manifest been completed? [3745-52-20(A)(1)]&[3745-52-27(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)(1)]</i>		
14.	Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]</i>		
15.	If the transporter was unable to deliver a shipment of hazardous waste to the designated facility, did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1)&(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.</i>		
17.	If the generator received a rejected load or residue and accumulated the waste on-site, did the generator sign item 18c or 20 of the manifest? [3745-52-34(M)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
18.	If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter, did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
19.	If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
20.	Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.</i>		
PERSONNEL TRAINING		
21.	Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
22.	Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: For facility employees that receive emergency response training pursuant to OSHA regulations, the facility is not required to provide separate emergency response training, provided that the overall facility training meets all the requirements of OAC 3745-65-16(A). [3745-65-16(A)(4)]</i>		
23.	Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
24.	Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
25.	Does the generator provide annual refresher training to employees? [3745-65-16(C)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

[Facility Name/Inspection Date]

[ID number]

LQG/September 2010

Page 2 of 6

26.	Does the generator keep records and documentation of:		
a.	Job titles? [3745-65-16(D)(1)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Job descriptions? [3745-65-16(D)(2)]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Type and amount of training given to each person? [3745-65-16(D)(3)]		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
d.	Completed training or job experience required? [3745-65-16(D)(4)]		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
27.	Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)]		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained

CONTINGENCY PLAN

28.	Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)]		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
29.	Does the plan describe the following:		
a.	Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste? [3745-65-52(A)]		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
b.	Arrangements with emergency authorities? [3745-65-52(C)]		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
c.	A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)]		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
d.	A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)]		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
e.	An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)]		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the facility already has a "Spill Prevention, Control and Countermeasures Plan" under 40 CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. The facility may develop one contingency plan which meets all regulatory requirements. Ohio EPA recommends that the plan be based on the "National Response Team's Integrated Contingency Plan Guidance (One Plan)." [3745-65-52(B)]

30.	Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53(A)&(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
31.	Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
32.	Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

EMERGENCY PROCEDURES		
33.	Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Was the contingency plan implemented? [3745-65-51(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Did the facility follow the emergency procedures in 3745-65-56(A) through (H)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(I)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: OAC 3745-65-51(B) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.		
PREPAREDNESS AND PREVENTION		
34.	Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31] Company does not have a spill control plan and does not train its employees on hazardous waste management.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
35.	Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:	
	a. Internal communications or alarm system? [3745-65-32(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. Emergency communication device? [3745-65-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. Portable fire control, spill control and decon equipment? [3745-65-32(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Verify that the equipment is listed in the contingency plan.		
36.	Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
37.	Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
38.	Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
39.	If there is only one employee on the premises, is there immediate access to a device (eg., phone, hand held two-way radio) capable of summoning external emergency assistance (unless not required under 3745-65-32)? [3745-65-34(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
40.	Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
41.	Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
42.	Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
SATELLITE ACCUMULATION AREA REQUIREMENTS		
43.	Does the generator ensure that satellite accumulation area(s):	
	a. Are at or near a point of generation? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

[Facility Name/Inspection Date]

[ID number]

LQG/September 2010

Page 4 of 6

d.	Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
e.	Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
f.	Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
44.	Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS

45.	Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
46.	Is the accumulation date on each container? [3745-52-34(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
47.	Are hazardous wastes stored in containers which are:	
a.	Closed (except when adding/removing wastes)? [3745-66-73(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	In good condition? [3745-66-71]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Compatible with wastes stored in them? [3745-66-72]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Handled in a manner which prevents rupture/leakage? [3745-66-73(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Record location on process summary sheets, photograph the area, and record on facility map.

48.	Is the container accumulation areas(s) inspected weekly? [3745-66-74]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Are inspections recorded in a log or summary? [3745-66-74]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: "Week" means 7 consecutive days per ORC§1.44(A).

49.	Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
50.	Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
51.	If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
52.	If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

53.	If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
-----	--	--

[Facility Name/Inspection Date]

[ID number]

LQG/September 2010

Page 5 of 6

	52-34(A)(1)]	
<p><i>NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]</i></p>		
<p>PRE-TRANSPORT REQUIREMENTS</p>		
54.	Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
55.	Does each container ≤119 gallons have a completed hazardous waste label? [3745-52-32(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
56.	Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

**GENERATOR LDR CHECKLIST
DOES NOT APPLY TO CESQGS**

GENERAL REQUIREMENTS

1.	If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07(A)(7)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
2.	Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] If not,	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator send the waste to a permitted HW TREATMENT facility? [3745-270-07(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p><i>NOTE: This is done by determining if the HW /soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07(A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).</i></p>		
3.	Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Does the generator generate a listed HW that exhibits a characteristic? If yes,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p><i>FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.</i></p>		
6.	Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p><i>NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.</i></p> <p><i>NOTE: Written documentation of this determination is not required.</i></p>		
7.	Did the generator treat his HW /soil on-site <u>to meet</u> the LDR treatment standard?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
<p><i>NOTE: If "Yes" see question #16.</i></p>		
8.	Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	If the generator chose not to make the determination of whether his waste must be treated, did he send a notice to the TSD facility with each shipment? [3745-270-07(A)(2)] If so, did the notice include:	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
i.	Applicable HW codes?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
ii.	Manifest number of the first shipment to the TSD?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
iii.	A statement that conveys that the HW may or may not be subject to the LDR treatment standards and the TSD must make that determination.?"	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
9.	Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
10.	Does the generator have a copy of the LDR notification form/notice on file? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	a.	Is the form/notice kept on file for three years after last HW shipped? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTIFICATION FORM			
11.	Does the LDR Notification form contain the following information:		
	a.	Manifest number of the first waste shipment to the TSD? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: A wastewater contains <1% by wt. total suspended solids(TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.			
	e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories			
	f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.			
	g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.			
PROHIBITED DILUTION			
12.	Is the HW treated by burning? If "No" go to #15.		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
13.	Is the HW a metal-bearing HW?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs are given in the Appendix to 3745-270-03.			
14.	a.	Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless <u>one</u> of the following conditions apply. [3745-270-03(c)]	
	i.	Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii.	Contains organic constituents or cyanide at levels greater than the UTS levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii.	Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv.	Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	v.	Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	If all responses to 14 a.i. through 14 a.v. are "No", HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

15.	Was the HW treated by wastewater treatment?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a.	Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: If "Yes", HW is improperly being treated by dilution.</i>			
	b.	Does the waste carry the D001 code <u>and</u> contain $\geq 10\%$ TOC?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: If the answers to b & c are "yes" and "no", respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B)] and 3745-270-40(A)(3)].</i>			
<i>NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.</i>			
GENERATOR TREATMENT			
16.	Does the generator treat to meet LDRs on-site?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	Did the generator treat his hazardous waste/soil on-site in a tank, container, drip pad or containment building <u>to meet</u> the LDR treatment standard?		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	If "Yes"...complete the rest of the checklist. If "No"...stop...you are done.		
	a.	Does the generator have a written waste analysis plan (WAP) that describes the procedures he will follow to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	Did the generator use a detailed chemical and physical analysis of the HW/soil in order to develop the WAP? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: This is a laboratory analysis but it does not have to be kept by the generator.</i>			
	c.	Does the WAP contain all information necessary to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d.	Does the WAP include the testing frequency of the treated HW/soil to demonstrate that the LDR treatment standard is being met? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	e.	Does the generator keep the WAP on-site? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	f.	Is the WAP available for the inspector's review during the inspection? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTIFICATION FORM FOR GENERATOR TREATMENT			
17.	a.	Contains all information in #11 a-g above and	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	If the treated HW/soil is listed.....notification contains the following certification statement: "I certify under penalty of law that I personally have examined and am familiar with the waste, through analysis and testing or through knowledge of the waste, to support this certification that the waste complies with the treatment standards specified in rule 3745-270-40 to 3745-270-49 of the Administrative Code. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	If the treated HW/soil no longer exhibits a characteristic and is no longer a HW, did the generator:	
	i.	Prepare a one-time notification? [3745-270-09 (D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii.	Maintain a copy of the notice onsite? [3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii.	Include in the notification: [3745-270-09(D)]	

		1.	Name & address of receiving landfill?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		2.	Description of HW when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		3.	HW code when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		4.	Treatability group when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		5.	Underlying hazardous constituents present when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		iv.	Contain the certification statement as required by 3745-270-07(B)(4)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>