



**Environmental
Protection Agency**

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

February 27, 2012

**WASHINGTON COUNTY
GENERAL FILE
(LESLIE EQUIPMENT)
DMWM/SEDO
OHR000112045**

Mr. Lee Wigal, Store Manager
Leslie Equipment
105 Tennis Center Drive
Marietta, Ohio 45750

Dear Mr. Wigal:

On February 16, 2012, Ohio EPA inspected Leslie Equipment in Marietta, Ohio to determine compliance with Ohio's hazardous waste laws as found in Chapter 3734 of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC).

I found the following violations of Ohio's hazardous waste laws. In order to correct these violations, you must do the following within 21 days of the date of this letter:

- (1) OAC rule 3745-52-11, Hazardous waste determination:** Any person who generates a waste, as defined in rule 3745-51-02 of the Administrative Code, must determine if that waste is a hazardous waste using the following method: (A) He should first determine if the waste is excluded from regulation under rule 3745-51-04 of the Administrative Code. (B) He must then determine if the waste is listed as a hazardous waste in rules. (C) For purposes of compliance with Chapter 3745-270 of the Administrative Code, or if the waste is not listed as a hazardous waste in rules 3745-51-30 to 3745-51-35 of the Administrative Code, the generator must then determine whether the waste is identified in rules 3745-51-20 to 3745-51-24 of the Administrative Code by either: (1) Testing the waste according to the methods set forth in rules 3745-51-20 to 3745-51-24 of the Administrative Code, or according to an equivalent method approved by the Region V Administrator of U.S. EPA pursuant to 40 CFR 260.21; or (2) Applying knowledge of the hazardous characteristic of the waste in light of the materials or the processes used.

Leslie Equipment failed to evaluate spent filters from their parts washer. The filters are currently being removed by Cintas and sent to a landfill as a nonhazardous waste. In order to abate this violation, Leslie Equipment must evaluate the filters per the above-cited rule and submit the evaluation to this office for review. Should the filters be hazardous, you will be provided further instructions on how to manage them.

1. GENERAL COMMENTS

- A. Your company generates spent fluorescent lamps. Spent lamps should be managed as a universal waste in Ohio unless you

have evaluated them and can provide adequate documentation that shows they are not a hazardous waste. Information on proper management of universal waste lamps, as well as a list of recyclers of spent fluorescent lamps, can be found at the following link. Please immediately take steps to manage all spent lamps in accordance with the following information:

<http://www.epa.ohio.gov/dhwm/fluorescent.aspx>

- B. Used oil filters generated by your company are currently managed as a solid waste. Ohio EPA recommends recycling these. A list of recyclers is attached.
- C. Several pallets of materials from cleaning out a storage area of the facility were observed during the inspection. Some of the materials included cans of old paints which, if a waste, would be a hazardous waste. Please note that if you plan to dispose of these paints, they must be sent to a permitted treatment, storage or disposal company (TSD). Information on how to find a hazardous waste disposal company can be found at:
<http://www.epa.ohio.gov/portals/41/sb/publications/selectingtstd.pdf>

Your company must immediately take the necessary measures to return to compliance with Ohio's environmental laws. Within 21 days of the date of this letter, your company is requested to provide documentation to this office including the steps taken to abate the violations cited above. Documentation of steps taken to return to compliance includes written correspondence, updated policies, and photographs, as appropriate, and may be submitted via the postal service or electronically to donna.goodman@epa.state.oh.us.

Please be advised that violations cited above will continue until the violations have been properly abated. Failure to comply with Chapter 3734. of the Ohio Revised Code and rules promulgated thereunder may result in a civil penalty of up to \$10,000 per day for each violation. It is imperative that you return to compliance. If circumstances delay the abatement of violations, your company is requested to submit written correspondence of the steps that will be taken by date certain to attain compliance.

If you have any questions, please contact me by telephone at (740) 380-5293 or by e-mail at donna.goodman@epa.state.oh.us.

Sincerely,



Donna Goodman
Inspector
Division of Materials and Waste Management

DG/sb

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Completed verification forms required to be submitted to CO should be e-mailed to brad.hauser@epa.state.oh.us.

Site EPA ID No.	EPA ID Number: OHR000112045							
	Site Name Name: Leslie Equipment					Website: (Optional)		
Site Location Information	Street Address: 105 Tennis Center Drive							
	City, Town, or Village: Marietta					State: OH		
	County Name: WASHINGTON							
Site Land Type (check only one) NAICS code(s) www.census.gov/epcd/www/naics.html	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	532412							

Facility Representative Additional names can be recorded in number 12 Only provide address information if it is different than the site address	First Name: Casey		MI:	Last Name: Hickerson	
	Title: Service Manager				
	Phone Number:			Phone Number Extension:	
	E-Mail Address:				
	Fax Number:			Fax Number Extension:	
	Street or P.O. Box:				
	City, Town or Village: Marietta				
	State: OH			Zip Code: 45750	

Legal Owner And Operator of the Site. List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner:					Date Became Owner (mm/dd/yyyy):				
	Owner Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>	
	Street or P.O. Box:					Owner Phone #:				
	City, Town or Village:					Country: Zip Code:				
	State:					Date Became Operator (mm/dd/yyyy):				
	Operator Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>	
	Street or P.O. Box:					Operator Phone #:				
	City, Town or Village:					Country Zip Code:				
State:										

VIOLATIONS CITED?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
--------------------------	---

TYPE OF HANDLER - MARK "X" AS APPROPRIATE

<input type="checkbox"/> Not a HW Generator	<input checked="" type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input type="checkbox"/> Large Quantity Generator (LQG)
	<input type="checkbox"/> Short-Term/Temporary Generator (generates from a short-term or one-time event and not from on-going processes). Check the box for the applicable generator status and provide a comment.	<input type="checkbox"/> Small Quantity Generator (SQG)
		<input type="checkbox"/> Conditionally Exempt Small Quantity Generator
		<input type="checkbox"/> U.S. Importer of Hazardous Waste
		<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)

- | | |
|---|--|
| <input type="checkbox"/> Hazardous Waste Transporter | <input type="checkbox"/> Exempt Boiler and/or Industrial Furnace |
| <input type="checkbox"/> Hazardous Waste Transfer Facility | <input type="checkbox"/> Small Quantity On-Site Burner Exemption |
| <input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste | <input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption |
| <input type="checkbox"/> Recycler of Hazardous Waste | <input type="checkbox"/> Underground Injection Control Facility |
| <input type="checkbox"/> 72-Hour Recycler | <input type="checkbox"/> Receives Hazardous Waste from Off-site |

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED)

(CHECK ALL BOXES THAT APPLY)

- | | |
|---|---|
| <input type="checkbox"/> Small Quantity Handler of Universal Waste | <input type="checkbox"/> Destination Facility for Universal Waste |
| <input type="checkbox"/> Large Quantity Handler of Universal Waste
(accumulates 5,000 kg. or more) | |

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES

- Batteries
- Pesticides
- Mercury containing equipment
- Lamps

USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))

- Used Oil Generator
- Used Oil Transporter
- Used Oil Transfer Facility
- Used Oil Processor
- Used Oil Re-refiner
- Off-Specification Used Oil Burner
- Used Oil Fuel Marketer who directs shipment of Off-Spec Used Oil
- Used Oil Fuel Marketer who first claims the Used Oil meets the specifications

Eligible Academic Entities with Laboratories: Facility has previously notified that they are opting into managing laboratory hazardous waste pursuant to OAC rules 3745-52-200 through 3745-52-216. Check the box(es) below to indicate the laboratory type.

- College or University
- Teaching hospital that is owned by or has a formal written affiliation agreement with a college or university
- Non-profit Institute that is owned by or has a formal written affiliation agreement with a college or university

Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAInfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.

- Announced Yes No Additional Facility Representatives:
- Tanks Yes No
- Containers Yes No

Name of Inspector(s)	Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
Donna Goodman		2/16/2012 1:00 PM

Comments:
Tanks of used oil only.

PROCESS, WASTE, P2 SUMMARY SHEET

Facility Name: Leslie Equipment **Facility Type:** unknown **Date of Inspection:** 02/16/12 **EPA ID#:** OHR000112045

Waste Generated			On- or Off-Site Management		P2 Activities	
Process/Activity Generating Waste (e.g. plating bath, machining, baghouse, painting, general maintenance, etc)	Waste Description (e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applic.	QTY Generated per Month, Type of Accumulation (container, tank, etc) and location of waste accumulation area	Type of On-Site Treatment (recycle, wwt, etc)	Name, state, and type of activity occurring at the off-site facility.	Current P2 Activities	P2 Opportunities
1 Equipment Washing	Washwater and oily sludge	1000 gallons several times per year, under or near washing building		Envirotank Clean wastewater treatment		
2 Vehicle Maintenance	Used Oil	Varies, in drums and tanks inside shop	Onsite used oil furnace		Used oil heater	
3 Vehicle Maintenance	Use Antifreeze	Varies, In drum in shop		To be sent offsite for recycling		To be sent offsite for recycling
4 Vehicle Maintenance	Used oil filters	Varies, In drum outside shop		Managed as solid waste		Could be recycled.
5 Parts washing	Unevaluated filters from parts washers	Removed by Cintas and sent to landfill by Cintas		Managed as solid waste at unknown landfill		
6						
7						

8							
9							

REMARKS **GENERAL INFORMATION**

General Process Information:

Leslie Equipment is a heavy equipment rental business. They wash heavy equipment in a pressure wash building that is equipped with a 1000 gallon UST with an oil/water separator. Wastewater and sludge are removed by Envirotank Clean. Equipment is serviced in a maintenance garage that has several Cintas parts washers and a used oil burner that burns used oil generated on-site. A building behind the main facility is used to rebuild injection pumps. One parts washer in that building has never been changed out.

Regulatory/Enforcement History (if applicable):

NA

Additional P2 remarks and information:

Would this facility be interested in a P2 assessment? Yes* No *If yes, refer promptly to your district P2 coordinator.
 Office of Compliance Assistance and Pollution Prevention - 1-800-329-7518 or p2mail@epa.state.oh.us or www.epa.state.oh.us/ocapp/ocapp.html

Other:

NA

**USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

NOTE: 1. A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

2. Inspectors can check BUSTR's web-site at https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/PublicInquiry.asp to determine if a UST containing used oil is registered with BUSTR. Inspectors may call BUSTR at 614-752-7938 or a BUSTR site coordinator to report an unregistered UST or a UST that appears to not be in compliance with BUSTR regulations. A list of BUSTR coordinators by county are at: https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/SearchByCounty.asp.

PROHIBITIONS

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: For example, used oil contaminated scrap metal stored in a pile.

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Stopped the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Contained the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

[Facility Name/Inspection Date]

[ID Number]

Used Oil Checklist for Generators/August 2009

Page 1 of 2

ON-SITE BURNING IN SPACE HEATER		
10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).</i>		
GENERATOR TRANSPORTATION		
11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
12.	If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).</i>		
COLLECTION CENTERS AND AGGREGATION POINTS		
13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.</i>		

**CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: ≤100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.
 LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.
 NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

WASTE EVALUATION

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11] Parts washer filters have not been evaluated. Filters are landfilled.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

GENERATOR CLASSIFICATION

2.	Does the generator produce <100 kg. of hazardous waste per month? [conditionally exempt small quantity generator ("CESQG")]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: If quantities of hazardous waste accumulated on-site at any one time exceed 1,000 Kg. - or the generator produces between 100 and 1,000 Kg. of hazardous waste per month, it is operating as a Small Quantity Generator ("SQG"). If so, complete the Small Quantity Generator Requirements checklist.

OFF-SITE SHIPMENT OF HAZARDOUS WASTE

3.	Does the CESQG ensure delivery of hazardous waste(s) to an off-site permitted TSD? [3734.02(F)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	---	---

TREATMENT OF HAZARDOUS WASTE

4.	Does the generator treat hazardous waste in a:	
	a. Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d. Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If the CESQG conducts treatment they are subject to the LQG requirements.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

MIX HAZARDOUS WASTE WITH USED OIL

5.	Does the CESQG mix its hazardous waste with used oil for the purpose of burning for energy recovery? [3745-51-05(J)] If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Does the CESQG manage the mixture in accordance with 3745-279-21?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>