FILE COPY

OhioEPA

State of Ohio Environmental Protection Agency

STREET ADDRESS: **Central District Office** MAILING ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 728-3778 FAX: (614) 728-3898
www.epa.state.oh.us

P.O. Box 1049
Columbus, OH 43216-1049

July 7, 2008

Mr. Ed Daubenmire
Environmental Coordinator
Crown Cork & Seal Company
940 Mill Park Drive
Lancaster, OH 43130-9576

Re: Fairfield County
Crown Cork & Seal Company
LQG
0HR000002071
NOV

Dear Ed:

Thank you for accompanying me during Ohio EPA's June 26, 2008 inspection of Crown Cork & Seal Company's facility located in Lancaster, Ohio. I inspected Crown Cork & Seal to determine its compliance with Ohio's hazardous waste laws as found in Chapter 3734. of the Ohio Revised Code (ORC) and Chapter 3745. of the Ohio Administrative Code (OAC).

I found the following violation of Ohio's hazardous waste laws. In order to correct this violation you must do the following and send me the required information **within 30 days** of your receipt of this letter:

> OAC Rule 3745-52-34(C)(1)(a), Satellite Accumulation Area Requirements: A generator may accumulate up to fifty-five gallons of hazardous waste at a satellite accumulation area, provided that containers are closed when wastes are being stored in them.
>
> Crown Cork & Seal Company failed to close a satellite accumulation area container being used to accumulate hazardous waste [PM Acetate] at Line 2.
>
> Crown Cork & Seal Company must immediately close all containers being used to accumulate hazardous waste and submit photographic documentation to demonstrate compliance with this rule.

Enclosed you will find a copy of the inspection checklist and process description completed as a result of the inspection. Thank you for your time during the inspection. Should you have any questions, please feel free to call me at (614) 728:3882. You can find copies of the rules and other information on the division's web page at: http://www.epa.state.oh.us/dhwm/.

Sincerely,

Andrew D. Kubalak

Andy Kubalak
Environmental Specialist
Division of Hazardous Waste Management
Central District Office

Enclosure

c: Kristina Durnell, DHWM
CDO File

AK/nsm CEICrowncorkseal06

Ohio Environmental Protection Agency
RCRA SUBTITLE C SITE
IDENTIFICATION/VERIFICATION FORM

For Ohio EPA use only

E-mail this completed form to kristina.durnell@epa.state.oh.us
or mail it to Kristina Durnell, Central Office

Site EPA ID No.	EPA ID Number: OHR000002071							
Site Name	Name: Crown Cork & Seal Company				Website: (Optional)			
Site Location Information	Street Address: 940 Mill Park Drive							
	City, Town, or Village: Lancaster				State: OH			
	County Name: Fairfield				Zip Code: 43130			
Site Land Type (check only one)	Private ☒	County ☐	District ☐	Federal ☐	Indian ☐	Municipal ☐	State ☐	Other ☐
NAICS code(s) www.census.gov/epcd/www/naics.html								
Facility Representative	First Name: Ed			MI:	Last Name: Daubenmire			
	Phone Number: 740.681.3020				Phone Number Extension:			
Additional names can be recorded in number 12	E-Mail Address: edward.daubenmire@crowwncork.com							
	Fax Number: 740.681.3001				Fax Number Extension:			
	Street or P.O. Box: same as location information							
Only provide address information if it is different than the site address	City, Town or Village:							
	State:			Country:		Zip Code:		
Legal Owner and Operator of the Site List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner:				Date Became Owner (mm/dd/yyyy):			
	Owner Type:	Private ☐	County ☐	District ☐	Federal ☐	Indian ☐	Municipal ☐	State ☐	Other ☐
	Street or P.O. Box:							
	City, Town or Village:				Owner Phone #:			
	State:				Country:		Zip Code:	
	Name of Site's Operator:				Date Became Operator (mm/dd/yyyy):			
	Owner Type:	Private ☐	County ☐	District ☐	Federal ☐	Indian ☐	Municipal ☐	State ☐	Other ☐
	Street or P.O. Box:							
	City, Town or Village:				Operator Phone #:			
	State:				Country:		Zip Code:	
Violations Cited?	☐ Yes ☐ No							

Type of Generator

☐ Not Regulated	☐ Conditionally Exempt Small Quantity Generator
☐ UNKNOWN: Cited for violation of 3745-52-11	☐ United States Importer of Hazardous Waste
☒ Large Quantity Generator (LQG)	☐ Mixed Waste (Hazardous and Radioactive) Generator
☐ Small Quantity Generator (SQG)	

Type of Regulated Waste Activity (Mark "X" in all of the appropriate boxes)

☐ Recycler of Hazardous Waste	☐ Exempt Boiler and/or Industrial Furnace
☐ Underground Injection Control Facility	☐ Small Quantity On-Site Burner Exemption
☐ Hazardous Waste Transporter	☐ Smelting, Melting, Refining Furnace Exemption
☐ Treater, Storer or Disposer of Hazardous Waste	

Crown Cork & Seal Process Description:

Crown Cork & Seal manufactures metal closures for Ensure, Gerber, and Snapple products.

Large coils of steel supplied by various sources are received on site and are run through a series of rollers. The machine cuts the steel into three foot pieces and stacks it on pallets. These three foot pieces are sized, primed, and coated at the decorating department. Following printing with a label, a protective coat of varnish is applied to protect the ink. After being processed at the decorating department, the lids are individually stamped out of the three foot sheet at the stamping department. After stamping the lids are sent to the molder and applied with plastisol. The edges of the lids are turned down with the wirer. The lids are then cured in an oven. When finished the lids are bagged loose in a box. Up to five % of the lids are rejected due to quality control and are sent off-site, along with the webbing from stamping to be recycled.

About eight 55-gallon drums of waste PM acetate are generated each two months. The waste stream is generated from cleaning the equipment and is characterized as D001, D035, F003, and F005. 55-gallon drums of the waste are accumulated at the hazardous waste storage room prior to transport to Hukill Chemical Corporation via Ashland Distribution.

About 25 gallons of flammable solvents are generated each month from cleaning equipment. The waste carries the D001, D035, F003, and F005 hazardous waste codes. The waste is accumulated in 55-gallon drums with the PM acetate parts washer. The waste is sent off-site to Hukill Chemical Corporation via Ashland Distribution.

Rags which have been used to clean parts from manufacturing equipment are laundered by Aramark.

A print solution waste stream, characterized as D001 hazardous waste, is generated from cleaning the printing plate. About 20 gallons of print solution waste is generated each month. Once again an attempt is being made to use ink w/o any alcohol. The waste stream is managed at the <90 day hazardous waste storage area prior to transport to American Environmental Services, Inc., Calvert City, Ky.

About 250 gallons of waste coating which is either off-spec.or left over from the day bin is classified as a D001 hazardous waste. The waste is accumulated at the <90 day storage area prior to transport off-site to American Environmental Services, Inc.

About 55 gallons or less of copper sulfate waste is generated monthly. The waste is generated when lids are tested for corrosion or to see if voids are present; and is classified as D002. The waste is accumulated at the <90 day storage area prior to off-site transport to American Environmental Services, Inc.

A D002 hazardous waste is sometimes generated when the ovens are cleaned. The waste oven cleaner is accumulated in 250 gallon totes. Waste oven cleaner which is hazardous waste is transported to Petro-Chem Processing. Non-hazardous oven cleaner is transported to American Environmental Services, Inc.

Lamps [bulbs] are manifested to Superior Special Services.

Cell phones and batteries are accumulated on-site and are sent to Inmetco, Pa.

Used oil is generated from maintenance of the machines. Used oil is accumulated in 55-gallon drums and accumulated at the <90 day hazardous waste accumulation room. The used oil is sent off-site to United Resource Management, Franklin, Ohio.

Waste absorbents with oil from general maintenance of the machines and the clean up of small spills are collected and are accumulated in 55-gallon drums. The waste is accumulated at the <90 day accumulation area prior to transport off-site to American Environmental Services, Inc.

Cardboard is sent to Sunoko in Lancaster to be recycled.

Aqueous parts cleaner waste contains vanishing oil, and is non-hazardous.

Plastisol waste is also non-hazardous.

Plastic bags of stretch wrap are bailed and recycled.

Wooden pallets are sent for recycling.

Packaging materials, including metal coils, are sent off-site for recycling.

L/ E QUANTITY GENERATOR REQUIREI TS
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY

CESQG: ≤100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.
SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.
LQG: ≥1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.
NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.
Safety Equipment Used:

GENERAL REQUIREMENTS

1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11] Yes ☒ No ☐ N/A ☐
2. Are records of waste determination being kept for at least 3 years?[3745-52-40(C)] Yes ☒ No ☐ N/A ☐
3. Has the generator obtained a U.S. EPA identification number? [3745-52-12] Yes ☒ No ☐ N/A ☐
4. Were annual reports filed with Ohio EPA on or before March 1st? [3745-52-41(A)] Yes ☒ No ☐ N/A ☐
5. Are annual reports kept on file for at least 3 years?[3745-52-40(B)] Yes ☒ No ☐ N/A ☐
6. Has the generator transported or caused to be transported hazardous waste to **other** than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)] Yes ☐ No ☒ N/A ☐
7. Has the generator disposed of hazardous waste **on-site without a permit** or at another facility **other** than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E) & (F)] Yes ☐ No ☒ N/A ☐
8. Does the generator accumulate hazardous waste? Yes ☒ No ☐ N/A ☐

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

9. Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02 (E) & (F)? Yes ☐ No ☒ N/A ☐

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G) & (H).

10. Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)]
    a. Container that meets 3745-66-70 to 3745-66-77? Yes ☐ No ☐ N/A ☒
    b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)? Yes ☐ No ☐ N/A ☒
    c. Drip pads that meet 3745-69-40 to 3745-69-45? Yes ☐ No ☐ N/A ☒
    d. Containment building that meets 3745-256-100 to 3745-256-102? Yes ☐ No ☐ N/A ☒

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

11. Does the generator export hazardous waste? If so: Yes ☐ No ☒ N/A ☐
    a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)] Yes ☐ No ☐ N/A ☒
    b. Has the generator complied with special manifest requirements? [3745-52-54] Yes ☐ No ☐ N/A ☒
    c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55] Yes ☐ No ☐ N/A ☒
    d. Has an annual report been submitted to U.S. EPA? [3745-52-56] Yes ☐ No ☐ N/A ☒
    e. Are export related documents being maintained on-site? [3745-52-57(A)] Yes ☐ No ☐ N/A ☒

MANIFEST REQUIREMENTS

12. Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)] Yes ☒ No ☐ N/A ☐
13. Have items (1) through (20) of each manifest been completed? [3745-52-20(A)] Yes ☒ No ☐ N/A ☐

NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)]

14. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] Yes ☒ No ☐ N/A ☐

NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)].

15. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] Yes ☐ No ☐ N/A ☒
16. Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1) & (2)] Yes ☒ No ☐ N/A ☐

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.

17. If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)] — Yes ☒ No ☐ N/A ☐
18. If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)] — Yes ☐ No ☐ N/A ☒
19. Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40] — Yes ☒ No ☐ N/A ☐

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

PERSONNEL TRAINING

20. Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)] — Yes ☒ No ☐ N/A ☐
21. Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)(a-f)] — Yes ☒ No ☐ N/A ☐
22. Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)] — Yes ☒ No ☐ N/A ☐
23. Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)] — Yes ☒ No ☐ N/A ☐
24. Does the generator provide annual refresher training to employees? [3745-65-16(C)] — Yes ☒ No ☐ N/A ☐
25. Does the generator keep records and documentation of:
    a. Job titles [3745-65-16D(1)]? — Yes ☒ No ☐ N/A ☐
    b. Job descriptions [3745-65-16D(2)]? — Yes ☒ No ☐ N/A ☐
    c. Type and amount of training given to each person[3745-65-16D(3)]? — Yes ☒ No ☐ N/A ☐
    d. Completed training or job experience required [3745-65-16D(4)]? — Yes ☒ No ☐ N/A ☐
26. Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)] — Yes ☒ No ☐ N/A ☐

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the -job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained

CONTINGENCY PLAN

27. Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)] — Yes ☒ No ☐ N/A ☐
28. Does the plan describe the following:
    a. Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste [3745-65-52(A)]? — Yes ☒ No ☐ N/A ☐
    b. Arrangements with emergency authorities [3745-65-52(C)]. — Yes ☒ No ☐ N/A ☐
    c. A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)] — Yes ☒ No ☐ N/A ☐
    d. A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)] — Yes ☒ No ☐ N/A ☐

e. An evacuation plan for facility pe nel where there is possibility that evacua may be necessary? [3745-65-52(F)] Yes ☒ No ☐ N/A ☐

NOTE: If the facility already has a "Spill Prevention, Control and Counter measures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]

29. Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53 (A) & (B)] Yes ☒ No ☐ N/A ☐
30. Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54] Yes ☒ No ☐ N/A ☐
31. Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55] Yes ☒ No ☐ N/A ☐

NOTE: The emergency coordinator shall be throughly familiar with: (a) all aspects of the facility's contingency plan: (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

EMERGENCY PROCEDURES

32. Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so: Yes ☐ No ☒ N/A ☐
    a. Was the contingency plan implemented? [3745-65-51(B)] Yes ☐ No ☐ N/A ☒
    b. Did the facility follow the emergency procedures in 3745-65-56(A) through (H)? Yes ☐ No ☐ N/A ☒
    c. Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)? Yes ☐ No ☐ N/A ☒

NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

PREPAREDNESS AND PREVENTION

33. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31] Yes ☒ No ☐ N/A ☐
34. Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:
    a. Internal communications or alarm system? [3745-65-32(A)] Yes ☒ No ☐ N/A ☐
    b. Emergency communication device? [3745-65-32(B)] Yes ☒ No ☐ N/A ☐
    c. Portable fire control, spill control and decon equipment? [3745-65-32(C)] Yes ☒ No ☐ N/A ☐
    d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] Yes ☒ No ☐ N/A ☐

NOTE: Verify that the equipment is listed in the contingency plan.

35. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33] Yes ☒ No ☐ N/A ☐
36. Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33] Yes ☒ No ☐ N/A ☐
37. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)] Yes ☒ No ☐ N/A ☐
38. If there is only one employee on the premises, is there immediate access to a device (ex.phone, hand held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32) [3745-65-34(B)] Yes ☒ No ☐ N/A ☐
39. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes ☒ No ☐ N/A ☐
40. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)] Yes ☒ No ☐ N/A ☐
41. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)? Yes ☐ No ☐ N/A ☒

SATELLITE ACCUMULATION AREA REQUIREMENTS

42. Does the generator ensure that satellite accumulation area(s):
    a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes ☒ No ☐ N/A ☐
    b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes ☒ No ☐ N/A ☐
    c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes ☒ No ☐ N/A ☐

d. Do not exceed one quart of acut[illegible] hazardous waste at any one time? [3745-[illegible] 34(C)(1)] Yes ☐ No ☐ N/A ☒

e. Containers are closed, in good condition and compatible with wastes stored in them?[3745-52-34(C)(1)(a)] Yes ☐ No ☒ N/A ☐

f. Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes ☒ No ☐ N/A ☐

43. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so: Yes ☐ No ☒ N/A ☐

a. Did the generator comply with 3745-52-34(A)(1)through(4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes ☐ No ☐ N/A ☒

b. Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded?[3745-52-34(C)(2)] Yes ☐ No ☐ N/A ☒

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less then 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS

44. Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)] Yes ☒ No ☐ N/A ☐

45. Is the accumulation date on each container? [3745-52-34(A)(2)] Yes ☒ No ☐ N/A ☐

46. Are hazardous wastes stored in containers which are:

a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes ☒ No ☐ N/A ☐

b. In good condition? [3745-66-71] Yes ☒ No ☐ N/A ☐

c. Compatible with wastes stored in them? [3745-66-72] Yes ☒ No ☐ N/A ☐

d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes ☒ No ☐ N/A ☐

NOTE: Record location on process summary sheets, photograph the area, and record on facility map.

47. Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORC§1.44(A) "Week" means 7 consecutive days. Yes ☒ No ☐ N/A ☐

a. Are inspections recorded in a log or summary? [3745-66-74] Yes ☒ No ☐ N/A ☐

48. Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76] Yes ☒ No ☐ N/A ☐

49. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes ☐ No ☐ N/A ☒

50. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)] Yes ☐ No ☐ N/A ☒

51. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)] Yes ☐ No ☐ N/A ☒

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

52. If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745- 66-11? [3745-52-34(A)(1)] Yes ☐ No ☐ N/A ☒

NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]

PRE-TRANSPORT REQUIREMENTS

53. Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes ☒ No ☐ N/A ☐

54. Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes ☒ No ☐ N/A ☐

55. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes ☒ No ☐ N/A ☐

USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS

NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

PROHIBITIONS

1. Does the generator manage used oil in a surface impoundment or waste pile? If yes: — Yes ☐ No ☒ N/A ☐

   a. Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)] — Yes ☐ No ☐ N/A ☒

2. Is used oil used as a dust suppressant? [3745-279-12(B)] — Yes ☐ No ☒ N/A ☐

3. Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)? — Yes ☐ No ☐ N/A ☒

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., If generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4. Does the generator mix hazardous waste with used oil? If so, — Yes ☐ No ☒ N/A ☐

   a. Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)] — Yes ☐ No ☐ N/A ☒

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5. Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)] — Yes ☐ No ☐ N/A ☒

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6. Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)] — Yes ☒ No ☐ N/A ☐

7. Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)] — Yes ☒ No ☐ N/A ☐

8. Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)] — Yes ☒ No ☐ N/A ☐

9. Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]

   a. Stopped the release? Yes ☐ No ☐ N/A ☒

   b. Contained the release? Yes ☐ No ☐ N/A ☒

   c. Cleaned up and properly managed the used oil and other materials? Yes ☐ No ☐ N/A ☒

   d. Repaired or replaced the containers or tanks prior to returning them to service, if necessary? Yes ☐ No ☐ N/A ☒

ON-SITE BURNING IN SPACE HEATER

10. Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so: Yes ☐ No ☐ N/A ☒

   a. Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators? Yes ☐ No ☐ N/A ☒

   b. Is the heater designed to have a maximum capacity of not more that 0.5 million BTU per hour? Yes ☐ No ☐ N/A ☒

   c. Are the combustion gases from heater vented to the ambient air? Yes ☐ No ☐ N/A ☒

GENERATOR TRANSPORTATION

11. If the generator self-transports used oil to an approved collection site or to an aggregation point owned by the generator. [3745-279-24] Yes ☐ No ☐ N/A ☒

   a. Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?[3745-279-24] Yes ☐ No ☐ N/A ☒

   b. Does the generator transport more than 55 gallons of used oil at any time?[3745-279-24] Yes ☐ No ☐ N/A ☒

NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).

COLLECTION CENTERS AND AGGREGATION POINTS

12. Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30] Yes ☐ No ☐ N/A ☒

13. Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31] Yes ☐ No ☐ N/A ☒

14. Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32] Yes ☐ No ☐ N/A ☒

NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.

Keyword: UsedOilChecklistforGenerators.Oct.2007.doc

SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS

Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more
Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less

PROHIBITIONS

1. Did the SQUWH dispose of universal waste? [3745-273-11(A)] — Yes ☐ No_x_ N/A ___RMK#___

2. Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)] — Yes ☐ No_x_ N/A ___RMK#___

WASTE MANAGEMENT & LABELING/MARKING
UNIVERSAL WASTE BATTERIES

3. Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)] — Yes ___ No ☐ N/A _x_ RMK#___

4. If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)] — Yes ___ No ☐ N/A _x_ RMK#___

5. Does the SQUWH conduct any of the following activities:

   a. Sort batteries by type? — Yes___ No_x_ N/A ___RMK#___

   b. Mix battery types in one container? — Yes___ No_x_ N/A ___RMK#___

   c. Discharge batteries to remove the electric charge? — Yes___ No_x_ N/A ___RMK#___

   d. Regenerate used batteries? — Yes___ No_x_ N/A ___RMK#___

   e. Disassemble them into individual batteries or cells? — Yes___ No_x_ N/A ___RMK#___

   f. Remove batteries from consumer products? — Yes___ No_x_ N/A ___RMK#___

   g. Remove the electrolyte from the battery? — Yes___ No_x_ N/A ___RMK#___

If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)] — N/A

6. If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)] — Yes ___ No ❑ N/A _x_ RMK#___

   a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)] — Yes ___ No ❑ N/A _x_ RMK#___

   b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)] — Yes ___ No ❑ N/A _x_ RMK#___

7. Are the battery(ies) or container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)?" [3745-273-14(A)] — Yes ___ No ❑ N/A _x_ RMK#___

UNIVERSAL WASTE LAMPS

8. Does the SQGUHW contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)] — Yes _x_ No ❑ N/A ___ RMK#___

9. Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)] — Yes ___ No ❑ N/A _x_ RMK#___

10. Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)?" [3745-273-14(E)] — Yes _x_ No ❑ N/A ___ RMK#___

ACCUMULATION TIME

11. Is the waste accumulated for less than one year? [3745-273-15(A)] If not: — Yes_x_ No___ N/A ___RMK#___

    a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)] — Yes ___ No ☐ N/A _x_RMK#___

12. Is the length of time the universal waste is stored documented by **one** of the following: [3745-273-15(C)] — Yes _x_ No ☐ N/A ___RMK#___

    a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)] — Yes_x_ No___ N/A ___RMK#___

    b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)] — Yes___ No___ N/A _x_RMK#___

    c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)] — Yes___ No___ N/A _x_RMK#___

    d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)] — Yes___ No___ N/A _x_RMK#___

    e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)] — Yes___ No___ N/A _x_RMK#___

    f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)] — Yes___ No___ N/A _x_RMK#___

EMPLOYEE TRAINING

13. Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16] — Yes _x_ No ❑ N/A ___RMK#___

RESPONSE TO RELEASES

14. Are releases of universal waste and other residues immediately contained? [3745-273-17(A)] — Yes ___ No ❑ N/A _x_RMK#___

15. Is the material released characterized? [3745-273-17(B)] — Yes ___ No ❑ N/A _x_RMK#___

16. If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)] — Yes ___ No ❑ N/A _x_RMK#___

OFF-SITE SHIPMENTS

17. Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)] — Yes _x_ No ❑ N/A ___RMK#___

18. If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)] — Yes _x_ No ❑ N/A ___RMK#___

19. Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)] — Yes _x_ No ❑ N/A ___RMK#___

20. If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do <u>one of the following</u>:

    a. Receive the waste back? [3745-273-18(E)(1)] — Yes___ No___ N/A _x_RMK#___

b. Agree to where the shipment will be sent? [3745-273-18(E)(2)]

21. If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss one of the following: Yes ___ No ☐ N/A _x_ RMK#___

a. Sending the waste back to the originating handler? [3745-273-18(F)(1)] Yes___ No___ N/A _x_ RMK#___

b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)] Yes___ No___ N/A _x_ RMK#___

22. If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)] Yes ___ No ☐ N/A _x_ RMK#___

23. If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)] Yes ___ No ☐ N/A _x_ RMK#___

EXPORTS

24. Is waste being sent to a foreign destination? If so: Yes___ No_x_ N/A ___ RMK#___

a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)] Yes ___ No ☐ N/A _x_ RMK#___

b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)] Yes ___ No ☐ N/A _x_ RMK#___

c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)] Yes ___ No ☐ N/A _x_ RMK#___

REMARKS

GENERATOR LDR CHECKLIST
DOES NOT APPLY TO CESQGS

GENERAL REQUIREMENTS			
1.	If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07 (A)(7)]		Yes ☐ No ☐ N/A ☒
2.	Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)]		Yes ☒ No ☐ N/A ☐
NOTE: This is done by determining if the HW /soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07 (A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).			
3.	Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]		Yes ☒ No ☐ N/A ☐
4.	Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)]		Yes ☒ No ☐ N/A ☐
5.	Does the generator generate a listed HW that exhibits a characteristic? If yes,		Yes ☒ No ☐ N/A ☐
	a.	Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)	Yes ☒ No ☐ N/A ☐
FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.			
6.	Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)]		Yes ☒ No ☐ N/A ☐
NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.			
NOTE: Written documentation of this determination is not required.			
7.	Did the generator treat his HW /soil on-site <u>to meet</u> the LDR treatment standard? .		Yes ☐ No ☒ N/A ☐
NOTE If "Yes" see question #16.			
8.	Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility?[3745-270-07(A)(2)]		Yes ☒ No ☐ N/A ☐
9.	Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)]		Yes ☒ No ☐ N/A ☐
10.	Does the generator have a copy of the LDR notification form on file?[3745-270-07(A)(2)]		Yes ☒ No ☐ N/A ☐
	a.	Is the form kept on file for three years after last HW shipped? [3745-270-07(A)(8)]	Yes ☒ No ☐ N/A ☐
NOTIFICATION FORM			
11.	Does the LDR Notification form contain the following information:		
	a.	Manifest number of the first waste shipment to the TSD?[3745-270-07(A)(2)]	Yes ☒ No ☐ N/A ☐
	b.	Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]	Yes ☒ No ☐ N/A ☐
	c.	A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)]	Yes ☒ No ☐ N/A ☐
	d.	A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)].	Yes ☒ No ☐ N/A ☐

NOTE: A wastewater contains <1% by wt. total suspended solids(TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.				
	e.		Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes ☒ No ☐ N/A ☐
NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories				
	f.		A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes ☒ No ☐ N/A ☐
NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.				
	g.		If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for?[3745-270-07(A)(2)]	Yes ☒ No ☐ N/A ☐
NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.				
PROHIBITED DILUTION				
12.	Is the HW treated by burning? If "No," go to #15.			Yes ☐ No ☒ N/A ☐
13.	Is the HW a metal-bearing HW?			Yes ☐ No ☒ N/A ☐
NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs are given in the Appendix to 3745-270-03.				
14.	a.		Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless **one** of the following conditions apply. [3745-270-03(c)]	
		i.	Contains > 1% TOC?	Yes ☐ No ☐ N/A ☒
		ii.	Contains organic constituents or cyanide at levels greater than the UST levels?	Yes ☐ No ☐ N/A ☒
		iii.	Is made up of combustible material e.g., paper, wood, plastic?	Yes ☐ No ☐ N/A ☒
		iv.	Has a reasonable heating value (e.g., > 5000 Btu)?	Yes ☐ No ☐ N/A ☒
		v.	Co-generated with a HW that must be combusted?	Yes ☐ No ☐ N/A ☒
	b.		If all responses to 14 a.i. through 14 a.v. are "No", HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes ☐ No ☐ N/A ☒
15.	Was the HW treated by wastewater treatment?			Yes ☐ No ☒ N/A ☐
	a.		Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes ☐ No ☒ N/A ☐
NOTE: If Yes, HW is improperly being treated by dilution.				
	b.		Does the waste carry the D001 code <u>and</u> contain ≥10% TOC?	Yes ☐ No ☒ N/A ☐
	c.		Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes ☐ No ☐ N/A ☒
NOTE: If the answers to b & c are "yes" and "no", respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B) and 3745-270-40(A)(3)].				
NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.				

GENERATOR TREATMENT					
16.	Does the generator treat to meet LDRs on-site [3745-270-40(A)]?				Yes ☐ No ☐ N/A ☒
	Did the generator treat his hazardous waste/soil on-site in a tank, container, drip pad or containment building to meet the LDR treatment standard?				Yes ☐ No ☐ N/A ☒
	If "Yes"...complete the rest of the checklist. If "No"...stop...you are done.				
	a.	Does the generator have a written waste analysis plan (WAP) that describes the procedures he will follow to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)]			Yes ☐ No ☐ N/A ☒
	b.	Did the generator use a detailed chemical and physical analysis of the HW/soil in order to develop the WAP? [3745-270-07(A)(5)(a)]			Yes ☐ No ☐ N/A ☒
NOTE: This is a laboratory analysis but it does not have to be kept by the generator.					
	c.	Does the WAP contain all information necessary to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)(a)]			Yes ☐ No ☐ N/A ☒
	d.	Does the WAP include the testing frequency of the treated HW/soil to demonstrate that the LDR treatment standard is being met? [3745-270-07(A)(5)(a)]			Yes ☐ No ☐ N/A ☒
	e.	Does the generator keep the WAP on-site? [3745-270-07(A)(5)(b)]			Yes ☐ No ☐ N/A ☒
	f.	Is the WAP available for the inspector's review during the inspection? [3745-270-07(A)(5)(b)]			Yes ☐ No ☐ N/A ☒
NOTIFICATION FORM					
17.	a.	Contains all information in #11 a-g above and			Yes ☒ No ☐ N/A ☐
	b.	If the treated HW/soil is listed.....notification contains the following certification statement: " I certify under penalty of law that I personally have examined and am familiar with the waste, through analysis and testing or trough knowledge of the waste, to support this certification that the waste complies with the treatment stands specified in rule 3745-270-40 to 3745-270-49 of the Administrative Code. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."			Yes ☐ No ☐ N/A ☒
	c.	If the treated HW/soil no longer exhibits a characteristic and is no longer a HW, did the generator:			
		i.	Send a one-time notification to the director?[3745-270- 09 (D)]		Yes ☐ No ☐ N/A ☒
		ii.	Maintain a copy of the notice onsite?[3745-270-09(D)]		Yes ☐ No ☐ N/A ☒
		iii.	Include in the notification: [3745-270-09(D)(1)(a)]		
			1.	Name & address of receiving landfill?	Yes ☐ No ☐ N/A ☒
			2.	Description of HW when generated?	Yes ☐ No ☐ N/A ☒
			3.	HW code when generated?	Yes ☐ No ☐ N/A ☒
			4.	Treatability group when generated?	Yes ☐ No ☐ N/A ☒
			5.	Underlying hazardous constituents present when generated?	Yes ☐ No ☐ N/A ☒
		iv.	Contain the right certification statement as required by 3745-70-07(b)(4)?		Yes ☒ No ☐ N/A ☐