




State of Ohio Environmental Protection Agency

Northeast District Office



2110 East Aurora Rd.
Twinsburg, Ohio 44087

TELE: (330) 963-1200 FAX: (330) 487-0769
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

August 11, 2008

RE: FORD - OHIO ASSEMBLY PLANT
LARGE QUANTITY GENERATOR
OHD 020 626 669
LORAIN COUNTY
NOTICE OF VIOLATION

Ms. Tamberlyn Shell
Environmental Engineer
Ford Motor Company - Ohio Assembly Plant
650 Miller Road
Avon Lake, OH 44012

Dear Ms. Shell:

On July 11, 2008, Kurt Kollar and I representing of the Ohio Environmental Protection Agency (Ohio EPA) responded to a release of hazardous waste from an underground storage tank at Ford Motor Company's Ohio Assembly Plant (Ford) located at 650 Miller Road, Avon Lake, Ohio.

On July 15 and 16, 2008, Frank Zingales and I, representing the Ohio EPA, Division of Hazardous Waste Management, conducted a compliance evaluation inspection (CEI) at Ford. The facility was inspected to determine its compliance with Ohio's hazardous waste laws as found in Chapter 3734 of the Ohio Revised Code (ORC), and the rules promulgated thereunder in Chapter 3745 of the Ohio Administrative Code (OAC).

The inspection included a review of the facility's operations, as well as the management of wastes. Ford was inspected for the requirements of a large quantity generator (LQG) of hazardous waste. Tamberlynn Shell, Ann McCormick, Matt Mesaros, and Larry Ostang represented the facility during the inspection.

Ohio EPA identified the following violations of Ohio's hazardous waste laws. In order to correct these violations, Ford must do the following and send me the required information **within 30 days** of the date of this letter:

1. Operation and Maintenance, OAC rule 3745-65-31:

Facilities shall be maintained and operated to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.

On July 10, 2008, an estimated quantity of 100 to 400-gallons of waste paint/solvent was released from hazardous waste tank #2. The facility responded to the release under the direction of Ohio EPA OSC Kurt Kollar and local authorities. On August 9, 2008, the facility submitted photographs demonstrating that remaining paint waste was cleaned-up at the loading dock and tank manway.

In order to abate this violation, the facility must submit:

- **A copy of the facility incident report and a description of corrective measures that will be employed to prevent future releases;**
- **Waste analysis data for the tank contents and cleanup waste; and**
- **Manifests documenting the proper disposal of cleanup waste.**

In addition, the facility is required by OAC rule 3745-66-96(D)(3) to submit a report to the director within 30 days of detection of a release to the environment from a tank system.

2. Contingency Plan, OAC rule 3745-65-53(B):

A copy of the contingency plan and all revisions to the plan shall be submitted to all local police departments, fire departments, hospitals, and Ohio EPA and local response teams that may be requested to provide emergency services.

The facility failed to submit the contingency plan to Ohio EPA, local police department(s), and local hospitals(s).

In order to abate this violation, the facility must submit documentation (copy of cover letters or certified mail receipts) which verifies the plan was distributed to the required emergency authorities.

In addition, Ohio EPA has the following suggestions for improving the contingency plan: condense the plan for outside emergency authorities; clearly identify the emergency coordinators within the plan; add an evacuation map; refine the emergency equipment list to reflect dedicated and non-dedicated emergency equipment; and clearly note the facility will respond to level one spills only and other spills will be handled by outside contractors.

Ohio EPA received Ford's 15-day contingency plan incident report for the July 10, 2008 hazardous waste release on July 28, 2008.

3. Used Oil Labeling, OAC rule 3745-279-22(C):

Containers used to store used oil at generator facilities must be labeled or marked clearly with the words "used oil."

The facility failed to label a 55-gallon container of used oil at the 90-day area with the words "used oil."

This violation was abated during the inspection and no further response is required.

Concerns:

4. The facility should evaluate its current method of accumulating spent fluorescent lamps which appears to be susceptible to breakage during accumulation and transport.
5. A small amount of hydraulic oil was noted on the facility floor at the IQ Crib Area. The facility should ensure releases of used oil are cleaned up immediately.

Ohio EPA's Office of Compliance Assistance and Pollution Prevention (OCAPP) provides free compliance and pollution prevention assistance on environmental issues related to air, land and water. Should your facility be interested in receiving a free pollution prevention assessment in the future, please feel free to contact me or OCAPP. OCAPP may be contacted at: 800-329-7518 or <http://www.epa.state.oh.us/opp/ocapp.html>.

The following pollution prevention opportunities were identified during the CEI:

- Commercial Laundering of Rags/Wipes: The facility currently disposes of its rags/wipes that are contaminated with dirt/oil. The facility should explore sending rags to a commercial laundry that is subject to regulation under the Clean Water Act or to a dry cleaner for reuse.

Ohio EPA has determined that waste rags (containing no free liquids) that will be cleaned and reused are not subject to the hazardous waste regulations, because you are not discarding them. A list of commercial laundry providers may be found at: <http://www.epa.state.oh.us/opp/solvents/ilaundry.html>

- Aerosol Can Puncturing: The facility generates a significant number of waste aerosol cans, and may want to consider purchasing a puncturing unit. This will enable you to separate the liquid contents from the metal can for recycling or disposal, and the can may be sent for metal recycling. This equipment ranges from approximately \$495 to \$775 for a manually operated unit, to thousands of dollars for an automated unit. Processing capacity for these units ranges from 120 to 2,000 cans per hour. A fact sheet from the Navy includes a link to a spreadsheet that will allow you to enter your own data to calculate your payback. You can find it at: http://205.153.241.230/P2_Opportunity_Handbook/7_III_3.html
- Switching from Aerosol Cans to Pump Sprayers: Spray-on products sold in aerosol cans generally cost twice as much as bulk products. Several types of bottles are available, including metal bottles that use compressed air or plastic bottles that use a hand spray pump. Refillable metal bottles are similar to aerosol cans in their design and performance. Plastic bottles are operated by pumping a trigger to create a mist or stream of product. A U.S. EPA Region 9 *Refillable Spray Bottles* fact sheet contains a worksheet that you can use to help calculate your cost savings by switching to refillable bottles. This fact sheet is available at: <http://www.epa.gov/region09/waste/p2/autofleet/spray.pdf>
- Waste Removal/Segregation: As noted during the CEI, the facility can take extra steps to reduce the amount of waste that is being disposed as hazardous waste. This may include removing waste from containers/parts through pouring, pumping, aspirating, or other means rather than disposing of the whole container/part as a hazardous waste.
- Used Oil Filters Draining & Recycling as Scrap Metal:
According to OAC rule 3745-51-04(B)(13), non-terne plated used oil filters that are hot-drained are not hazardous wastes. Non-terne plated filters do not contain lead in the metal portion of the filter.
Hot-draining may be accomplished by either:
 - puncturing the anti-drain back valve or the filter dome end and hot-draining;
 - hot-draining and crushing;
 - dismantling and hot-draining; or
 - other equivalent method.

We consider a filter to be hot-drained when it is brought up to normal engine operating temperature just before you remove it for draining. The oil filter should be allowed to drain for 12 hours. After the oil has been drained, the facility may recycle the filters as scrap metal. The oil collected must be managed as used oil.

The Division of Hazardous Waste Management has created an electronic news service to provide you with quick and timely updates on events and news related to hazardous waste activities in Ohio. If you haven't already, we encourage you to sign-up for this free service. You can find more information at the following Web link <http://www.epa.state.oh.us/dhwm/listserv.html>. Please feel free to share this information with your colleagues.

Enclosed you will find a copy of the checklists that we completed during the inspection. Should you have any question, please feel free to call me at (330) 963-1278. You can find copies of the rules and other information on the DHWM's web page at <http://www.epa.state.oh.us/dhwm>.

Sincerely,



Wade Balsler
District Representative
Division of Hazardous Waste Management

WB:ddw

Enclosure

cc: Natalie Oryshkewych, DHWM, NEDO
ec: Harry Sarvis, DHWM, CO

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

**LA...E QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: ≤ 100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.

SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.

LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥ 1 Kg. of acutely hazardous waste in a calendar month.

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

GENERAL REQUIREMENTS

- | | | | |
|---|---|--|------------------------------|
| 1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11] | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | N/A <input type="checkbox"/> |
| 2. Are records of waste determination being kept for at least 3 years?[3745-52-40(C)] | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | N/A <input type="checkbox"/> |
| 3. Has the generator obtained a U.S. EPA identification number? [3745-52-12] | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | N/A <input type="checkbox"/> |
| 4. Were annual reports filed with Ohio EPA on or before March 1 st ? [3745-52-41(A)] | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | N/A <input type="checkbox"/> |
| 5. Are annual reports kept on file for at least 3 years?[3745-52-40(B)] | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | N/A <input type="checkbox"/> |
| 6. Has the generator transported or caused to be transported hazardous waste to other than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)] | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | N/A <input type="checkbox"/> |
| 7. Has the generator disposed of hazardous waste on-site without a permit or at another facility other than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E) & (F)] | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | N/A <input type="checkbox"/> |
| 8. Does the generator accumulate hazardous waste? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | N/A <input type="checkbox"/> |

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

- | | | | |
|---|------------------------------|--|------------------------------|
| 9. Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02 (E) & (F)? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | N/A <input type="checkbox"/> |
|---|------------------------------|--|------------------------------|

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G) & (H).

- | | | | |
|---|------------------------------|-----------------------------|---|
| 10. Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)] | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
| a. Container that meets 3745-66-70 to 3745-66-77? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
| b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
| c. Drip pads that meet 3745-69-40 to 3745-69-45? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
| d. Containment building that meets 3745-256-100 to 3745-256-102? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

- | | | | |
|---|------------------------------|-----------------------------|---|
| 11. Does the generator export hazardous waste? If so: | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
| a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)] | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
| b. Has the generator complied with special manifest requirements? [3745-52-54] | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
| c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55] | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
| d. Has an annual report been submitted to U.S. EPA? [3745-52-56] | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
| e. Are export related documents being maintained on-site? [3745-52-57(A)] | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |

MANIFEST REQUIREMENTS

- | | | | |
|--|---|-----------------------------|------------------------------|
| 12. Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)] | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | N/A <input type="checkbox"/> |
| 13. Have items (1) through (20) of each manifest been completed? [3745-52-20(A)] | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | N/A <input type="checkbox"/> |

NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)]

- | | | | |
|--|---|-----------------------------|------------------------------|
| 14. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | N/A <input type="checkbox"/> |
|--|---|-----------------------------|------------------------------|

NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)].

- | | | | |
|---|---|-----------------------------|---|
| 15. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
| 16. Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)](1) & (2)] | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | N/A <input type="checkbox"/> |

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.

17. If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)] Yes No N/A
18. If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)] Yes No N/A
19. Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40] Yes No N/A

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

PERSONNEL TRAINING

20. Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)] Yes No N/A
21. Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)(a-f)] Yes No N/A
22. Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)] Yes No N/A
23. Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)] Yes No N/A
24. Does the generator provide annual refresher training to employees? [3745-65-16(C)] Yes No N/A
25. Does the generator keep records and documentation of:
- a. Job titles [3745-65-16D(1)]? Yes No N/A
 - b. Job descriptions [3745-65-16D(2)]? Yes No N/A
 - c. Type and amount of training given to each person [3745-65-16D(3)]? Yes No N/A
 - d. Completed training or job experience required [3745-65-16D(4)]? Yes No N/A
26. Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)] Yes No N/A

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained
		April 2006

CONTINGENCY PLAN

27. Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)] Yes No N/A
28. Does the plan describe the following:
- a. Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste [3745-65-52(A)]? Yes No N/A
 - b. Arrangements with emergency authorities [3745-65-52(C)]. Yes No N/A
 - c. A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)] Yes No N/A
 - d. A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)] Yes No N/A

Handwritten notes:
 suggest adding ID of coordinators in plan
 Radio for dedicated equipment only
 2 Level 1 spills only

e. An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)] *Add MAP in Plan* Yes No N/A

NOTE: If the facility already has a "Spill Prevention, Control and Counter measures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]

29. Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53 (A) & (B)] *Not: Yes* No N/A *CEPA/policies/hospital*

30. Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54] *Plan to redo* Yes No N/A

31. Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55] Yes No N/A

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

EMERGENCY PROCEDURES

32. Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so: *7/10/08 Tank Spill* Yes No N/A

a. Was the contingency plan implemented? [3745-65-51(B)] Yes No N/A

b. Did the facility follow the emergency procedures in 3745-65-56(A) through (H)? Yes No N/A

c. Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)? *Rpt dated 7/25/08* Yes No N/A

NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

PREPAREDNESS AND PREVENTION

33. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31] *Tank Release* Yes No N/A

34. Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:

a. Internal communications or alarm system? [3745-65-32(A)] Yes No N/A

b. Emergency communication device? [3745-65-32(B)] Yes No N/A

c. Portable fire control, spill control and decon equipment? [3745-65-32(C)] Yes No N/A

d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] Yes No N/A

NOTE: Verify that the equipment is listed in the contingency plan.

35. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33] Yes No N/A

36. Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33] Yes No N/A

37. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)] Yes No N/A

38. If there is only one employee on the premises, is there immediate access to a device (ex.phone, hand held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32) [3745-65-34(B)] Yes No N/A

39. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes No N/A

40. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)] Yes No N/A

41. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes No N/A

SATELLITE ACCUMULATION AREA REQUIREMENTS

42. Does the generator ensure that satellite accumulation area(s):

a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes No N/A

b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes No N/A

c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes No N/A

Note: Aerosol cans, close to being full

[Facility Name/Inspection Date]

[ID number]

LQG/February 2007

Page 3 of 4

- d. Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)] Yes No N/A
- e. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)] Yes No N/A
- f. Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes No N/A
43. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so: Yes No N/A
- a. Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes No N/A
- b. Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] Yes No N/A

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS

44. Has the generator marked containers with the words "Hazardous Waste"? [3745-52-34(A)(3)] Yes No N/A
45. Is the accumulation date on each container? [3745-52-34(A)(2)] Yes No N/A
46. Are hazardous wastes stored in containers which are:
- a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes No N/A
- b. In good condition? [3745-66-71] Yes No N/A
- c. Compatible with wastes stored in them? [3745-66-72] Yes No N/A
- d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes No N/A

NOTE: Record location on process summary sheets, photograph the area, and record on facility map.

47. Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORC §1.44(A) "Week" means 7 consecutive days. Yes No N/A
- a. Are inspections recorded in a log or summary? [3745-66-74] Yes No N/A
48. Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76] Yes No N/A
49. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes No N/A
50. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)] Yes No N/A
51. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)] Yes No N/A

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

52. If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)] Yes No N/A

NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]

PRE-TRANSPORT REQUIREMENTS

53. Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes No N/A
54. Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes No N/A
55. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes No N/A

[Facility Name/Inspection Date]

[ID number]

LQG/February 2007

Page 4 of 4

LQG TANK SYSTEM REQUIREMENTS (OAC rule 3745-52-34(A) and OAC rules 3745-66-90 through 3745-66-100)

(Please refer to the rules before or while completing this checklist.)

1.	Is each tank clearly labeled/marked with the words "Hazardous Waste?" [3745-52-34(A)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

TANK SYSTEM – GENERAL OPERATING REQUIREMENTS

2.	Does the o/o follow the general operating requirements below:	
a.	Does the o/o prevent placement of hazardous waste or treatment reagents in tank or secondary containment if such placement can cause the system to leak, rupture, corrode, or otherwise fail? [3745-66-94(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Does the o/o use appropriate controls to prevent spills or overflows from the system (e.g., check valves, dry disconnect couplings, high level alarms, etc.)? [3745-66-94(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	If a leak or spill has occurred in the tank system, has the o/o complied with 3745-66-96? [3745-66-94(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

TANK SYSTEM – INSPECTION REQUIREMENTS

3.	Has the o/o documented the inspections required in 3745-66-95, in the operating record, including inspection of the following:	
a.	Spill control equipment each operating day? [3745-66-95(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Above ground portion of tank each operating day? [3745-66-95(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Data from leak detection equipment each operating day? [3745-66-95(A)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Construction materials and area immediately surrounding the tanks for signs of erosion or release of hazardous waste each operating day? [3745-66-95(A)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: "Each operating day" is each day that the tank system is being used to manage (store or treat) hazardous waste.

4.	Where applicable, the cathodic protection system to confirm proper operation within six months of initial installation and annually thereafter? [3745-66-95(B)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Where applicable, all sources of impressed current at least bi-monthly? [3745-66-95(B)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

TANK SYSTEM CLOSURE REQUIREMENTS

6.	If the generator has closed a <90 day tank, was closure completed in accordance with OAC 3745-66-97 (except for paragraph C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	---	--

TANK SYSTEMS STORING IGNITABLE OR REACTIVE WASTES

7.	For tanks used to treat or store ignitable or reactive wastes, has the o/o complied with one of the following: [3745-66-98(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the waste treated immediately after placement in the tank so that the resultant mixture is no longer ignitable or reactive and the o/o has conducted such activities in compliance with 3745-66-17(B)? [3745-66-98(A)]; or	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is the waste stored or treated to protect it from materials or conditions which may cause ignition or reaction? [3745-66-98(A)]; or	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	The tank is used solely for emergencies? [3745-66-98(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
8.	If ignitable or reactive waste is stored or treated, are protective distances maintained between waste management areas and any public streets, alleys or adjoining property lines as required by the NFPA Flammable and Combustible Liquids Code (1996)? [3745-66-98(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

[Facility Name/Inspection Date]

[ID number]

LQG TANK /June 2008

Page 1 of 5



9.	Has the o/o placed incompatible wastes or materials into the same tank system, or into a tank system that has not been decontaminated and which previously held an incompatible waste or material? [3745-66-99(A) and/or (B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	If so, have the requirements of 3745-65-17(B) been met? [3745-66-99(A) and/or (B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

TANK SYSTEM – WASTE ANALYSIS REQUIREMENTS

10.	In addition to conducting the waste analysis required by 3745-65-13, when the tank system is used to store or treat a waste which is substantially different or uses a substantially different process than previously used, has the o/o done one of the following: [3745-66-100]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Conducted waste analysis and trial treatment or storage tests? [3745-66-100(A)]; OR	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Obtained written documentation on similar waste under similar operating conditions to show that the proposed storage/treatment will meet the requirements of OAC 3745-66-94? [3745-66-100(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

TANK SYSTEMS REQUIREMENTS

11.	Is there a written assessment attesting that the design, installation and structural integrity of the system is adequate for the management of hazardous waste(s)? [3745-66-92(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
-----	--	--

NOTE: You should review the file to see if the written assessment has been previously reviewed and what the results were.

12.	Does the written assessment include the following: [3745-66-92(A)]	
a.	Certification by an independent registered, professional engineer? [3745-66-92(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Consideration of the design standards of the system? [3745-66-92(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Consideration of the hazardous characteristics of the waste(s)? [3745-66-92(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	An evaluation by a corrosion expert (only if the external system/components are metal and in contact with soil or water)? [3745-66-92(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	A determination of design and operational measures that will be needed to protect the tank system from potential damage (only for underground tank components)? [3745-66-92(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
f.	Design considerations to ensure that the tank foundations will maintain the load of a full tank? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
g.	Design considerations for anchoring the unit to prevent floatation (only for tanks situated in a seismic fault zone or saturated zone)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
h.	Design considerations to ensure that the tank system will withstand the effects of frost heave(only for underground tank systems)? [3745-66-92(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: CO-DHWM Engineering staff are available to assist you with evaluation of the written assessment.

13.	Are there written statements by those persons who supervised installation or certified design of the new tank system, that the tank system was properly installed and designed and that required repairs were performed? [3745-66-92(G)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	Do the written statements address all of the following:	
a.	Inspection for damage and/or inadequate construction and installation was conducted? [3745-66-92(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Statement that deficiencies were corrected before the tank system was covered or put into use? [3745-66-92(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Proper backfilling? [3745-66-92(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

[Facility Name/Inspection Date]

[ID number]

LQG TANK /June 2008

Page 2 of 5



	d.	Tightness test; if the tank system was found not to be tight, does the statement indicate that proper repairs were made? [3745-66-92(D)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>			
	e.	Proper support and protection of ancillary equipment? [3745-66-92(E)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>			
	f.	Supervision of the installation of field fabricated corrosion protection? [3745-66-92(F)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>			
SECONDARY CONTAINMENT									
14.	Has secondary containment been provided?					Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
NOTE: All tank systems must have secondary containment at this point, except for tank systems that store/treat materials that become hazardous waste after January 12, 1987, must have secondary containment required within the time intervals in 3745-66-92(A)(1) to (A)(4). The date the material became a hazardous waste must be used in place of January 12, 1987. [3745-66-92(A)(5)]									
15.	Is secondary containment one of the following:					Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	a.	An External Liner ? [3745-66-93(E)(1)] If so,				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	i.	Is liner designed or operated to contain 100% of the capacity of the largest tank?				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	ii.	Is liner designed and operated to prevent run-on and infiltration <u>or</u> the collection system has <u>excess</u> capacity to contain run-on and infiltration from a 25-year, 24-hour storm?				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	iii.	Is liner free of cracks and gaps?				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	iv.	Does liner completely surround the tank and cover all earth likely to be contacted by waste during a release?				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	v.	Are chemically resistant water stops in place at all points? (concrete liners only)				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	vi.	Is there a compatible interior coating or lining to prevent migration of waste into the concrete? (concrete liners only)				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	b.	Vault System ? [3745-66-93(E)(2)] If so,				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	i.	Is vault system designed to contain 100% of the capacity in the largest tank?				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	ii.	Is liner designed and operated to prevent run-on and infiltration <u>or</u> the collection system has <u>excess</u> capacity to contain run-on and infiltration from a 25-year, 24-hour storm?				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	iii.	Are chemically resistant water stops in place at all points?				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	iv.	Is there a compatible interior coating to prevent migration into the concrete?				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	v.	For ignitable or reactive waste : Is the vault system provided with means to prevent (or alternatively "protect against") the formation or ignition of vapors?				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	vi.	Is vault system provided with an exterior moisture barrier?				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	c.	Double-Walled Tank ? [3745-66-93(E)(3)] If so,				Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	i.	Is double-walled tank designed as an integral structure to contain any release from the inner tank?				Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	ii.	If metal , are the primary tank interior and outer shell exterior surfaces protected from corrosion?				Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>



	iii.	Is double-walled tank provided with a continuous leak detection system able to detect a release within 24 hours or at the earliest practicable time?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	An Equivalent Device? As described in 3745-66-93(D)(4) which has been approved by the director? [3745-66-93(D&E)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
SECONDARY CONTAINMENT DESIGN/OPERATION/INSTALLATION			
16.		Has each secondary containment system been designed, installed and operated to prevent any migration of wastes or liquid to the soil, groundwater, or surface water and is it capable of detecting and collecting releases and accumulated liquids? [3745-66-93(B)(1) and (2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
17.		Does the secondary containment system meet the following minimum requirements of [3745-66-93(C)]:	
	a.	Constructed or lined with compatible materials of sufficient strength to prevent failure? [3745-66-93(C)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Placed on a foundation or base capable of providing support? [3745-66-93(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Provided with a leak detection system designed/operated to detect failure to primary or secondary containment or any release of hazardous waste within 24 hours or at earliest practicable time? [3745-66-93(C)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Sloped or designed to drain and remove liquid resulting from leaks, spills or precipitation? [3745-66-93(C)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	e.	Any liquid which accumulates in the containment unit resulting from spills, leaks or precipitation removed within 24 hours or in a timely manner? [3745-66-93(C)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
ANCILLARY EQUIPMENT REQUIREMENTS			
18.		Is ancillary equipment provided with secondary containment (such as double-walled piping, jacketing or a trench)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
		If not , is the ancillary equipment one of the following: [3745-66-93(F)]	
	a.	Above ground piping (exclusive of flanges, joints, valves and connections) that is inspected daily?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Welded flanges, welded joints and/or welded connections that is inspected daily?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	Sealless or magnetic coupling pumps and/or sealless valves?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d.	Pressurized above ground piping systems with automatic shut-off devices (e.g., excess flow check valves, flow metering shutdown and/or loss of pressure-actuated shut-off devices) that is inspected daily?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
TANK SYSTEMS FOUND TO BE LEAKING OR UNFIT FOR USE			
19.		Has there been a leak or spill from any tank system or has any tank system been found unfit for use? If so , did the o/o:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: If the tank is found to be unfit for use, inspector should explain why.			
	a.	Immediately cease flow of material into tank and investigate the cause of the release? [3745-66-96(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Remove waste from tank system to prevent further release within 24 hours of detection or earliest practicable time? [3745-66-96(B)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Remove all material released into secondary containment system within 24 hours or as timely as possible to prevent harm to human health and the environment? [3745-66-96(B)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d.	For a visible release to the environment, immediately conduct a visual inspection of the release? [3745-66-96(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	e.	For a visible release to the environment, prevent further migration of the leak or spill to soils or surface waters? [3745-66-96(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

[Facility Name/Inspection Date]

[ID number]

LQG TANK /June 2008

Page 4 of 5



f.	For a visible release to the environment, properly dispose of any visibly contaminated soil or surface water? [3745-66-96(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
g.	Report any release to the environment to the director within 24 hours unless it was less than one pound and was cleaned up immediately? [3745-66-96(D)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
h.	For a release to the environment, submit a written report of the incident to the director within 30 days of the release? [3745-66-96(D)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> <i>Submitted 8-9-08</i>
i.	Remediate the spill and repair the unit prior to returning it to service? [3745-66-96(E)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
j.	For a release from a tank system without secondary containment, did the o/o provide secondary containment meeting the requirements of 3745-66-93 for the unit prior to putting it back into service? [3745-66-96(E)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: The requirements noted in 20.j, do not apply if the release was from an above ground component of the tank which can be inspected visually after being put back into service.

20.	In the event that the repairs to the tank system were major (e.g., replacement of liner, repair of ruptured primary or secondary containment structure), did the o/o obtain a certification from an independent, registered P.E. attesting that the repaired unit is capable of handling hazardous waste? [3745-66-96(F)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
21.	Was a copy of the certification submitted to the director within seven days after returning the system to use? [3745-66-96(F)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
22.	If the o/o was unable to repair and return the unit to service as described in 20.a through 20.e, was the tank system closed in accordance with 3745-66-97? [3745-66-96(E)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
23.	Does the o/o have a tank system with a variance from secondary containment from which a release has occurred but <u>has not</u> migrated beyond the zone of engineering control? If so,	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Has the o/o complied with 3745-66-96(A) through (F) and decontaminated soils? [3745-66-93(G)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	If soils cannot be decontaminated/removed, has the o/o complied with 3745-66-97(B)? [3745-66-93(G)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
24.	Does the o/o have a tank system with a variance from secondary containment from which a release occurred and <u>has</u> migrated from the zone of engineering control? If so,	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Has the o/o complied with 3745-66-96(A) through (D), prevented migration, and decontaminated soil? [3745-66-93(G)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	If soils cannot be decontaminated/removed, or if the groundwater has been contaminated, has the o/o complied with 3745-66-97(B)? [3745-66-93(G)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

[Facility Name/Inspection Date]

[ID number]

LQG TANK /June 2008

Page 5 of 5



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

**USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

PROHIBITIONS

- 1. Does the generator manage used oil in a surface impoundment or waste pile? If yes: Yes No N/A
- a. Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)] Yes No N/A
- 2. Is used oil used as a dust suppressant? [3745-279-12(B)] Yes No N/A
- 3. Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)? Yes No N/A

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

- 4. Does the generator mix hazardous waste with used oil? If so, Yes No N/A
- a. Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)] Yes No N/A

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

- 5. Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)] Yes No N/A

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

- 6. Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)] Yes No N/A
- 7. Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)] Yes No N/A
- 8. Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)] Yes No N/A

Abated, 15em e 90 day Area

9. Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]

Note: Spillage at IO crib

- a. Stopped the release? Yes No N/A
- b. Contained the release? Yes No N/A
- c. Cleaned up and properly managed the used oil and other materials? Yes No N/A
- d. Repaired or replaced the containers or tanks prior to returning them to service, if necessary? Yes No N/A

ON-SITE BURNING IN SPACE HEATER

10. Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:

Yes No N/A

- a. Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators? Yes No N/A
- b. Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour? Yes No N/A
- c. Are the combustion gases from heater vented to the ambient air? Yes No N/A

GENERATOR TRANSPORTATION

11. If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]

Yes No N/A

- a. Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?[3745-279-24] Yes No N/A
- b. Does the generator transport more than 55 gallons of used oil at any time?[3745-279-24] Yes No N/A

NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).

COLLECTION CENTERS AND AGGREGATION POINTS

12. Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]

Yes No N/A

13. Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]

Yes No N/A

14. Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]

Yes No N/A

NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.

Keyword: UsedOilChecklistforGenerators.Oct.2007.doc

LDR CHECKLIST

GENERAL LDR REQUIREMENTS

1. Has the generator adequately evaluated all wastes to determine if they are restricted from land disposal? [3745-270-07(A)(1)] If so: Yes No N/A RMK# ____
- a. For determinations based solely on knowledge of the waste: Is supporting data retained on-site? [3745-270-07(A)(6)] Yes No N/A RMK# ____
- b. For determinations based upon analytical testing: Is waste analysis data retained on-site? [3745-270-07(A)(6)] Yes No N/A RMK# ____
2. Has the generator determined each EPA hazardous waste code applicable to the waste? [3745-270-07(A)(2) see Table 1] Yes No N/A RMK# ____
3. Has the generator determined the correct "treatability group(s)" (e.g., wastewater, non-wastewater, etc.)? [3745-270-07(A), Table 1] Yes No N/A RMK# ____
4. Does the generator generate a characteristic hazardous waste? If so: Yes No N/A RMK# ____
- a. Have all underlying hazardous constituents (UHCs) been identified? [3745-270-09(A)] Yes No N/A RMK# ____

NOTE: *If the waste is D001 non-wastewater treated by CMBST, RORGS, POLYM in Table 1 of Rule 3745-270-42 UHCs do not need to be identified.*

5. Does the generator generate listed waste(s) which also exhibit hazardous characteristics? [3745-270-09] If so: Yes No N/A RMK# ____
- a. Has the generator also identified the appropriate treatment standard(s) for the constituent(s) which cause the waste to exhibit a characteristic? [3745-270-09(A)] Yes No N/A RMK# ____

NOTE: *The generator is not required to identify the treatment standard for the characteristic if the listing covers the associated characteristic (e.g., a F019/D007 hazardous waste - F019 being listed due to chromium content and D007 being the characteristic waste code for chromium). [See OAC Rule 3745-270-09(B)]*

6. Has the generator correctly determined if restricted wastes meet or do not meet treatment standards? [3745-270-07(A)(1)] Yes No N/A RMK# ____

NOTE: *Wastes with EPA hazardous waste numbers K174 and K175 (chlorinated aliphatic wastes) have specific requirements in rule 3745-270-33. Waste with EPA hazardous waste numbers K176, K177 and K178 (inorganic chemical wastes) have specific requirements in rule 3745-270-36.*

7. Does the owner/operator ensure that restricted wastes or treatment residues are not diluted as a method of achieving/circumventing LDR treatment standards? [3745-270-03] Yes No N/A RMK# ____

NOTE: *A generator may dilute a waste (that is hazardous only because it exhibits a characteristic) in a treatment system that discharges to waters of the State pursuant to an NPDES permit (§402 of CWA), that treats waste in a CWA equivalent treatment system, or that treats waste for the purposes of pre-treatment requirements under §307 of CWA, unless a method other than DEACT is specified or the waste is a D003 reactive cyanide wastewater or non-wastewater.[3745-270-03(B)]*

8. Is combustion of any of the wastes identified in the Appendix to Rule 3745-270-03 occurring without meeting one or more of the criteria under Rule 3745-270-03(C) upon generation or after treatment? [3745-270-03(C)] Yes No N/A RMK#

NOTE: *In other words, is combustion a legitimate treatment method.*

9. Has the generator added iron to lead-containing hazardous waste in order to achieve LDR treatment standards for lead? [3745-270-03(D)] Yes No N/A RMK#

10. Does the facility have a case-by-case extension to the effective date to land dispose of hazardous waste? [3745-270-05] If so: Yes No N/A RMK#

- a. The facility can dispose of hazardous waste in a on-site landfill or surface impoundment. [3745-270-05] Yes No N/A RMK#

11. Does the facility have an extension to allow for a restricted waste to be land disposed? [3745-270-06] If so: Yes No N/A RMK#

- a. The facility can land dispose of the waste. [3745-270-06] Yes No N/A RMK#

12. Does the facility treat wastes that are otherwise prohibited from land disposal, in a surface impoundment? If so: Yes No N/A RMK#

- a. Has the facility complied with 3745-270-04? Yes No N/A RMK#

REMARKS

NOTIFICATION AND CERTIFICATION REQUIREMENTS

- 13. If a generator's waste or contaminated soil does not meet the treatment standards, does the generator have the paperwork required in Column A of Table 1 of 3745-270-07? [3745-270-07(A)(2)] Yes__NoN/A__RMK#__
- 14. If a generators' waste or contaminated soil meets the treatment standard at the original point of generation, does the generator have the paperwork required in Column B of Table 1 of 3745-270-07? [3745-270-07(A)(3)] Yes__NoN/A__RMK#__
- 15. If a generators' waste is exempt (under 3745-270-05, 3745-270-06, national capacity or case-by-case variance, etc.) does the generator have the paperwork required in Column C of Table 1 of 3745-270-07? [3745-270-07(A)(4)] Yes__NoN/A__RMK#__
- 16. If a generator manages a lab pack containing hazardous waste using the alternative treatment standard in 3745-270-42, does the generator have the paperwork required in Column D of Table 1 of 3745-270-07? [3745-270-07(A)(9)] Yes__NoN/A__RMK#__
- 17. Does the generator produce a waste that is hazardous waste from the point of generation, but subsequently excluded from regulation under OAC 3745-51-02 through 3745-51-06? [3745-270-07(A)(7)] If so: Yes__No__N/A__RMK#__
 - a. Is a one-time notice placed in the facility's file stating such generation, subsequent exclusion or exemption, and disposition of the wastes? [3745-270-07(A)(7)] Yes__NoN/A__RMK#__

NOTE: *Examples include hazardous wastes discharged to a POTW or to a surface water under a NPDES permit.(See 270-07(A)(7))*

- 18. Does the generator retain on-site a copy of all notices, certifications, demonstrations and waste analysis data for at least three years from the last shipment of waste sent off-site? [3745-270-07(A)(8)] Yes__NoN/A__RMK#__

REMARKS



SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS

Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more

Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less

PROHIBITIONS

1. Did the SQUWH dispose of universal waste? [3745-273-11(A)] Yes No N/A RMK#
2. Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)] Yes No N/A RMK#

WASTE MANAGEMENT & LABELING/MARKING

UNIVERSAL WASTE BATTERIES

3. Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)] Yes No N/A RMK#
4. If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)] Yes No N/A RMK#
5. Does the SQUWH conduct any of the following activities:
- a. Sort batteries by type? Yes No N/A RMK#
 - b. Mix battery types in one container? Yes No N/A RMK#
 - c. Discharge batteries to remove the electric charge? Yes No N/A RMK#
 - d. Regenerated used batteries? Yes No N/A RMK#
 - e. Disassemble them into individual batteries or cells? Yes No N/A RMK#
 - f. Remove batteries from consumer products? Yes No N/A RMK#
 - g. Remove the electrolyte from the battery? Yes No N/A RMK#

If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)]

Yes ___ No N/A RMK# ___

If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)]

Yes ___ No N/A RMK# ___

a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]

Yes ___ No N/A RMK# ___

b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]

Yes ___ No N/A RMK# ___

7. Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)?" [3745-273-14(A)]

Yes No N/A ___ RMK# ___

UNIVERSAL WASTE LAMPS

8. Does the SQGUHW contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]

Yes ___ No N/A ___ RMK# ___

Concern

9. Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]

Yes No N/A ___ RMK# ___

10. Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)?" [3745-273-14(E)]

Yes No N/A ___ RMK# ___

NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.

ACCUMULATION TIME

11. Is the waste accumulated for less than one year? [3745-273-15(A)] If not:

Yes No ___ N/A ___ RMK# ___

a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)]

Yes ___ No N/A RMK# ___

NOTE: Accumulation is defined as date generated or date received from another handler.

12. Is the length of time the universal waste is stored documented by one of the following: [3745-273-15(C)] Yes No N/A ___ RMK# ___
- a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)] Yes No ___ N/A ___ RMK# ___
- b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)] Yes ___ No ___ N/A ___ RMK# ___
- c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)] Yes ___ No ___ N/A ___ RMK# ___
- d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)] Yes ___ No ___ N/A ___ RMK# ___
- e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)] Yes ___ No ___ N/A ___ RMK# ___
- f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)] Yes ___ No ___ N/A ___ RMK# ___

EMPLOYEE TRAINING

13. Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16] Yes No N/A ___ RMK# ___

RESPONSE TO RELEASES

14. Are releases of universal waste and other residues immediately contained? [3745-273-17(A)] Yes No N/A ___ RMK# ___
15. Is the material released characterized? [3745-273-17(B)] Yes No N/A ___ RMK# ___
16. If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)] Yes ___ No N/A RMK# ___

OFF-SITE SHIPMENTS

NOTE: If a SQUWH self-transport waste, then they must comply with the Universal Waste transporter requirements.

17. Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)] Yes No N/A ___ RMK# ___

NOTE: SQUWHs are prohibited to send waste to any other facility.

18. If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)] Yes No N/A RMK#
19. Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)] Yes No N/A RMK#
20. If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do one of the following:
- a. Receive the waste back? [3745-273-18(E)(1)] Yes No N/A RMK#
- b. Agree to where the shipment will be sent? [3745-273-18(E)(2)] Yes No N/A RMK#
- If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss one of the following:
- a. Sending the waste back to the originating handler? [3745-273-18(F)(1)] Yes No N/A RMK#
- b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)] Yes No N/A RMK#
22. If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)] Yes No N/A RMK#
23. If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)] Yes No N/A RMK#

EXPORTS

24. Is waste being sent to a foreign destination? If so: Yes No N/A RMK#
- a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)] Yes No N/A RMK#
- b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)] Yes No N/A RMK#
- c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)] Yes No N/A RMK#

REMARKS