



**Environmental  
Protection Agency**

John R. Kasich, **Governor**  
Mary Taylor, **Lt. Governor**  
Scott J. Nally, **Director**

Re: LFE Instruments  
fka: Triplett Corp.  
OHD005036389  
Allen County  
Hazardous Waste  
**Notice of Violation**

March 2, 2012

Mr. Kyle Apkarian  
Vice Pres. Finance  
LFE Instruments  
One Triplett Drive  
Bluffton, Ohio 45817

Dear Mr. Apkarian:

Thank you for accompanying me during Ohio EPA's February 16, 2012, compliance evaluation inspection (CEI) of LFE Instruments (LFEI) fka Triplett Corporation located at One Triplett Drive, in Bluffton, Ohio. I inspected LFEI to determine its compliance with Ohio's hazardous waste laws as found in Chapter 3734. of the Ohio Revised Code (ORC) and Chapter 3745. of the Ohio Administrative Code (OAC). My inspection included observations of facility operations. This letter will explain the result of the inspection on February 16, 2012, and my conversations with Beth Launder of LFEI on February 27, 2012.

LFEI assembles electrical meters for furnaces and power plants, including nuclear power plants. All machining is outsourced. An extremely small amount of spray painting is performed. LFEI was operating as a hazardous waste conditionally exempt small quantity generator at the time of my inspection. LFEI generates the following waste:

1. Paint Related Waste (F003 & F005): Some meter dials and frames are painted, usually black but sometimes yellow or blue. Sherwin-Williams automotive paint is used. One gallon containers usually last an entire year.
2. Waste Parts Cleaning Solvent (D001 & F001): LFEI uses isopropyl alcohol and trichloroethylene to clean parts. This waste is added to the waste listed above, in the same 55-gallon drum.
3. Waste Lamps: Spent fluorescent lamps are placed in the trash.

Mr. Kyle Apkarian  
March 2, 2012  
Page 2

4. Used Oil: There are at least six containers of used hydraulic oil in the old magnetics building.

As a result of my inspection, I found the following violation of Ohio's hazardous waste laws:

1. **Waste Evaluation**  
**OAC Rule 3745-52-11**

A generator must determine whether its waste is hazardous by testing the waste according to the methods set forth in rules 3745-51-20 to 3745-51-24. LFEI has failed to evaluate its spent lamps (all types), according to this rule, and they have been placed into the trash. In order to abate this violation, LFEI must evaluate its spent lamps. **Instead** of obtaining a sample of the lamps and having the sample analyzed in a laboratory, LFEI may elect to manage its spent lamps (all types) as Universal Waste (for recycling). The requirements for Universal Waste lamps include:

- Immediately prevent spent lamps from being placed into the trash;
- Place spent lamps into containers that are structurally sound (boxes for example);
- Label the containers with the words "Used Lamps";
- Document the length of time that the spent lamps are stored (place a date on the boxes);
- Store spent lamps for no longer than one year;
- Inform all employees with the responsibility to collect spent lamps of these requirements; and
- Ship the spent lamps to a lamp recycler (please refer to the list of recyclers that I have enclosed with this letter).

In order to abate this violation, please explain how you intend to manage your spent lamps and to comply with the requirements listed above. Indicate how you will package the lamps, label the containers, and date the containers. Please submit photos demonstrating that this has been done. Please also submit documentation that employees have been made aware of the rules for managing spent lamps. Also, please indicate where you will ship the Universal Waste lamps to.

2. **Waste Evaluation**

**OAC Rule 3745-52-11**

A generator must determine whether its waste is hazardous by first determining if the waste is listed as a hazardous waste in rules 3745-51-30 to 3745-51-35; by testing the waste according to the methods set forth in rules 3745-51-20 to 3745-51-24; or by applying knowledge of the hazardous characteristic of the waste in light of the materials or the processes used. LFEI has failed to evaluate its waste "dibasic ester". (The container is labeled dibasic ester, however, LFEI does not know what the waste is. It is not prudent to assume that it is dibasic ester, and furthermore, it is not known what specific compound it is.)

On February 27, 2012, Beth Launder of LFEI stated that LFEI has not used the square container on the left side of the photo, enclosed with this letter, and that she did not know the contents of the square container. Therefore, the contents of this container are waste. In order to abate this violation, you must immediately evaluate the waste, in accordance with the requirements of Ohio Administrative Code Rule 3745-52-11 and this letter:

You must obtain a representative sample of the waste at the facility, according to OAC Rule 3745-51-20. You must evaluate the sample, through laboratory analysis, for at least the Toxicity Characteristic Leaching Procedure (TCLP) metals (excluding mercury) and pH. LFEI must evaluate any other characteristics that it feels are necessary. **LFEI will need to give Ohio EPA a five-day advance notice of sampling activities in order for an inspector to make arrangements to view the sampling.** You must submit the results of the laboratory analyses and applicable QA/QC to Ohio EPA as soon as they are available.

3. **Used Oil Container Condition**

**OAC Rule 3745-279-22(B)**

Containers and aboveground tanks used to store used oil at generator facilities must be in good condition (no severe rusting, apparent structural defects or deterioration). On February 16, 2012, I observed six pails of used oil that were not closed (a structural defect).

In order to correct this violation, LFEI must immediately close all used oil containers or place the used oil into containers that can be closed and provide me with photographic documentation that this has been done.

Mr. Kyle Apkarian  
March 2, 2012  
Page 4

**4. Used Oil Container Labeling  
OAC Rule 3745-279-22(C)(1)**

Containers and aboveground tanks used to store used oil at generator facilities must be labeled or marked clearly with the words "Used Oil." On February 16, 2012, I observed at least six pails of used oil that were not labeled in this manner.

In order to correct this violation, LFEI must immediately mark or label all used oil containers and tanks with the words "Used Oil" and provide me with photographic documentation that this has been done.

As a used oil generator you are required to store used oil in containers or aboveground tanks that are in good condition (no severe rusting, apparent structural defects or deterioration) and not leaking. Containers, aboveground tanks and fill pipes for underground tanks must be labeled with the words "Used Oil." If leaks are detected, the generator must stop the release; contain the release; clean up and manage properly the released used oil and other materials related to the release; and, if necessary, repair or replace any leaking containers or tanks prior to returning them to service. I have enclosed with this letter, copies of the following used oil fact sheets: The Regulation of Used Oil: An Overview for Ohio Businesses Who Generate Used Oil, and Used Oil Recyclers. Please review these carefully and contact me immediately if you have any questions.

Please be aware that incandescent, fluorescent, metal halide, neon, high-intensity discharge, high-pressure sodium and mercury-vapor lamps could be hazardous waste when discarded. Fluorescent lamps may contain up to 40 milligrams (mg) of mercury, depending on the brand and manufacturer. Lamps may also contain lead and cadmium. Many lamps exhibit a characteristic of toxicity for heavy metals when disposed. During the inspection I gave you a copy of the following document to assist you in properly managing your spent lamps: Fluorescent Lamps: What You Should Know and I have enclosed, with this letter, a copy of Computer, Fluorescent Lamp and Ballast Recyclers. I recommend that you review these documents carefully and contact me if you have any questions. The first document describes the rules you must follow in order to manage lamps as a universal waste.

You may be able to further reduce the waste your company generates. If you find ways to recycle, reduce or altogether eliminate the amount of waste that your company generates you may be able to reduce your treatment and disposal costs and you may possibly reduce your regulatory requirements.

Mr. Kyle Apkarian  
March 2, 2012  
Page 5

During my inspection I gave you copies of Pollution Prevention Opportunities, a worksheet that can help you recognize opportunities for reducing waste and conserving energy at your business, and the fact sheet Management of Electronic Waste from Businesses. Please review this information and contact me if you have any questions. I encourage you to schedule a pollution prevention assessment for your business because there are often many opportunities for businesses like yours to reduce waste and save money. If you wish to talk about an assessment or if you have other questions about pollution prevention, please feel free to contact the Office of Compliance Assistance and Pollution Prevention (OCAPP) at (614) 644-3469. There is no charge for an assessment.

The Division of Materials and Waste Management has created an electronic news service to provide you with quick and timely updates on events and news related to hazardous waste activities in Ohio. If you haven't already, we encourage you to sign up for this free service. You can find more information at the following Web link: [http://ohioepa.custhelp.com/cgi-bin/ohioepa.cfg/php/enduser/doc\\_serve.php?2=subscriptionpage](http://ohioepa.custhelp.com/cgi-bin/ohioepa.cfg/php/enduser/doc_serve.php?2=subscriptionpage). Please feel free to share this information with your colleagues.

LFEI needs to immediately take the necessary measures to return to compliance with Ohio's environmental laws. Within 14 days of receipt of this letter, LFEI is requested to provide documentation to this office including the steps taken to abate the violations cited above. Documentation of steps taken to return to compliance includes written correspondence, updated policies, and photographs, as appropriate, and may be submitted via the postal service or electronically to [don.north@epa.state.oh.us](mailto:don.north@epa.state.oh.us).

Please be advised that violations cited above will continue until the violations have been properly abated. Failure to comply with Chapter 3734. of the Ohio Revised Code and rules promulgated thereunder may result in a civil penalty of up to \$10,000 per day for each violation. It is imperative that you return to compliance. If circumstances delay the abatement of violations, LFEI is requested to submit written correspondence of the steps that will be taken by date certain to attain compliance.

Enclosed you will find copies of all checklists completed during the inspection. If you have any questions, please feel free to contact me at (419) 373-3074.

Mr. Kyle Apkarian  
March 2, 2012  
Page 6

You can find copies of the rules and other information on the division's web page at <http://www.epa.ohio.gov>. Ohio EPA also has helpful information about pollution prevention at <http://www.epa.ohio.gov/ocapp>.

Sincerely,



Don North  
District Representative  
Division of Materials and Waste Management

/lr

pc: Cindy Lohrbach, DMWM, NWDO  
Colleen Weaver, DMWM, NWDO (hard copy with checklists)

ec: Colleen Weaver, DMWM, NWDO (scanned copy with checklists)  
Don North, DMWM, NW

Send to Central Office <input checked="" type="checkbox"/>	<b>Ohio Environmental Protection Agency</b> <b>RCRA SUBTITLE C SITE</b> <b>IDENTIFICATION/VERIFICATION FORM</b>	For Ohio EPA use only
---	---	-----------------------

Completed verification forms required to be submitted to CO should be e-mailed to [brad.hauser@epa.state.oh.us](mailto:brad.hauser@epa.state.oh.us).

<b>Site EPA ID No.</b> <b>Site Name</b>	EPA ID Number: <b>OHD005036389</b>		Website: (Optional)
<b>Site Location Information</b>	Street Address: <b>One Triplett Drive</b>		
<b>Site Land Type</b> (check only one) <b>NAICS code(s)</b> <a href="http://www.census.gov/epcd/www/naics.html">www.census.gov/epcd/www/naics.html</a>	City, Town, or Village: <b>Bluffton</b>	State: <b>OH</b>	
	County Name: <b>Allen</b>	Zip Code: <b>45817</b>	
	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>
	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>
	State <input type="checkbox"/>	Other <input type="checkbox"/>	

<b>Facility Representative</b>  Additional names can be recorded in number 12  Only provide address information if it is different than the site address	First Name: <b>Kyle</b>	MI: <b>W</b>	Last Name: <b>Apkarian</b>
	Title: <b>Vice President of Finance</b>		
	Phone Number: <b>419-358-8750</b>		Phone Number Extension:
	E-Mail Address: <b>kwa@lfemeters.com</b>		
	Fax Number: <b>419-358-8340</b>		Fax Number Extension:
	Street or P.O. Box:		
	City, Town or Village:		
	State:		Zip Code:

<b>Legal Owner And Operator of the Site.</b> List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner:		Date Became Owner (mm/dd/yyyy):						
	Owner Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								
	City, Town or Village:				Owner Phone #:				
	State:				Country:		Zip Code:		
	Name of Site's Operator:								
	Operator Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								
	City, Town or Village:				Operator Phone #:				
	State:				Country:		Zip Code:		

<b>VIOLATIONS CITED?</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
--------------------------	---

**TYPE OF HANDLER - MARK "X" AS APPROPRIATE**

<input type="checkbox"/> Not a HW Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input type="checkbox"/> Large Quantity Generator (LQG)
	<input type="checkbox"/> Short-Term/Temporary Generator (generates from a short-term or one-time event and not from on-going processes). <i>Check the box for the applicable generator status and provide a comment.</i>	<input type="checkbox"/> Small Quantity Generator (SQG)
		<input checked="" type="checkbox"/> Conditionally Exempt Small Quantity Generator
		<input type="checkbox"/> U.S. Importer of Hazardous Waste
		<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

**TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)**

<input type="checkbox"/> Hazardous Waste Transporter	<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace
<input type="checkbox"/> Hazardous Waste Transfer Facility	<input type="checkbox"/> Small Quantity On-Site Burner Exemption
<input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste	<input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption
<input type="checkbox"/> Recycler of Hazardous Waste	<input type="checkbox"/> Underground Injection Control Facility
<input type="checkbox"/> 72-Hour Recycler	<input type="checkbox"/> Receives Hazardous Waste from Off-site

**UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED (CHECK ALL BOXES THAT APPLY))**

<input type="checkbox"/> Small Quantity Handler of Universal Waste	<input type="checkbox"/> Destination Facility for Universal Waste
<input type="checkbox"/> Large Quantity Handler of Universal Waste (accumulates 5,000 kg. or more)	

**CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES**

Batteries  
 Pesticides  
 Mercury containing equipment  
 Lamps

**USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))**

Used Oil Generator  
 Used Oil Transporter  
 Used Oil Transfer Facility  
 Used Oil Processor  
 Used Oil Re-refiner  
 Off-Specification Used Oil Burner  
 Used Oil Fuel Marketer who directs shipment of Off-Spec Used Oil  
 Used Oil Fuel Marketer who first claims the Used Oil meets the specifications

**Eligible Academic Entities with Laboratories:** Facility has previously notified that they are opting into managing laboratory hazardous waste pursuant to OAC rules 3745-52-200 through 3745-52-216. Check the box(es) below to indicate the laboratory type.

College or University  
 Teaching hospital that is owned by or has a formal written affiliation agreement with a college or university  
 Non-profit Institute that is owned by or has a formal written affiliation agreement with a college or university

**Waste Codes for Federally Regulated Hazardous Wastes.** Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRA Info source record, you do not need to list them. Instead just indicate the date of the most recent source record.

**D001                      F001                      F003                      F005**

**COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.**

Announced	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Additional Facility Representatives:
Tanks	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
Containers	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	

Name of Inspector(s)	Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
<b>Don North</b>		<b>02/16/2012</b>

**Comments:**  
**This facility was formerly known as Triplett Corporation.**

## PROCESS, WASTE, P2 SUMMARY SHEET

**Facility Name:** LFE Instruments   
**Facility Type:**  LQG   
 SQG   
 CESQG   
 TSD   
**Date of Inspection:** 2-16-12   
**EPA ID#:** OHD005036389

Waste Generated			On- or Off-Site Management		P2 Activities	
Process/Activity Generating Waste <small>(e.g. plating bath, machining, house, painting, general maintenance, etc)</small>	Waste Description <small>(e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applic.</small>	QTY Generated per Month, Type of Accumulation (container, tank, etc) and location of waste accumulation area	Type of On-Site Treatment <small>(recycle, wwt, etc)</small>	Name, state, and type of activity occurring at the off-site facility.	Current P2 Activities	P2 Opportunities
1	Cleaning spray painting equipment  Paint Related Waste  F003 & F005	1 gallon/quarter	None	LFEI has not yet disposed of this extremely small amount of hazardous waste		
2	Cleaning small parts  Waste Parts Cleaning Solvent  D001 & F001	1 gallon/half	None	LFEI has not yet disposed of this extremely small amount of hazardous waste		
3	Maintenance of hydraulic equipment  Used Oil	Possibly 30 gallons total on-site	None	LFEI has not yet disposed of this small amount of used oil		
4	Facility lighting  Waste Lamps	Few occassionally	None	LFEI has been placing used lamps in the trash. LFEI must begin to recycle the used lamps.		

5							
6							
7							
8							
9							

**REMARKS** **GENERAL INFORMATION**

**General Process Information:**

**Regulatory/Enforcement History** (if applicable):

**Additional P2 remarks and information:**

Would this facility be interested in a P2 assessment?  Yes\*  No \*If yes, refer promptly to your district P2 coordinator.  
 Office of Compliance Assistance and Pollution Prevention - 1-800-329-7518 or [p2mail@epa.state.oh.us](mailto:p2mail@epa.state.oh.us) or [www.epa.state.oh.us/ocapp/ocapp.html](http://www.epa.state.oh.us/ocapp/ocapp.html)

**Other:**

**CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR REQUIREMENTS  
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: ≤100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.  
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.  
 LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.  
 NOTE: To convert from gallons to pounds:  $Amount\ in\ gallons \times Specific\ Gravity \times 8.345 = Amounts\ in\ pounds.$

Safety Equipment Used:

**WASTE EVALUATION**

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11] <b>LFE Instruments has not evaluated the waste dibasic ester. This must be done immediately.</b>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

**GENERATOR CLASSIFICATION**

2.	Does the generator produce <100 kg. of hazardous waste per month? [conditionally exempt small quantity generator ("CESQG")]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: If quantities of hazardous waste accumulated on-site at any one time exceed 1,000 Kg. - or the generator produces between 100 and 1,000 Kg. of hazardous waste per month, it is operating as a Small Quantity Generator ("SQG"). If so, complete the Small Quantity Generator Requirements checklist.

**OFF-SITE SHIPMENT OF HAZARDOUS WASTE**

3.	Does the CESQG ensure delivery of hazardous waste(s) to an off-site permitted TSD? [3734.02(F)] <b>LFE Instruments has not yet shipped hazardous waste off-site. Therefore, it is not possible to comment on this requirement.</b>	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

**TREATMENT OF HAZARDOUS WASTE**

4.	Does the generator treat hazardous waste in a:	
a.	Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If the CESQG conducts treatment they are subject to the LQG requirements.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

**MIX HAZARDOUS WASTE WITH USED OIL**

5.	Does the CESQG mix its hazardous waste with used oil for the purpose of burning for energy recovery? [3745-51-05(J)] If so:	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Does the CESQG manage the mixture in accordance with 3745-279-21?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

**USED OIL INSPECTION CHECKLIST  
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

*NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.*

**PROHIBITIONS**

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: For example, used oil contaminated scrap metal stored in a pile.*

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).*

**GENERATOR STANDARDS**

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.*

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

*NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.*

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Stopped the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Contained the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

**ON-SITE BURNING IN SPACE HEATER**

10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).*

**GENERATOR TRANSPORTATION**

11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#? [3745-279-24] <b>LFE Instruments must have the remaining used oil shipped off-site by a transporter with an EPA ID #.</b>	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
12.	If the generator self-transported used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).*

**COLLECTION CENTERS AND AGGREGATION POINTS**

13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.*