



State of Ohio Environmental Protection Agency

C.O.

env code seq 026

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184

Memo to File

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

Re: Wheeling Pittsburgh Steel Corp.
OHD082964313 Yorkville, Ohio
OHD010448231 Martins Ferry, Ohio
OHD000810382 Steubenville North
OHD980618177 Steubenville South
Financial Assurance

Handwritten initials

Date: May 11, 2009

On May 8, 2009, I completed a review of the financial assurance documentation file for the Wheeling Pittsburgh Steel Corp. (WPS) facilities referenced above. I evaluated the facilities for compliance with financial assurance and liability requirements set forth in OAC rules 3745-55-42, 3745-55-43 and 3745-55-47.

On May 1, 2007, WPS submitted closure plans for the following facilities.

- Yorkville Facility, SPL
- Martins Ferry facility, 2 plans ARCO & "Chem Treat"
- Steubenville North Facility CASOB
- Steubenville South Facility SPL

As of this date, Wheeling Pittsburgh Steel Corp. has not submitted any financial assurance documentation for the facilities referenced above.

Upon review of the financial assurance documentation, the following violations were observed:

OAC rule 3745-55-42(A)

Wheeling Pittsburgh Steel Corp. has failed to submit closure cost estimates to reflect the closure activities to be conducted;

OAC rule 3745-55-43

Wheeling Pittsburgh Steel Corp. has failed to provide financial assurance at least equal to the amount of the closure cost estimates; and

OAC rule 3745-55-47(A)

Wheeling Pittsburgh Steel Corp. has failed to provide liability coverage until such time that closure is certified at the facility.

cc: Kristina, Durnell, RISS, DHWM
Brian Ball, AGO
Rich Stewart, DHWM, SEDO

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director



Memo to File

Re: Wheeling Pittsburgh Steel Corp.
OHD082964313 Yorkville , Ohio
OHD010448231 Martins Ferry, Ohio
OHD000810382 Steubenville North
OHD980618177 Steubenville South
Financial Assurance

RW
OHD 000 810 382

On May 12, 2008, I completed a review of the financial assurance documentation file for the Wheeling Pittsburgh Steel Corp. (WPS) facilities referenced above. I evaluated the facilities for compliance with financial assurance and liability requirements set forth in OAC rules 3745-55-42, 3745-55-43 and 3745-55-47.

In 2007, WPS met with Ohio EPA personnel and agreed to submit closure plans for the following facilities:

- Yorkville Facility,
- Martins Ferry facility, 2 plans
- Steubenville North Facility
- Steubenville South Facility

Ohio EPA has reviewed the closure plans and they are awaiting approval with modifications by the director. No closure cost estimates were submitted with the plans.

As of this date, Wheeling Pittsburgh Steel Corp. has not submitted any financial assurance documentation for the facilities referenced above.

Upon review of the financial assurance documentation, the following violations were observed:

OAC rule 3745-55-42(A)

Wheeling Pittsburgh Steel Corp. has failed to submit closure cost estimates to reflect the closure activities to be conducted;

OAC rule 3745-55-43

Wheeling Pittsburgh Steel Corp. has failed to provide financial assurance at least equal to the amount of the revised closure cost estimates; and

OAC rule 3745-55-47(A)

Wheeling Pittsburgh Steel Corp. has failed to provide liability coverage until such time that closure is certified at the facility.

cc: Kristina, Durnell, RIS, DHWM
Rich Stewart, DHWM, SEDO