



State of Ohio Environmental Protection Agency

Northwest District Office

347 North Dunbridge Road
Bowling Green, OH 43402-9398

TELE: (419) 352-8461 FAX: (419) 352-8468
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

RE: Notice of Violation
Auglaize County
New Bremen WWTP
Ohio EPA Permit No. 2PB00034
NPDES Permit No. OH0020346

November 14, 2008

Mr. Jerry Fischbach
WWTP Superintendent
Village of New Bremen
P.O. Box 27
New Bremen, OH 45869

Dear Mr. Fischbach:

We are in receipt of your self-monitoring report covering the months of April 2008 through June 2008 for the referenced facility. Our review indicates violations of the conditions of your NPDES permit. The specific instances of noncompliance are attached on a separate sheet.

Please inform this office in writing as to the reasons for the above referenced violations, as well as a description of the actions taken or proposed to prevent any further violations. Your response should include the dates, either actual or proposed, for completion of the actions.

Please be advised that failure to comply with the effluent limitations and/or monitoring requirements, including adequate laboratory controls, appropriate quality assurance procedures, and records retention, as specified in your Part III-General conditions of your NPDES permit may be cause for enforcement action pursuant to Ohio Revised Code, Chapter 6111. If these violations continue to occur and if satisfactory progress is not made, it may be necessary to initiate enforcement action to achieve compliance.

The Ohio EPA strongly encourages pollution prevention as the preferred approach for waste management. The first priority of pollution prevention is to eliminate the generation of wastes and pollutants at the source (source reduction). For those wastes or pollutants that are generated, the second priority is to recycle or reuse them in an environmentally sound manner. You can benefit economically, help preserve the environment, and improve your public image by implementing pollution prevention programs. For more information about pollution prevention, including fact sheets or U. S. EPA's "Facility Pollution Prevention Guide" (EPA/600/R-92.008), please contact the Ohio EPA Pollution Prevention Section at (614)644-3469.


If there are any questions, please contact me at (419) 373 – 3022.

Sincerely,

Justin A. Williams
Division of Surface Water

/lb
Enclosure

~~Enclosure: NWDO - DSW File~~



New Bremen LUWP April - June 2008 Violations

| Permit No. | Reporting Period | Station | Reporting Code | Parameter | Limit Type | Limit | Reported Value | Violation Date |
|-------------|------------------|---------|----------------|-------------------------|------------|-------|----------------|----------------|
| 2PB00034*JD | May 2008 | 001 | 00610 | Nitrogen, Ammonia (NH3) | 30D Conc | 2.0 | 3.90556 | 5/1/2008 |
| 2PB00034*JD | May 2008 | 001 | 00610 | Nitrogen, Ammonia (NH3) | 7D Conc | 3.0 | 5.255 | 5/1/2008 |
| 2PB00034*JD | May 2008 | 001 | 00610 | Nitrogen, Ammonia (NH3) | 30D Qty | 6.8 | 11.4064 | 5/1/2008 |
| 2PB00034*JD | May 2008 | 001 | 00610 | Nitrogen, Ammonia (NH3) | 7D Qty | 10.2 | 10.9197 | 5/1/2008 |
| 2PB00034*JD | May 2008 | 001 | 00610 | Nitrogen, Ammonia (NH3) | 7D Conc | 3.0 | 3.57 | 5/8/2008 |
| 2PB00034*JD | May 2008 | 001 | 00610 | Nitrogen, Ammonia (NH3) | 7D Qty | 10.2 | 19.6823 | 5/8/2008 |
| 2PB00034*JD | May 2008 | 001 | 00610 | Nitrogen, Ammonia (NH3) | 7D Conc | 3.0 | 3.31 | 5/15/2008 |
| 2PB00034*JD | May 2008 | 001 | 00610 | Nitrogen, Ammonia (NH3) | 7D Qty | 10.2 | 11.6739 | 5/15/2008 |
| 2PB00034*JD | May 2008 | 001 | 00610 | Nitrogen, Ammonia (NH3) | 7D Conc | 3.0 | 4.07 | 5/22/2008 |