



State of Ohio Environmental Protection Agency

Northwest District Office

347 North Dunbridge Rd.
Bowling Green, OH 43402-9398

TELE: (419) 352-8461 FAX: (419) 352-8468
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

RE: Notice of Violation
Auglaize County
Quality Ready Mix, Inc.
Ohio EPA Permit No. 2IJ00086
NPDES Permit No. OH0119121

June 24, 2009

Mr. John Hirschfeld
President
Quality Ready Mix, Inc.
12201 Fryburg Road
Wapakoneta, Ohio 45895

Dear Mr. Hirschfeld:

We are in receipt of your self-monitoring report covering the months of January through March 2009 for the referenced facility. Our review indicates a violation of the conditions of your NPDES permit. The specific instance of noncompliance is attached on a separate sheet. Further review of your self-monitoring reports for the previous six months ending in March 2009, indicates that you are in significant non-compliance (SNC) with an effluent limitation contained in your NPDES permit. The specific instance of SNC is attached on a separate sheet.

Please inform this office in writing as to the reasons for the above referenced violation, as well as a description of the actions taken or proposed to prevent any further violations.


Please be advised that failure to comply with the effluent limitations and/or monitoring requirements, including adequate laboratory controls, appropriate quality assurance procedures, and records retention, as specified in your Part III-General conditions of your NPDES permit may be cause for enforcement action pursuant to Ohio Revised Code, Chapter 6111. If these violations continue to occur and if satisfactory progress is not made, it may be necessary to initiate enforcement action to achieve compliance.

The Ohio EPA strongly encourages pollution prevention as the preferred approach for waste management. The first priority of pollution prevention is to eliminate the generation of wastes and pollutants at the source (source reduction). For those wastes or pollutants that are generated, the second priority is to recycle or reuse them in an environmentally sound manner. You can benefit economically, help preserve the environment, and improve your public image by implementing pollution prevention programs. For more information about pollution prevention, including fact sheets or U. S. EPA's "Facility Pollution Prevention Guide" (EPA/600/R-92.008), please contact the Ohio EPA Pollution Prevention Section at (614)644-3469.

Mr. John Hirschfeld
June 24, 2009
Page Two

If there are any questions, please contact me at (419) 373 - 3022.

Sincerely,


Justin A. Williams
Division of Surface Water

/lb

Enclosure

~~Pc-w/Enclosure: NWDO - DSW-File~~

Get New Data

Permit No	Reporting Period	Station	Reporting Code	Parameter	Limit Type	Limit	Reported Value	Violation Date
2IJ00086*CD	January 2009	001	00530	Total Suspended Solids	1D Conc	45	217.	1/13/2009

Get New Data

Get Detail for Selected Permit

Facilities in Significant Non-Compliance **

Period: Oct-08 Mar-09

County	Permit #	Facility Name	Major	Station Code	Param Code	Parameter Name	Max Exceed	# Months Signif Exceed (1)	# Months Exceed (2)
Auglaize	2IJ00086	Quality Ready Mix Inc *		1	00530	Total Suspended Solids	564.4	2	3

Footnotes

for Significant NonCompliance

** Significant non-compliance with effluent limits occurred if one or more pollutants met the following conditions:

1. During 2 or more months, the reported effluent concentration (or computed load) for a parameter exceeded an effluent limit by:
 - a. 40% for Group 1 pollutants **plus Fecal Coliform**
 - b. 20% for Group 2 pollutants **plus pH, Temperature, whole effluent toxicity**-- or --
2. During 4 or more months, the reported concentration (or computed load) exceeded the limit by > 1%.

Note: This method differs from USEPA Significant Non-compliance (SNC) method in the following ways:

- USEPA only evaluates SNC for average limits. In above analyses, maximum and weekly limits were also considered.