



\*3GQ0008220100507\*

LORAIN

ELYRIA

CITY OF ELYRIA

3GQ00082 2010/05/07 BOGOEVSKI,  
DANIEL

This document has been removed, imaged and is now stored electronically.



**Environmental  
Protection Agency**

The State and Governor  
The Attorney General, Lt. Governor  
Chris Kucharik, Director

May 6, 2010

**RE: LORAIN COUNTY  
BLACK RIVER WATERSHED  
CITY OF ELYRIA  
NOTIFICATION OF MUNICIPAL  
STORM WATER PROGRAM  
INSPECTION**

Mukund Moghe  
Storm Water Program Coordinator  
City of Elyria  
131 Court Street, Suite 303  
Elyria, OH 44035

Dear Mr. Moghe:

This letter will serve as notice that Ohio EPA will be conducting an inspection of your community's Storm Water Management Program (SWMP). This inspection is being conducted to determine compliance with the Ohio EPA General Storm Water NPDES Permit for Small Municipal Separate Storm Sewer Systems (Small MS4s) #3GQ00082\*BG.

Our inspection will focus on compliance with minimum control measure #6: Pollution Prevention and Good Housekeeping for Municipal Operations. We will be using the audit guidance manual developed by the United States Environmental Protection Agency. We anticipate that the inspection can be conducted in one day. I have set aside the dates of May 25 or 27, 2010, or June 1 or 2, 2010, to conduct the inspection. **Please contact me upon receipt of this letter to let me know which of these dates will work best for you.**

To streamline the inspection, please have the following resources ready and available on the date of the inspection.

- Map of the MS4 system or outfalls.
- An inventory of municipal facilities and operations, i.e., composting yards, vehicle maintenance facilities, bus terminals, impound lots and waste transfer stations, if applicable, and the storm water pollution prevention plan (SWP3) developed for these facilities.
- An inventory of facilities operated by the City subject to industrial storm water regulations, e.g., the wastewater treatment plant, and any SWP3s or No Exposure Certifications for these facilities.
- Contracts with any third party service providers that assist you in implementing your pollution prevention and good housekeeping programs.

Mukund Moghe  
City of Elyria  
May 6, 2010  
Page 2

- Guidance documents or BMP manuals used for your pollution prevention and good housekeeping program.
- Training records, i.e., the agenda and attendance record of any training your staff has attended regarding pollution prevention for municipal operations.
- List of active municipal construction projects, e.g., road projects.
- The checklist used to inspect your municipal maintenance facility.
- Street sweeping records, if performed.
- Deicer application records, including a description of the materials used for deicing operations.
- Inventory of flood management structures in your community which you maintain.
- Fertilizer and pesticide application plan.

The inspection will consist of an interview followed by field inspections of your municipal maintenance facility (or facilities, as appropriate), including facilities where vehicle maintenance, composting activities, vehicle impoundment and waste management activities occur. We may also inspect some of your facilities subject to industrial storm water regulations. Please have the appropriate persons available to answer the interview questions and questions that arise during field inspections. I anticipate the interview will take no more than 2.5 hours to complete and will leave it to your discretion to schedule the field inspections. It should take no more than 1.5 hours to inspect each facility.

I look forward to working with you to perform the inspection. Please contact me to confirm the inspection date or to schedule a new date if necessary. You can contact me at (330) 963-1145 or via e-mail at [dan.bogoevski@epa.ohio.gov](mailto:dan.bogoevski@epa.ohio.gov).

Sincerely,



Dan Bogoevski  
District Engineer  
Division of Surface Water

DB:cl

cc: William Grace, Mayor, City of Elyria  
Sherman Jones, Dept of Public Utilities, City of Elyria