



3GQ0005320090706

STARK

MASSILLON

PERRY TOWNSHIP BOARD OF
TRUSTEES

3GQ00053 2009/07/06

MACPHERSON,
LINDSIE

This document has been removed. imaged and is now stored electronically.



State of Ohio Environmental Protection Agency

Northeast District Office

2110 East Aurora Rd.
Twinsburg, Ohio 44087

TELE: (330) 963-1200 FAX: (330) 487-0769
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

July 6, 2009

RE: STARK
PERRY TOWNSHIP
NOTIFICATION OF MUNICIPAL STORM
WATER PROGRAM INSPECTION

Ms. Joyce Fetzer
Perry Township Administrator
Perry Township
3111 Hilton Street NW
Massillon, OH 44646

Dear Ms. Fetzer:

This letter will serve as notice that Ohio EPA will be conducting an inspection of your community's Storm Water Management Program (SWMP). This inspection is being conducted to determine compliance with the Ohio EPA General Storm Water NPDES Permit for Small Municipal Separate Storm Sewer Systems (Small MS4s) #3GQ00053*AG.

Our inspection will focus on compliance with minimum control measure #6: Pollution Prevention and Good Housekeeping for Municipal Operations. We will be using the audit guidance manual developed by the United States Environmental Protection Agency. We anticipate that the inspection can be conducted in one day. I have set aside the dates of July 20th and July 21st to conduct the inspection. **Please contact me upon receipt of this letter to let me know which of these dates will work best for you.** I am flexible to pick other dates if they will work better for you.

To streamline the inspection, please have the following resources ready and available on the date of the inspection.

- Map of the MS4 system or outfalls;
- An inventory of municipal facilities and operations, i.e., composting yards, vehicle maintenance facilities, bus terminals, impound lots and waste transfer stations, if applicable, and the storm water pollution prevention plan (SWP3) developed for these facilities;
- Contracts with any third party service providers that assist you in implementing your pollution prevention and good housekeeping programs;
- Guidance documents or BMP manuals used for your pollution prevention and good housekeeping program;
- Training records, i.e., the agenda and attendance record of any training your staff has attended regarding pollution prevention for municipal operations;

Ms. Joyce Fetzer
Perry Township
July 6, 2009
Page 2

- List of active municipal construction projects, e.g., road projects;
- The checklist used to inspect your municipal maintenance facility;
- Street sweeping records, if performed;
- Deicer application records, including a description of the materials used for deicing operations;
- Inventory of flood management structures in your community which you maintain; and
- Fertilizer and pesticide application plan.

The inspection will consist of an interview followed by field inspections of your municipal maintenance facility (or facilities, as appropriate), including facilities where vehicle maintenance, composting activities, vehicle impoundment and waste management activities occur. Please have the appropriate persons available to answer the interview questions and questions that arise during field inspections. I anticipate the interview will take no more than 2 hours to complete and will leave it to your discretion to schedule the field inspections. It should take no more than 2 hours to inspect each facility.

I look forward to working with you to perform the inspection. Please contact me to confirm the inspection date or to schedule a new date if necessary. You can contact me at (330) 963-1128 or via e-mail at Lindsie.MacPherson@epa.state.oh.us.

Sincerely,



Lindsie MacPherson
Assistant to the District Engineer
Division of Surface Water

cc: Craig Chessler, Trustee