



**Environmental  
Protection Agency**

John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Scott J. Nally, Director

August 30, 2012

**GALLIA COUNTY  
GENERAL FILE  
(HOLZER CLINIC)  
DHW/SEDO  
OHR000020982**

Mr. Tom Moore  
Holzer Clinic  
90 Jackson Pike  
Gallipolis, Ohio 45631

Dear Mr. Moore:

On August 21, 2012, I performed a compliance inspection of the Holzer Clinic to determine its compliance with Ohio's hazardous waste laws and regulations as found in Chapter 3734 of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC).

Based on our observations and review of facility documentation during this inspection, we found the following violations of the hazardous waste regulations. Please provide the requested information within twenty-one days of the date of this letter:

**(1) OAC rule 3745-52-11 Hazardous waste determination.**

Any person who generates a waste, as defined in rule 3745-51-02 of the Administrative Code, must determine if that waste is a hazardous waste using the following method: (A) He should first determine if the waste is excluded from regulation under rule 3745-51-04 of the Administrative Code. (B) He must then determine if the waste is listed as a hazardous waste in rules. (C) For purposes of compliance with Chapter 3745-270 of the Administrative Code, or if the waste is not listed as a hazardous waste in rules 3745-51-30 to 3745-51-35 of the Administrative Code, the generator must then determine whether the waste is identified in rules 3745-51-20 to 3745-51-24 of the Administrative Code by either: (1) Testing the waste according to the methods set forth in rules 3745-51-20 to 3745-51-24 of the Administrative Code, or according to an equivalent method approved by the Region V Administrator of U.S. EPA pursuant to 40 CFR 260.21; or (2) Applying knowledge of the hazardous characteristic of the waste in light of the materials or the processes used.

During the inspection, we were informed that some spent fluorescent lamps are thrown out into your solid waste dumpster. Unless Holzer Clinic has documentation indicating that these lamps are not a characteristic waste, all such lamps must be

collected and recycled as universal waste or as hazardous waste. To abate this violation, please provide documentation indicating that the bulbs are: A) not hazardous waste; or B) documentation (such as memo or policy for the maintenance department) which states that **all** spent lamps will be collected and recycled as universal waste.

- (2) **OAC rule 3745-273-14 Labeling/Marking standards for small quantity handlers of universal wastes.** A small quantity handler of universal waste must label or mark the universal waste to identify the type of universal waste as specified in this rule: (E) Each lamp or a container or package in which such lamps are contained must be labeled or marked clearly with any one of the following phrases: "Universal Waste – lamps" or "Waste Lamps," or "Used Lamps."

During the inspection, we observed used fluorescent lamps stored in a container which was not labeled or marked with the wording provided in this rule. To abate this violation, please provide photographs showing the containers properly labeled.

- (3) **OAC rule 3745-273-15 Accumulation time limits - standards for small quantity handlers of universal wastes.** A small quantity handler of universal waste may accumulate universal waste for no longer than one year from the date the universal waste is generated, or received from another handler, unless the requirements of paragraph B of this rule are met...if such activity is solely for the purpose of accumulation of such quantities of universal waste as necessary to facilitate proper recovery, treatment or disposal.

At the time of the inspection, Holzer Clinic was accumulating some used lamps but could not demonstrate the time period or that they were accumulated for more than a year to facilitate proper recycling. To abate this violation, please provide documentation indicating how you will meet this requirement (e.g., memo stating that personnel will begin dating containers when the first lamp is placed into it).

Holzer Clinic needs to immediately take the necessary measures to return to compliance with Ohio's environmental laws. **Within 21 days** of the date of this letter, you are requested to provide documentation to this office including the steps taken to abate the violations cited above. Documentation of steps taken to return to compliance includes written correspondence, updated policies, and photographs, as appropriate, and may be submitted via the postal service or electronically to [rich.stewart@epa.ohio.gov](mailto:rich.stewart@epa.ohio.gov).

Please be advised that violations cited above will continue until the violations have been properly abated. Failure to comply with Chapter 3734 of the Ohio Revised Code and rules promulgated thereunder may result in a civil penalty of up to \$10,000 per day for each

violation. It is imperative that you return to compliance. If circumstances delay the abatement of violations, you are requested to submit written correspondence of the steps that will be taken by a date certain to attain compliance.

If you have any questions, please call me at (740) 380-5278.

Sincerely,



Richard Stewart  
District Representative  
Division of Materials and Waste Management

RS/dh

**NOTICE:**

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Completed verification forms required to be submitted to CO should be e-mailed to [paula.canter@epa.state.oh.us](mailto:paula.canter@epa.state.oh.us).

<b>Site EPA ID No.</b>	EPA ID Number: <b>OHR 000020982</b>	
<b>Site Name</b>	Name: <b>Holzer Clinic</b>	Website: (Optional)
<b>Site Location Information</b>	Street Address: <b>90 Jackson Pike</b>	
	City, Town, or Village: <b>Gallipolis</b>	State: <b>OH</b>
	County Name: <b>Gallia</b>	Zip Code: <b>45631-1563</b>
<b>Site Land Type</b> (check only one) <b>NAICS code(s)</b> <a href="http://www.census.gov/epcd/www/naics.html">www.census.gov/epcd/www/naics.html</a>	Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>	

<b>Facility Representative</b>	First Name: <b>Tom</b>	MI:	Last Name: <b>Moore</b>
Additional names can be recorded in number 12	Title: <b>Material Manager</b>		
Only provide address information if it is different than the site address	Phone Number: <b>740-446-5220</b>		Phone Number Extension:
	E-Mail Address:		
	Fax Number:		Fax Number Extension:
	Street or P.O. Box:		
	City, Town or Village:		
	State:	Zip Code:	

<b>Legal Owner And Operator of the Site.</b> List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner:		Date Became Owner (mm/dd/yyyy):	
	Owner Type:	Private <input type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/>	Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>	
	Street or P.O. Box:			
	City, Town or Village:		Owner Phone #:	
	State:	Country:		Zip Code:
	Name of Site's Operator:		Date Became Operator (mm/dd/yyyy):	
	Operator Type:	Private <input type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/>	Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>	
	Street or P.O. Box:			
	City, Town or Village:		Operator Phone #:	
	State:	Country:		Zip Code:

<b>VIOLATIONS CITED?</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
--------------------------	---

**TYPE OF HANDLER - MARK "X" AS APPROPRIATE**

<input type="checkbox"/> Not a HW Generator	<input checked="" type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11 <input type="checkbox"/> Short-Term/Temporary Generator (generates from a short-term or one-time event and not from on-going processes). Check the box for the applicable generator status and provide a comment.	<input type="checkbox"/> Large Quantity Generator (LQG) <input type="checkbox"/> Small Quantity Generator (SQG) <input type="checkbox"/> Conditionally Exempt Small Quantity Generator <input type="checkbox"/> U.S. Importer of Hazardous Waste <input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator
---	--	---

**TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)**

- |   |  |
|---|--|
| <input type="checkbox"/> Hazardous Waste Transporter                    | <input type="checkbox"/> Exempt Boiler and/or Industrial Furnace       |
| <input type="checkbox"/> Hazardous Waste Transfer Facility              | <input type="checkbox"/> Small Quantity On-Site Burner Exemption       |
| <input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste | <input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption |
| <input type="checkbox"/> Recycler of Hazardous Waste                    | <input type="checkbox"/> Underground Injection Control Facility        |
| <input type="checkbox"/> 72-Hour Recycler                               | <input type="checkbox"/> Receives Hazardous Waste from Off-site        |

**UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED)  
(CHECK ALL BOXES THAT APPLY)**

- |   |   |
|---|---|
| <input checked="" type="checkbox"/> Small Quantity Handler of Universal Waste                         | <input type="checkbox"/> Destination Facility for Universal Waste |
| <input type="checkbox"/> Large Quantity Handler of Universal Waste<br>(accumulates 5,000 kg. or more) |   |

**CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES**

- Batteries  
 Pesticides  
 Mercury containing equipment  
 Lamps

**USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))**

- Used Oil Generator  
 Used Oil Transporter  
 Used Oil Transfer Facility  
 Used Oil Processor  
 Used Oil Re-refiner  
 Off-Specification Used Oil Burner  
 Used Oil Fuel Marketer who directs shipment of Off-Spec Used Oil  
 Used Oil Fuel Marketer who first claims the Used Oil meets the specifications

**Eligible Academic Entities with Laboratories:** Facility has previously notified that they are opting into managing laboratory hazardous waste pursuant to OAC rules 3745-52-200 through 3745-52-216. Check the box(es) below to indicate the laboratory type.

- College or University  
 Teaching hospital that is owned by or has a formal written affiliation agreement with a college or university  
 Non-profit Institute that is owned by or has a formal written affiliation agreement with a college or university

**Waste Codes for Federally Regulated Hazardous Wastes.** Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAInfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

**COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.**

Announced  Yes  No      Additional Facility Representatives:  
Tanks  Yes  No  
Containers  Yes  No

Name of Inspector(s)	Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
Rich Stewart		08/21/12 10:15

**Comments:**

## PROCESS, WASTE, P2 SUMMARY SHEET

**Facility Name:** Holzer Clinic

**Facility Type:**  LQG  SQG  CESQG  TSD  Non-Generator

**EPA ID#** OHR 000020982

**Date of Inspection:** 8/21/12

Waste Gene rated		On- or Off-Site Management			P2 Activities		
Process/Activity Generating Waste <small>(e.g. plating bath, machining, baghouse, painting, general maintenance, etc)</small>	Waste Description <small>(e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applic.</small>	QTY Generated per Month, Type of Accumulation (container, tank, etc) and location of waste accumulation area	Type of On-Site Treatment <small>(recycle, wwt, etc)</small>	Name, state, and type of activity occurring at the off-site facility.	Current P2 Activities	P2 Opportunities	
1	lighting	Spent lamps some managed as Universal Waste	varies	NA	Disposed with solid waste or recycled thru W. Virginia Electric, Gallipolis	Some recycled	Recycle all spent lamps
2	pharmacy	Out-of-date drugs or injectibles	varies	NA	Recycled or disposed thru PharmaLogistics Mundelein, IL	recycled	

## REMARKS-GENERAL INFORMATION

### **General Process Information:**

Holzer Clinic is a healthcare facility that is associated with Holzer Medical Center.

### **Regulatory/Enforcement History** (if applicable):

Facility notified as a conditionally exempt generator, no evaluation of this facility by DHWM was found in our records.

### **Additional P2 remarks and information:**

Would this facility be interested in a P2 assessment?  Yes\*  No \*If yes, refer promptly to your district P2 coordinator.

Office of Compliance Assistance and Pollution Prevention - 1-800-329-7518 or [p2mail@epa.state.oh.us](mailto:p2mail@epa.state.oh.us) or [www.epa.state.oh.us/ocapp/ocapp.html](http://www.epa.state.oh.us/ocapp/ocapp.html)

### **Other:**

**CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR REQUIREMENTS  
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: ≤100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.  
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.  
 LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.  
*NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.*

Safety Equipment Used:

**WASTE EVALUATION**

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11] See note below.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

**GENERATOR CLASSIFICATION**

2.	Does the generator produce <100 kg. of hazardous waste per month? [conditionally exempt small quantity generator ("CESQG")] Unknown.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	---	---

*NOTE: If quantities of hazardous waste accumulated on-site at any one time exceed 1,000 Kg. - or the generator produces between 100 and 1,000 Kg. of hazardous waste per month, it is operating as a Small Quantity Generator ("SQG"). If so, complete the Small Quantity Generator Requirements checklist.*

**OFF-SITE SHIPMENT OF HAZARDOUS WASTE**

3.	Does the CESQG ensure delivery of hazardous waste(s) to an off-site permitted TSD? [3734.02(F)] Unknown, see note below.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	---

**TREATMENT OF HAZARDOUS WASTE**

4.	Does the generator treat hazardous waste in a:	
	a. Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d. Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Complete appropriate checklist for each unit.*

*NOTE: If the CESQG conducts treatment they are subject to the LQG requirements.*

*NOTE: If waste is treated to meet LDRs, use LDR checklist.*

**MIX HAZARDOUS WASTE WITH USED OIL**

5.	Does the CESQG mix its hazardous waste with used oil for the purpose of burning for energy recovery? [3745-51-05(J)] If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Does the CESQG manage the mixture in accordance with 3745-279-21?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

Facility has not evaluated spent lamps that are disposed w/ solid waste.

**SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS – BATTERIES AND LAMPS**

**Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more**

**Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less**

**PROHIBITIONS**

- |    |   |  |
|----|---|--|
| 1. | Did the SQUWH dispose of universal waste? [3745-273-11(A)]  | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> |
| 2. | Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in OAC rule 3745-273-17 or managing specific wastes as provided in OAC rule 3745-273-13? [3745-273-11(B)] | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> |

**WASTE MANAGEMENT AND LABELING/MARKING**

**UNIVERSAL WASTE BATTERIES**

- |    |  |  |
|----|--|--|
| 3. | Are batteries that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)]  | Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |
| 4. | If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 5. | Are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)]  | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> |
| 6. | If the electrolyte is removed or other wastes generated, has it been determined whether the electrolyte or other wastes exhibit a characteristic of hazardous waste? [3745-273-13(A)(3)]                                 | Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |
|    | a. If the electrolyte or other waste is characteristic, is it managed in compliance with OAC Chapters 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]  | Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |
|    | b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]   | Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |
| 7. | Are the batteries or containers of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]   | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

**UNIVERSAL WASTE LAMPS**

- |    |   |  |
|----|---|--|
| 8. | Does the SQUWH contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]   | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 9. | Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage, spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)] | Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |

**NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC rule 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility using a hazardous waste manifest.**

- |     |  |  |
|-----|--|--|
| 10. | Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)"? [3745-273-14(E)] | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> |
|-----|--|--|

<b>ACCUMULATION TIME</b>		
11.	Is the waste accumulated for less than one year? [3745-273-15(A)] <b>UNKNOWN</b>	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a. If not, is the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)] (this change makes it like the LQUWH checklist)	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Accumulation is defined as date generated or date received from another handler.</i>		
12.	Is the handler able to demonstrate the length of time the universal waste has been accumulated? [3745-273-15(C)]  If yes, describe below:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
<b>EMPLOYEE TRAINING</b>		
13.	Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>RESPONSE TO RELEASES</b>		
14.	Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the material released characterized? [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	If the material released is a hazardous waste, was it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to OAC Chapter 3745-52) [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>OFF-SITE SHIPMENTS</b>		
<i>NOTE: If a SQUWH self-transport waste, then the handler must comply with the Universal Waste transporter requirements.</i>		
17.	Are universal wastes sent to another handler, destination facility or foreign destination? [3745-273-18(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
18.	Is the handler aware of DOT requirements for packaging and shipping?  If no, make aware of 49 CFR 171-180.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
19.	Prior to shipping universal waste off-site, does the originating handler ensure that the receiver agrees to receive the shipment? [3745-273-18(D)] (this change makes it like the LQUWH checklist)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
20.	Has the originating handler ever had an off-site shipment rejected by another handler or destination facility?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. If yes, did the originating handler receive the waste back or agree to where the shipment was sent? [3745-273-18(E)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
21.	If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss and do <u>one of the following</u> :	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. Send the waste back to the originating handler or send the shipment to a destination facility (If both the originating and receiving handler agree)? [3745-273-18(F)(2)] (this change makes it like the LQUWH checklist)	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
22.	If the handler received a shipment of hazardous waste that was not a universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>EXPORTS</b>		
23.	Is waste being sent to a foreign destination?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>