

Chrono

Air Pollution Control Division

OhioEPA

APC Contractual Representative
Serving All of Stark County

Canton City Health Department

420 Market Avenue North • Canton, Ohio • 44702-1544
(330) 489-3385 • Fax: (330) 489-3335

Robert E. Pattison, MPA
Health Commissioner

Daniel J. Aleman
APCD Administrator

CERTIFIED MAIL

August 13, 2008

Mr. Steven Hays
J. Bowers Construction, Inc.
3113 Mogadore Road
Akron, OH 44312-1809

Re: Notice of Violation: 1. Federal Asbestos NESHAP 40 CFR 61.145 (a)
2. Ohio Administrative Code 3745-20-02 (A)

Dear Mr. Hays:

It has come to the attention of this agency that renovation work is taking place at Lindsey's Restaurant, 1900 Tuscarawas Street W. without the required asbestos inspection. This inspector was on the site on the morning of August 13, 2008 and spoke to two Bowers employees and then to yourself on the cell phone. No one was aware of any asbestos inspection.

The Federal Asbestos NESHAP 40 CFR 61.145 (a) which is implemented in Ohio with Ohio Administrative Code 3745-20-02 (A) requires a thorough inspection for asbestos containing materials prior to the commencement of any demolition or renovation project. The inspection must be made by a person qualified by the Ohio Department of Health as a Certified Asbestos Hazard Evaluation Specialist.

Federal Asbestos NESHAP 40 CFR 61.145 (b) which is implemented in Ohio with the Ohio Administrative Code 3745-20-03 (A) requires that the Administrator of the Ohio EPA receive written notification of planned demolitions of affected facilities at least ten working days prior to commencement of activities if regulated asbestos quantities to be disturbed exceed certain amounts. Your certified inspector will be knowledgeable if notification is required..


Mr. Steven Hays
August 13, 2008
Page 2 of 2

By copy of this letter, all parties are now aware of the existence of these regulations and are advised to familiarize themselves with all asbestos regulations that apply to this and other renovation/demolition projects.

Also, please be aware that not only the EPA, but also the Ohio Department of Health has notification requirements that may or may not apply in your case, depending on the amount of regulated asbestos containing material, if any. Again, your certified inspector can guide you on this.

For your reference, I have attached the texts of the two regulations and a copy of the notification of demolition and renovation and the associated instructions.

Sincerely,



Gregory A. Clark, CHMM, AHES
Air Pollution Control Engineer

Enclosures: 1. 40 CFR Sec. 61.145 (a)
2. Ohio Administrative Code 3745-20-02 (A)
3. Ohio EPA Notification of Demolition and Renovation
4. *Canton Repository* Article August 9, 2008.

pc: Addressee via First Class Mail
Lisa Holscher, USEPA Region V
Tom Buchan, Ohio EPA, DAPC, CO
Joshua S. Koch, ODH Asbestos Program
Mr. Ernest Adams, 325 Gaslight Circle, North Canton, OH 44720
Asbestos Files
G. Clark (2 copies)

Attachment 1

40 CFR Sec. 61.145 (a)

TITLE 40--PROTECTION OF ENVIRONMENT CHAPTER 1--
ENVIRONMENTAL PROTECTION AGENCY (CONTINUED) PART
61_ NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR
POLLUTANTS- Subpart M_ National Emission Standard for Asbestos Sec.
61.145 Standard for demolition and renovation.

61.145 (a) Applicability. To determine which requirements of paragraphs (a), (b), and (c) of this section apply to the owner or operator of a demolition or renovation activity and prior to the commencement of the demolition or renovation, thoroughly inspect the affected facility or part of the facility where the demolition or renovation operation will occur for the presence of **asbestos**, including Category I and Category II nonfriable ACM. The requirements of paragraphs (b) and (c) of this section apply to each owner or operator of a demolition or renovation activity, including the removal of RACM as follows:

(1) In a facility being demolished, all the requirements of paragraphs (b) and (c) of this section apply, except as provided in paragraph (a)(3) of this section, if the combined amount of RACM is

(i) At least 80 linear meters (260 linear feet) on pipes or at least 15 square meters (160 square feet) on other facility components, or

(ii) At least 1 cubic meter (35 cubic feet) off facility components where the length or area could not be measured previously.

(2) In a facility being demolished, only the notification requirements of paragraphs (b)(1), (2), (3)(i) and (iv), and (4)(i) through (vii) and (4)(ix) and (xvi) of this section apply, if the combined amount of RACM is

(i) Less than 80 linear meters (260 linear feet) on pipes and less than 15 square meters (160 square feet) on other facility components, and

(ii) Less than one cubic meter (35 cubic feet) off facility components where the length or area could not be measured previously or there is no **asbestos**.

(3) If the facility is being demolished under an order of a State or local government agency, issued because the facility is structurally unsound and in danger of imminent collapse, only the requirements of paragraphs (b)(1), (b)(2), (b)(3)(iii), (b)(4) (except (b)(4)(viii)), (b)(5), and (c)(4) through (c)(9) of this section apply.

(4) In a facility being renovated, including any individual nonscheduled renovation operation, all the requirements of paragraphs (b) and (c) of this section apply if the combined amount of RACM to be stripped, removed, dislodged, cut, drilled, or similarly disturbed is

(i) At least 80 linear meters (260 linear feet) on pipes or at least 15 square meters (160 square feet) on other facility components, or

(ii) At least 1 cubic meter (35 cubic feet) off facility components where the length or area could not be measured previously.

(iii) To determine whether paragraph (a)(4) of this section applies to planned renovation operations involving individual nonscheduled operations, predict the combined additive amount of RACM to be removed or stripped during a calendar year of January 1 through December 31.

(iv) To determine whether paragraph (a)(4) of this section applies to emergency renovation operations, estimate the combined amount of RACM to be removed or stripped as a result of the sudden, unexpected event that necessitated the renovation.

(5) Owners or operators of demolition and renovation operations are exempt from the requirements of Sec. 61.05(a), 61.07, and 61.09.

Attachment 2

Ohio Administrative Code 3745-20-02

3745-20-02 Standards for demolition and renovation, facility inspection, and determination of applicability.

(A) Notwithstanding any other exclusion of this rule, and to determine which requirements of this rule and of rules 3745-20-03 and 3745-20-04 of the Administrative Code apply, each owner or operator of any demolition or renovation operation shall have the affected facility or part of the facility where a demolition or renovation operation will occur thoroughly inspected by a certified asbestos hazard evaluation specialist, in accordance with paragraph (C) of rule 3701-34-02 of the Administrative Code prior to the commencement of the demolition or renovation for the presence of asbestos, including category I and category II nonfriable asbestos-containing material.

Note: Inspections pursuant to paragraph (A) of this rule are subject to the Ohio department of health regulations under paragraph (C) of rule 3701-34-02 of the Administrative Code which states in part that no person shall identify, detect, or assess asbestos containing materials, [or] determine appropriate response actions unless he or she is certified as an asbestos hazard evaluation specialist by the director of the Ohio department of health in accordance with Chapter 3710. of the Revised Code.

(B) The requirements of rules 3745-20-03, 3745-20-04, and 3745-20-05 of the Administrative Code apply to each owner or operator of a demolition or renovation operation as follows:

(1) If the combined amount of regulated asbestos-containing material is at least two hundred sixty linear feet on pipes or at least one hundred sixty square feet on other facility components, or at least thirty-five cubic feet off facility components where the length or area could not be measured previously in a facility being demolished, all the requirements of rules 3745-20-03, 3745-20-04, and 3745-20-05 of

the Administrative Code apply, except as provided in paragraph (B)(3) of this rule.

(2) If the combined amount of regulated asbestos-containing material is less than two hundred sixty linear feet on pipes and less than one hundred sixty square feet on other facility components, and less than thirty-five cubic feet off facility components where the length or area could not be measured previously or if there is no asbestos-containing material in a facility being demolished, only the notification requirements of paragraphs (A)(1) *[requirement for written notice]*, (A)(2) *[delivery of notice]*, (A)(3)(a) *[ten working days]*, and (A)(3)(d)(i) to (A)(3)(d)(iii) *[changing start dates]*, and (A)(4)(a) to (A)(4)(h) *[information required on notification: ; facility owner, identification of asbestos hazard abatement contractor if applicable, location of structure ; description of facility, estimate of asbestos quantities, procedures used to detect asbestos and estimate quantities of];*, (A)(4)(m) *[schedule]* and (A)(4)(n) *[procedures to be followed if ACM is found or released]*, and (D)(1) to (D)(3) *[revision if asbestos quantities change by at least 20%, if schedule or methods change, and if owner and operator change]*, and (E) *[signature]* of rule 3745-20-03 of the Administrative Code apply.

(3) If the operation is an emergency demolition, the requirements of paragraphs (A)(1), (A)(2), (A)(3)(c), (A)(4) {except (A)(4)(i)}, (B), and (C) of rule 3745-20-03, and paragraphs (A)(4) to (A)(7), (B) and (D) of rule 3745-20-04, and rule 3745-20-05 of the Administrative Code apply.

(4) In a facility being renovated, including any individual nonscheduled renovation operation, all the requirements of rules 3745-20-03, 3745-20-04 and 3745-20-05 of the Administrative Code apply if the combined amount of regulated asbestos-containing material to be

stripped, removed, dislodged, cut, drilled, or similarly disturbed is at least two hundred sixty linear feet on pipes or at least one hundred sixty square feet on other facility components, or at least thirty-five cubic feet off facility components where the length or area could not be measured previously.

Date

(a) Paragraph (B)(4) of this rule applies to planned renovation operations involving a series of individual nonscheduled operations, that individually are exempt from this chapter, if the combined amount of regulated asbestos-containing material to be removed or striped during a calendar year, January first through December thirty-first, exceeds two hundred sixty linear feet on pipes or at least one hundred sixty square feet on other facility components or thirty-five cubic feet off facility components.

(b) Paragraph (B)(4) of this rule applies to emergency renovation operations if the combined amount of regulated asbestos-containing material to be removed or stripped as a result of the sudden, unexpected event that necessitated the renovation exceeds two hundred sixty linear feet on pipes or at least one hundred sixty square feet on facility components or thirty-five cubic feet off facility components.

Promulgated Under: 119.03
Statutory Authority: 3704.03(E)
Rule Amplifies: 3704.03(A), 3704.03(E)
Prior Effective Dates: 11/04/2002

Effective: 02/02/2007

R.C. 119.032 review dates: 11/13/2006 and 02/02/2012

CERTIFIED ELECTRONICALLY
Certification

01/23/2007

Attachment 3

**Ohio EPA
Notification of Demolition and Renovation**

**OHIO ENVIRONMENTAL PROTECTION AGENCY
NOTIFICATION OF DEMOLITION AND RENOVATION**

Operator Project #	Postmark	Date Received	Notification #
--------------------	----------	---------------	----------------

I. Type of Notification (check one): Original Revised Canceled

II. Facility Description (include building name, number, and floor or room number)
 Building Name: _____
 Address: _____
 City: _____ State: **OHIO** Zip Code: _____ County: _____
 Site Location (specific): _____
 Building Size (square feet): _____ # of Floors: _____ Age in Years: _____
 Present Use: _____ Prior Use: _____

III. Type of Operation (check one): Demo Ordered Demo Renovation Emergency Renovation Fire Training

IV. Is Asbestos Present? (check one): Yes No

V. Facility Information
Owner Name: _____
 Address: _____
 City: _____ State: _____ Zip Code: _____
 Contact: _____ Telephone: (____) _____ Fax: (____) _____
Removal Contractor Name: _____ License # _____
 Address: _____
 City: _____ State: _____ Zip Code: _____
 Contact: _____ Telephone: (____) _____ Fax: (____) _____
Other Operator (demolition/general): _____ License # _____
 Address: _____
 City: _____ State: _____ Zip Code: _____
 Contact: _____ Telephone: (____) _____ Fax: (____) _____

VI. Procedure, including analytical methods, employed to detect the presence of and to estimate the quantity of RACM and Category I and Category II nonfriable ACM:

Ohio Asbestos Hazard Evaluation Specialist: _____
 Name Certification #

VII. Approximate Amount of Asbestos Materials:

	RACM to be Removed	Nonfriable Asbestos Material to be Removed		Nonfriable Asbestos Material NOT to be Removed	
		Category I	Category II	Category I	Category II
Pipes (linear feet)					
Surface Area (square feet)					
Facility Components (cubic feet)					

VIII. Scheduled Dates Demolition or Renovation: Start: _____ Complete: _____

IX. Dates for Asbestos Removal (MM/DD/YY) Start: _____ Complete: _____

Days of the Week:	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Hours of Operation:							

Complete all unshaded spaces, except demolitions which involve less than 260 linear feet, 160 square feet, or 35 cubic feet of RACM, need not complete spaces VII, XI, XII, XIII, XIV, and XV. Notifications for Emergency Demolition or Emergency Renovation must supply attachments.

**OHIO ENVIRONMENTAL PROTECTION AGENCY
NOTIFICATION OF DEMOLITION AND RENOVATION**

Page 2 of 2

X. Description of planned Demolition or Renovation work to be performed and method(s) to be employed, including demolition or renovation techniques to be used and description of affected facility components:

XI. Description of work practices and engineering controls to be used to comply with the requirements, including asbestos removal and waste handling emission control procedures:

XII. Waste Transporter #1

Name: _____
Address: _____
City: _____ State: _____ Zip Code: _____
Contact: _____ Telephone: (____) _____ Fax: (____) _____

Waste Transporter #2

Name: _____
Address: _____
City: _____ State: _____ Zip Code: _____
Contact: _____ Telephone: (____) _____ Fax: (____) _____

XIII. Waste Disposal

Name: _____
Address: _____
City: _____ State: _____ Zip Code: _____
Contact: _____ Telephone: (____) _____ Fax: (____) _____

XIV. Emergency Demolition (complete Item XIV and all other sections, only if this project is an Emergency Demo.)

1. Attach a copy of the Order to this notice.
2. Name of Authority Issuing Order: _____ Title: _____
3. Authority of Order (Citation of Code): _____
4. Date of Order (MM/DD/YY): _____ Date Ordered to Begin: _____

XV. Emergency Renovation (Attach separate sheet with the following information if project is Emergency Reno.)

1. Date and Hour of the Emergency
2. Description of the Sudden, Unexpected Event
3. Explanation of how the event caused unsafe conditions or equipment damage or an unreasonable financial burden.

XVI. Description of procedures to be followed in the event that unexpected RACM is found or nonfriable ACM becomes crumbled, pulverized or reduced to powder.

XVII. I certify that an individual trained in the provisions of NESHAAPS (40 CFR PART 61, SUBPART M) will be on-site during the Demolition or Renovation and evidence that the required training has been accomplished by this person will be available during normal business hours.

Signature of Owner/Operator Date Type or Print Name and Title

XVIII. I acknowledge the existence of laws prohibiting the submission of false or misleading statements and I certify that facts contained in this notification are true, accurate, and complete.

Signature of Owner/Operator Date Type or Print Name and Title

Original Notification must be mailed or hand delivered at least ten working days (Monday-Friday excluding weekends) before demolition or renovation begins, except emergency demolitions and emergency renovations (see regulation) which must be submitted as soon as possible before operations begin (Form Revised 11/12/97)

INSTRUCTIONS FOR NOTIFICATION OF ASBESTOS DEMOLITION AND RENOVATION OHIO ENVIRONMENTAL PROTECTION AGENCY

Regulatory Requirements:

The Ohio Environmental Protection Agency adopted Chapter 3745-20 of the Ohio Administrative Code (OAC) "Asbestos Emission Control from Renovation Demolition and Waste Disposal Operation" May 29, 1990. Chapter 3745-20 implements the National Emission Standard for Hazardous Air Pollutants (NESHAP) Standard for Asbestos. On November 20, 1990 U.S. EPA revised the asbestos NESHAP. Proper completion and submittal of the Ohio EPA form for notification, meets or exceeds all requirements for notification under the NESHAP and the Ohio Administrative Code. Notification requirements are found in OAC 3745-20-03 and in 40 CFR Section 61.145(b).

Who Must Notify:

Every demolition of a facility requires notification regardless of whether asbestos is involved. Renovation of a facility must be submitted when the amount of regulated asbestos-containing material (RACM) stripped, removed, dislodged, cut, drilled, or similarly disturbed exceeds 260 linear feet on pipes or 160 square feet on other facility components or 35 cubic feet off facility components.

When Must Notification Be Provided:

Notice must be postmarked, delivered or received by the Ohio EPA district office or local air agency with jurisdiction in the county where the operations will occur. A list of the counties and a map is available for reference. All notifications must be submitted at least 10 working days (Monday-Friday excluding weekends) before operations begin. Phone notification is not acceptable for original notification. Notification must be updated when substantive information changes or the amount of asbestos changes by more than 20%. Updated notification may be provided by phone or fax followed in writing before the operations continue. An emergency demolition or emergency renovation notice must be submitted as early as possible before but not later than the following working day, and must include the information required under notice sections XIV and XV.

What Information Must Be Supplied:

Complete all parts of the form except XIV and XV unless the notice is for emergency demolitions or renovations. Demolition which

involves less than 260 linear feet or 160 square feet do not need to complete items XI, XII, and XIII. Before submitting any notice the facility must be thoroughly inspected for asbestos including Category I (nonfriable packing gaskets, floor tile, asphalt roofing) and Category II (all other nonfriable ACM). OAC 3701-34-02(C) prohibits any person not certified as an asbestos hazard evaluation specialist in Ohio from inspecting and identifying asbestos for the purpose of determining the need for an asbestos hazard abatement activity.

Operator Project # -- this is an optional space provided for the person submitting the notice to indicate a project number.

- I. Identify if the notice is an original, revised, or canceled.
- II. A complete facility description must be provided including the specific portion of the facility affected by the operations. Building size must be estimated in square feet, number of floors, and age in years. Also include the present and prior use (i.e., industrial, commercial, institutional, etc.)
- III. Identify the type of operation being notified. If uncertain consult 40 CFR 61.141 and 61.145(a) or OAC 3745-20-01 and 3745-20-02.
- IV. Declare whether or not asbestos is present in any quantity.
- V. All spaces must be completed identifying the Owner, Removal Contractor and other responsible operator (if applicable) such as a demolition contractor or general contractor.
- VI. Include the procedure used to detect and analyze asbestos. All operations should have the records of the inspection and analyses on-site during active operations for inspection. Such records would include a list of materials assessed, locations sampled and the sample results.
- VII. Quantify asbestos in the three columns (RACM, Nonfriable Asbestos Material to be Removed, Nonfriable Asbestos Material NOT to be Removed).

VIII. The starting and ending date for demolition or renovation must be noted even when asbestos is not being removed.

IX. Include the scheduled dates for asbestos removal and specify the hours of operation and check off the days of the week operations will be active.

X. Describe the demolition or renovation which will occur and the methods or operations that will be employed.

XII. Indicate the names and addresses and phone numbers of any waste transporters. You must also complete a Waste Shipment Record prior to consigning any asbestos waste materials.

XIII. Identify the waste disposal site and its actual location (may be different from mailing address).

XIV. This space is only for emergency demolitions that meet the definitions and requirements of the regulation. In addition to completing the notification form, four additional items must be completed or attached to the notice. If a facility is not in imminent danger of collapse, it is not an emergency demolition even though it may be ordered due to hazardous conditions.

XV. Emergency Renovations must meet criteria described at 40 CFR 61.141 and OAC 3745-20-01. Include an attachment with the three items listed on the notice form.

XVI. Describe the procedures to be followed in the event unexpected asbestos is found or nonfriable asbestos becomes RACM. This will prevent delays or complete re-notification. In the event asbestos quantities change by 20% or more, you must update the notice.

XVII. After November 20, 1991 you must certify a NESHAP trained person will be available during normal business hours at the demolition or renovation site. Signature must be by an authorized officer of the owner or operator.

Attachment 4

**Canton Repository
August 9, 2008**

Teen driver slams car into Canton restaurant, causing fire

By LORI MONSEWICZ
REPOSITORY STAFF WRITER

CANTON A car full of teenagers being chased earlier by police slammed into a longtime Canton restaurant and burst into flames late Friday night.

Five teenagers were taken to area hospitals as Canton firefighters battled the 10:20 p.m. blaze caused by the car, which was completely inside

Lindsey's Restaurant at the corner of Tuscarawas Street W and Dueber Avenue, Battalion Chief Tom Garra said this morning.

"In the dark last night, it literally looked like a car showroom," said restaurant owner Ernie Adams. The car had been burning as it sat in the middle of what had been his dining room that boasted a capacity of 100 people.

At least 30 people who work there are now out of a job.

CAR ENTERS BUILDING

The restaurant was closed when the 16-year-old driver had begun leading police on a car chase farther south on Dueber.

Details of the events preceding the chase were not available this morning as the traffic officers continued to investigate, Canton Police said. Lt. Greg

Boudreaux said the chase had been called off much farther down Dueber when police determined it was too dangerous for the heavily residential neighborhood.

But the young driver continued on, hitting speeds in excess of 70 mph, Boudreaux said.

At some point, the boy behind the wheel of the maroon Chrysler lost control of the vehicle and slammed into the northeast corner of the building, Boudreaux said.

"It's the only place where there's no guardrail" protecting the corner of the building, Adams said.

Garra said the entire car went inside the building, coming to rest in the dining area. The engine was on fire, and heavy smoke filled the building as firefighters arrived, he said.

Firefighters were able to contain the fire to the car, but the restaurant sustained smoke and heavy structural damage, Garra said.

PATH OF DESTRUCTION

The west wall of the building near the front door is now bowed in. The basement sustained water damage. The opened wall has been boarded up.

The tables and booths lay, some in splinters, on the burned recently installed carpet. Spilled salt and pepper shakers, chunks of ceiling, a bumper and other car parts and contents of the car lay scattered in the building. A pair of girl's shoes, left behind by one of the injured teens, poked out of the debris in the middle of the floor.

Photographs of the restaurant – pictures that had been proudly displayed on the wall of the dining area – were knocked off the wall by the impact and lay strewn among the debris.

Garra said damage to the building was estimated at \$100,000, and at \$50,000 to its contents. The vehicle was listed as a total loss at \$12,000.


The loss to the 30 people who work there is much greater, Adams said, adding that some were part-time employees.

"I worry about them," he said. "A lot of my employees, they live month-to-month. I've got waitresses that have been here for 20 years. I've been here 26 years, and I've got a waitress who has been here longer than that."

And just about every one of them showed up just after the crash and fire, offering to help clean up, he said.

LONGTIME RESTAURANT

Adams has owned the building since 1985, when he and his aunt purchased it.



Lindsey's Restaurant in Canton was heavily damaged Friday night when a car full of teens crashed into the building and the car caught fire. The teens were taken to area hospitals.
REPOSITORY LORI MONSEWICZ

He bought her share of the restaurant and he and his wife, Carol Adams, took on partners - Kenny Billman and Bob Wise - 10 years ago, he said.

The business is a busy one with a long history of serving food.

The building was constructed as the Avalon, a diner in 1939. Pictures of that restaurant were among those that hung on Lindsey's dining room walls before the crash.

The building was the Cozy Kitchen before Adams bought it and at one point, a "roller-skating car hop"-style business, he said.

The restaurant would have opened at 7 a.m. for breakfast.

Dozens of regular customers showed up despite the yellow "Caution" tape that cordoned off the restaurant's newly paved parking lot.

"I just put \$20,000 into the place two weeks ago," said Adams, shaking his head.

Still, he said, he plans to reconstruct the business and reopen.

Adams said he even has considered moving the building to the rear of his parking lot so that the restaurant is farther from the road.

"I'll do something... I'm not going to let this happen again," he said.

This isn't the first time a car found its way into his dining room.

On March 26, 1998, a two-car crash sent a 73-year-old woman's car out of control and rolling head-on into the front of the restaurant. She and the

47-year-old man whose car hit hers both said, at the time, that they had the green light.

Reach Repository writer Lori Monsewicz at (330) 580-8309 or e-mail:

lori.monsewicz@cantonrep.com

<http://www.cantonrep.com>

[Close Window](#)

This page was created August 9, 2008

©2008 The Repository

Have a question and/or comment about this site?

E-mail the webmaster at: webmaster@cantonrep.com

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature <input checked="" type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) C. Date of Delivery 8/14/08</p>
<p>1. Article Addressed to:</p> <p>MR. STEVEN HAYS J. BOWERS CONSTRUCTION INC 3113 MOGADORE ROAD AKRON OH 44312-1809</p>	<p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> <p>3. Service Type <input type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>
<p>2. Article Number (Transfer from service label)</p>	<p>7008 0150 0001 8203 7790</p>

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL RECEIPT

Postage	\$ 1.34
Certified Fee	2.70
Return Receipt Fee (Endorsement Required)	2.20
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 6.24

7008 0150 0001 8203 7790

Sent to: MR. STEVEN HAYS
Street, Apt. No.: J. BOWERS CONSTRUCTION INC
or PO Box No. 3113 MOGADORE ROAD
City, State, ZIP+4: AKRON OH 44312-1809

PS Form 3800, August 2006 See Reverse for Instructions