



**Environmental  
Protection Agency**

John R. Kasich, **Governor**  
Mary Taylor, **Lt. Governor**  
Scott J. Walby, **Director**

Re: Huron County  
Compliance Evaluation Inspection  
Oglesby Construction  
OHD 982 068 389  
Notice of Violation

October 3, 2012

Mr. Steve C. Hug, VP  
Oglesby Construction  
1600 Toledo Road  
Norwalk, Ohio 44857

Dear Mr. Hug:

Thank you for accompanying me during Ohio EPA's September 19, 2012, compliance evaluation inspection of Oglesby Construction (Oglesby) located at 1600 Toledo Road, Norwalk, Ohio. I inspected Oglesby to determine its compliance with Ohio's hazardous waste laws, as found in Chapter 3734 of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC). Our inspection included observations of your company's operations and a review of written documentation.

Oglesby is a construction company dedicated mainly to road improvement /painting. Hazardous waste is generated at the site from flushing/cleaning painting equipment (D001, D007, D008, F002, F005, D005, D006, and D010). In the last couple of years, Oglesby has seen a reduction of its volume of hazardous waste generated due to a combination of a reduction in business and a switch to water soluble paints. At the time of this inspection, Oglesby was considered a small quantity generator of hazardous waste. Other wastes generated at the site include: spent fluorescent light bulbs which are managed as universal waste, wastewater from an aqueous parts washer which have been determined to be non-hazardous, and used oil which is burned onsite in a used oil furnace.

In the past, Oglesby has been an episodic large quantity generator (LQG) of hazardous waste due to seasonal increase in business and end of the year facility wide clean-ups. Please be aware that, Oglesby must comply with all applicable large quantity generator requirements for hazardous wastes the months it becomes an LQG and as long as the waste remains on site.

Based on my observations, I found the following violation of Ohio's hazardous waste laws. Oglesby needs to immediately take the necessary measures to return to compliance with Ohio's environmental laws.

Mr. Steve Hug  
October 3, 2012  
Page 2

Within 14 days of receipt of this letter, Oglesby is requested to provide documentation to this office including the steps taken to abate this violation.

1. **OAC Rule 3745-66-74 – Use and Management of Containers – Inspection of Hazardous Waste Accumulation Area**

The owner or operator must inspect areas where containers are stored, at least once during the period from Sunday to Saturday, looking for leaks and for deterioration caused by corrosion or other factors. The owner or operator must record inspections in an inspection log or summary.

Oglesby failed to complete several weeks' worth of inspections of the accumulation area and failed to record the inspections in a log book.

**To abate this violation, Oglesby must conduct 4 weeks' worth of weekly inspections and send me copies of the log book where the inspections are being recorded.**

As we discussed during the inspection, you may be able to find other ways to reduce the waste your company generates. If you would like more information on topics concerning pollution prevention, you can visit <http://www.epa.state.oh.us/ocapp/ocapp.html>. If you find additional ways to recycle, reduce, or altogether eliminate the amount of waste that your company generates, you may be able to reduce treatment and disposal costs. In addition, you may possibly reduce your regulatory requirements.

The Division of Materials and Waste Management (DMWM) has created an electronic news service to provide you with quick and timely updates on events and news related to hazardous waste activities in Ohio. If you haven't already, we encourage you to sign up for this free service. You can find more information at <http://www.epa.state.oh.us/dhwm/listserv.html>. Please feel free to share this information with your colleagues.

You can find copies of the rules and other information at <http://www.epa.state.oh.us/dhwm>.

Documentation of steps taken to return to compliance includes written correspondence, updated policies, and photographs, as appropriate, and may be submitted electronically to [ed.pulido@epa.state.oh.us](mailto:ed.pulido@epa.state.oh.us). Please be advised that violations cited above will continue until the violations have been properly abated. Failure to comply with Chapter 3734 of the Ohio Revised Code and rules promulgated thereunder may result in a civil penalty of up to \$10,000 per day for each violation. It is imperative that you return to compliance. If circumstances delay the abatement of violations, Oglesby is requested to submit written correspondence of the steps that will be taken by date certain to attain compliance.

Mr. Steven C. Hug  
October 3, 2012  
Page 3

Enclosed, you will find a copy of the checklists that I completed during the inspection. Should you have any questions, please feel free to contact me at (419) 373-3015.

Sincerely,



Edgar V. Pulido  
Division of Hazardous Waste Management

/cg

Enclosures

pc: Cindy Lohrbach, DMWM, NWDO  
Colleen Weaver, Supervisor, DMWM, NWDO w/ original checklists

ec: Ed Pulido, DMWM, NWDO w/ checklists  
Colleen Weaver, Supervisor, DMWM, NWDO w/ checklists

**NOTICE:** Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

**USED OIL INSPECTION CHECKLIST  
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

*NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.*

**PROHIBITIONS**

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: For example, used oil contaminated scrap metal stored in a pile.*

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).*

**GENERATOR STANDARDS**

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.*

5.	Does the generator of used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

*NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.*

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked Used Oil? [3745-279-22(C)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Stopped the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Contained the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

**ON-SITE BURNING IN SPACE HEATER**

10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).*

**GENERATOR TRANSPORTATION**

11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
12.	If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).*

**COLLECTION CENTERS AND AGGREGATION POINTS**

13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.*

## PROCESS DESCRIPTION/WASTE ACTIVITIES SUMMARY

Facility Name: Sika Corporation

LQG/SQG/CESQG/TSD

EPA ID#: OHD 982 068 389

Description of Waste				On-Site Management			Off-Site Management		
Process/Activity Generating Waste (e.g. plating bath, machining, baghouse, painting, etc)	Waste Generated (e.g. sludge, spent solvent, ash, etc)	EPA Waste Code	QTY Generated per Month	Type of Accumulation/Storage (e.g. container, tank, etc)	Type of On-Site Treatment (recycle, wwt, etc)	Waste Location (Include map if possible)	Name, state, and type of activity occurring at the facility.	P2 Activities	
1	Cleaning road painting equipment	Paint/solvent waste	D001 D002 D007 D008 F003 F005	~200 gallons	Container	N/A	Indoors	Chemtron Corporation 35850 Schneider Ct. Avon, Ohio 44011 OHD066060609 Stabilization/chem. fixation	
2	Fleet maintenance	Used oil	N/A	75 gallons	Container	N/A	Indoors/outdoors	Burn in-house in a used oil furnace.	
3	Maintenance	Spent light bulbs	N/A	<1 unit	Container	N/A	Indoors	Chemtron Corporation 35850 Schneider Ct. Avon, Ohio 44011 OHD066060609 Fuel blending	Bulbs are eventually sent to Environmental Recycling, Inc., Bowling Green
4	Aqueous parts washer	Wastewater	N/A	10-15 gals.	N/A	N/A	N/A	Heatech Cleaning Systems and Equipment, Inc. 360 Main Street Huron, OH 44839	*sampling of water has indicated to be non-hazardous.

**SMALL QUANTITY GENERATOR REQUIREMENTS  
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: ≤100 Kg. (approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.  
 SQG: Between 100 and 1,000 Kg. (about 25 to under 300 gallons) of waste in a calendar month  
 LQG: ≥1,000 Kg. (-300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month  
 NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

**GENERAL REQUIREMENTS**

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
2.	Has the generator obtained a U.S. EPA I.D. number? [3745-52-12]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
3.	Has the generator transported or caused to be transported hazardous waste to <b>other</b> than a facility authorized to manage the hazardous waste? [ORC 3734.02 (F)]	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
4.	Has the generator disposed of hazardous waste <b>on-site without a permit</b> or at another facility <b>other</b> than a facility authorized to dispose of hazardous waste? [ORC 3734.02 (E) & (F)]	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
5.	Does the generator accumulate hazardous waste?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

NOTE: If the SQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements might still apply, e.g. manifest, marking, LDR, etc.

6.	Has the generator accumulated hazardous wastes in excess of (180/270) days without a permit or an extension from the Director? [3745-52-34; ORC §3734-02(E)&(F)]	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
----	--	------------------------------	--	------------------------------

NOTE: SQG's shipping waste to a facility greater than 200 miles away can accumulate on-site for 270 days. [3745-52-34 (E)]

7.	Is the generator accumulating more than 6,000 kg on site? [3745-52-34(D)]	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
----	---	------------------------------	--	------------------------------

NOTE: 6,000 kg = approximately 27, 55-gallon drums. If the facility is accumulating waste for greater than 180/270 days without an extension/permit or is accumulating greater than 6,000 kg on-site, it is classified as a storage facility and TSD standards apply. Complete applicable TSD checklists.

8.	Does the generator treat hazardous waste in a:			
	a. Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	c. Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	d. Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

**MANIFEST REQUIREMENTS**

9.	Are all hazardous wastes either reclaimed under a contractual agreement as defined in OAC rule 3745-52-20(E), or shipped off-site accompanied by a manifest (U.S. EPA Form 8700-22)? [3745-52-20(A)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
10.	Are wastes reclaimed under a contractual agreement? If so: [3745-52-0(E)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	a. Does the contractual agreement specify the type of waste and frequency of shipment?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	b. Is the transport vehicle owned and operated by the reclaimer?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

	c.	Is a copy of the reclamation agreement kept on-site for at least three years after termination/expiration of the agreement?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: If wastes are reclaimed under a contractual agreement and an answer to questions 10(a) through 10(c) is no, the generator is in violation of 3745-52-20 (A) (B) & (D), 3745-52-22 and 3745-52-23. Even if the waste is being reclaimed under agreement, LDRs still apply. Complete LDR checklist.			
11.		Have items 1 through 20 of each manifest been completed?[3745-52-20(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations, items (21) through (35) must also be complete. [3745-52-20 (A)]			
12.		Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: The generator may designate on the manifest one alternative facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]			
13.		If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternative TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.		Have the manifests been signed by the generator and initial transporter? [3745-52-23 (A) (1) and (2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have made a good faith effort to minimize their waste generation.			
15.		If the generator did not receive a return copy of each completed manifest within 60 days of being accepted by the transporter did the generator submit to Ohio EPA, a copy of the manifest with some indication that the generator has not received confirmation of delivery? [3745-52-42(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> *see note
16.		Are signed copies of all manifests being retained for at least three years? [3745-52-40]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.			
<b>PREPAREDNESS AND PREVENTION</b>			
17.		Is an emergency coordinator available at all times (on-site or on-call)? [3745-52-34(D)(5)(a)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
18.		Has the following been posted by the telephone: [3745-52-34(D)(5)(b)]	
	a.	Name and telephone number of emergency coordinator?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Location of fire and spill control equipment, and, if present, fire alarm(s)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Telephone number of local fire department?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
19.		Are employees familiar with waste handling and emergency procedures? [3745-52-34(D)(5)(c)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
20.		Has the facility properly responded to all fires and spills? [3745-52-34(D)(5)(d)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
21.		Is the facility operated to minimize the possibility of fire, explosion, or any unplanned sudden or nonsudden release of hazardous waste? [3745-65-31]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
22.		Does the generator have the following equipment at the facility if it is required due to actual hazards associated with the waste:	
	a.	Internal Alarm system? [3745-65-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Emergency communication device? [3745-65-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	c.	Portable fire control, spill control and decon equipment? [3745-65-32(C)]?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
23.		Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a.	Are inspections recorded in a log or summary? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
24.		Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste ( <i>unless the device is not required under OAC 3745-65-32</i> )? [3745-65-34(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
25.		If there is only one employee on the premises is there immediate access to a device (ex. phone, hand-held two-way radio) capable of summoning external emergency assistance ( <i>unless not required under OAC 3745-65-32</i> )? [3745-65-34(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
26.		Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
27.		Has the generator attempted to familiarize emergency authorities with possible hazards and facility layout? [3745-65-37(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
28.		Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>SATELLITE ACCUMULATION AREA REQUIREMENTS</b>			
29.		Does the generator ensure that satellite accumulation area(s):	
	a.	Are at or near a point of generation? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	e.	Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	f.	Containers are marked with the words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
30.		Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a.	Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	Did the generator mark the container(s) holding the excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.			
<b>USE AND MANAGEMENT OF CONTAINERS</b>			
31.		Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(D)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
32.		Is the accumulation date on each container? [3745-52-34(D)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

33.	Are hazardous wastes stored in containers which are:	
a.	Closed (except when adding/removing wastes)? [3745-66-73(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	In good condition? [3745-66-71]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Compatible with wastes stored in them? [3745-66-72]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Handled in a manner which prevents rupture/leakage? [3745-66-73(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Record location on process summary sheets and photograph the area.</i>		
34.	Is the container accumulation area(s) inspected at least weekly? [3745-66-74] Per ORC§1.44(A) "Week" means seven(7) consecutive days.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Are inspections recorded in a log or summary? [3745-66-74]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
35.	Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
36.	If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
37.	If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.</i>		
<b>PRE-TRANSPORT REQUIREMENTS</b>		
38.	Does each generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
39.	Does each container, ≤100 gallons have a completed hazardous waste label? [3745-52-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
40.	Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

\*note – Additional information to ascertain compliance regarding manifests has been requested.

Send to Central Office <input checked="" type="checkbox"/>	<b>Ohio Environmental Protection Agency</b> <b>RCRA SUBTITLE C SITE</b> <b>IDENTIFICATION/VERIFICATION FORM</b>	For Ohio EPA use only
---	---	--------------------------

Completed verification forms required to be submitted to CO should be e-mailed to [ralph.mcginis@epa.state.oh.us](mailto:ralph.mcginis@epa.state.oh.us).

<b>Site EPA ID No.</b>	EPA ID Number: OHD982068389									
<b>Site Name</b>	Name: Oglesby Construction, Inc.	Website <a href="http://www.oglesby.net">http://www.oglesby.net</a> (Optional)								
<b>Site Location Information</b>	Street Address: 1600 Toledo Road									
	City, Town, or Village: Norwalk	State: OH								
	County Name: Huron	Zip Code: 44857								
<b>Site Land Type</b> (check only one)	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="text-align: center; border: 1px solid black;">Private <input checked="" type="checkbox"/></td> <td style="text-align: center; border: 1px solid black;">County <input type="checkbox"/></td> <td style="text-align: center; border: 1px solid black;">District <input type="checkbox"/></td> <td style="text-align: center; border: 1px solid black;">Federal <input type="checkbox"/></td> <td style="text-align: center; border: 1px solid black;">Indian <input type="checkbox"/></td> <td style="text-align: center; border: 1px solid black;">Municipal <input type="checkbox"/></td> <td style="text-align: center; border: 1px solid black;">State <input type="checkbox"/></td> <td style="text-align: center; border: 1px solid black;">Other <input type="checkbox"/></td> </tr> </table>		Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>			
<b>NAICS code(s)</b> <a href="http://www.census.gov/epcd/www/naics.html">www.census.gov/epcd/www/naics.html</a>										

<b>Facility Representative</b>	First Name: Steve	MI: Hug
Additional names can be recorded in number 12  Only provide address information if it is different than the site address	Phone Number: (419)668-8204	Phone Number Extension:
	E-Mail Address: <a href="mailto:stevhug287@oglesby.net">stevhug287@oglesby.net</a>	
	Fax Number: (419)660-0160	Fax Number Extension:
	Street or P.O. Box:	
	City, Town or Village:	
	State:	Zip Code:

<b>Legal Owner And Operator of the Site.</b> List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner: Oglesby Construction		Date Became Owner (mm/dd/yyyy): 08/01/1997	
	Owner Type: Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>
	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:		Owner Phone #:	
	City, Town or Village:		Country:	Zip Code:
	State:		Date Became Operator (mm/dd/yyyy):	
	Name of Site's Operator:	Operator Type: Private <input checked="" type="checkbox"/>		
	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>
	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>	
	Street or P.O. Box:		Operator Phone #:	
	City, Town or Village:		Country:	Zip Code:
	State:			

**VIOLATIONS CITED?**  Yes  No

**TYPE OF HANDLER - MARK "X" AS APPROPRIATE**

<input type="checkbox"/> Not a HW Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input type="checkbox"/> Large Quantity Generator (LQG)
		<input checked="" type="checkbox"/> Small Quantity Generator (SQG)
		<input type="checkbox"/> Conditionally Exempt Small Quantity Generator
		<input type="checkbox"/> U.S. Importer of Hazardous Waste
		<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

**TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)**

<input type="checkbox"/> Recycler of Hazardous Waste	<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace
<input type="checkbox"/> Underground Injection Control Facility	<input type="checkbox"/> Small Quantity On-Site Burner Exemption

Hazardous Waste Transporter  
 Treater, Storer or Disposer of Hazardous Waste

Smelting, Melting, Refining Furnace Exemption

**UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED)**

(CHECK ALL BOXES THAT APPLY)

Small Quantity Handler of Universal Waste

Destination Facility for Universal Waste

Large Quantity Handler of Universal Waste  
(accumulates 5,000 kg. or more)

**CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES**

Batteries

Pesticides

Mercury containing equipment

Lamps

**USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))**

Used Oil Generator

Used Oil Transporter

Used Oil Transfer Facility

Used Oil Processor

Used Oil Re-refiner

Off-Specification Used Oil Burner

Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil

Used Oil Fuel Marketer to Off-Specification Used Oil Burner

**Waste Codes for Federally Regulated Hazardous Wastes.** Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAInfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

**D001 D002      D007 D008      F003 F005**

**COMMENTS:**

Announced       Yes       No

Tanks       Yes       No

Containers       Yes       No

Additional Facility Representatives:

Name of Inspector(s)

**Ed Pulido**

Name of Inspector(s)

Date of Inspection/Time

(mm/dd/yyyy) (hh:mm)

**09/19/2012 11:00 Hrs**

**Comments:**

**GENERATOR LDR CHECKLIST  
DOES NOT APPLY TO CESQGS**

**GENERAL REQUIREMENTS**

1.	If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07 (A)(7)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
2.	Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*NOTE: This is done by determining if the HW /soil contain levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07 (A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).*

3.	Does the generator has documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Does the generator generate a listed HW that exhibits a characteristic? If yes,	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.*

6.	Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

*NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.*

*NOTE: Written documentation of this determination is not required.*

7.	Did the generator treat his HW /soil on-site to meet the LDR treatment standard?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

*NOTE If Yes, see question #16.*

8.	Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	Does the generator have a copy of the LDR notification form on file?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the form kept on file for three years after last HW shipped? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

**NOTIFICATION FORM**

11.	Does the LDR Notification form contain the following information:	
a.	Manifest number of the first waste shipment to the TSD?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)].	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*NOTE: A wastewater contains <1% by wt. total suspended solids(TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS,*

SW-846 method 9060a for TOC.			
	e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories			
	f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.			
	g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for?[3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.			
<b>PROHIBITED DILUTION</b>			
12.	Is the HW treated by burning? If No, go to #15.		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Is the HW a metal-bearing HW?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs are given in the Appendix to 3745-270-03.			
14.	a.	Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless <b>one</b> of the following conditions apply. [3745-270-03(c)]	
	i.	Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii.	Contains organic constituents or cyanide at levels greater than the UST levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii.	Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv.	Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	v.	Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	If all responses to 14 a.i. through 14 a.v. are No, HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Was the HW treated by wastewater treatment?		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a.	Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: If Yes, HW is improperly being treated by dilution.			
	b.	Does the waste carry the D001 code <u>and</u> contain $\geq 10\%$ TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: If the answers to b & c are yes, and no, respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B) and 3745-270-40(A)(3)].			
NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.			
<b>GENERATOR TREATMENT</b>			
16.	Does the generator treat to meet LDRs on-site [3745-270-40(A)]?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

	Did the generator treat his hazardous waste/soil on-site in a tank, container, drip pad or containment building to meet the LDR treatment standard?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>	
	If Yes...complete the rest of the checklist. If No...stop...you are done.		
a.	Does the generator have a written waste analysis plan (WAP) that describes the procedures he will follow to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	
b.	Did the generator use a detailed chemical and physical analysis of the HW/soil in order to develop the WAP? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	
<b>NOTE: This is a laboratory analysis but it does not have to be kept by the generator.</b>			
c.	Does the WAP contain all information necessary to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	
d.	Does the WAP include the testing frequency of the treated HW/soil to demonstrate that the LDR treatment standard is being met? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	
e.	Does the generator keep the WAP on-site? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	
f.	Is the WAP available for the inspector review during the inspection? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	
<b>NOTIFICATION FORM</b>			
17.	a.	Contains all information in #11 a-g above and	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	If the treated HW/soil is listed.....notification contains the following certification statement:  I certify under penalty of law that I personally have examined and am familiar with the waste, through analysis and testing or trough knowledge of the waste, to support this certification that the waste complies with the treatment stands specified in rule 3745-270-40 to 3745-270-49 of the Administrative Code. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	If the treated HW/soil no longer exhibits a characteristic and is no longer a HW, did the generator:	
	i.	Send a one-time notification to the director?[3745-270- 09 (D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii.	Maintain a copy of the notice onsite?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii.	Include in the notification: [3745-270-09(D)(1)(a)]	
		1. Name & address of receiving landfill?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		2. Description of HW when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		3. HW code when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		4. Treatability group when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		5. Underlying hazardous constituents present when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv.	Contain the right certification statement as required by 3745-70-07(b)(4)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

<b>SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS</b>		
Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more		
Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less		
<b>PROHIBITIONS</b>		
1.	Did the SQUWH dispose of universal waste? [3745-273-11(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
2.	Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
<b>WASTE MANAGEMENT &amp; LABELING/MARKING</b>		
<b>UNIVERSAL WASTE BATTERIES</b>		
3.	Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
4.	If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
5.	Does the SQUWH conduct any of the following activities:	
	a. Sort batteries by type?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	b. Mix battery types in one container?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. Discharge batteries to remove the electric charge?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	d. Regenerated used batteries?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	e. Disassemble them into individual batteries or cells?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	f. Remove batteries from consumer products?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	g. Remove the electrolyte from the battery?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
6.	If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> Oglesby Construction
<b>UNIVERSAL WASTE LAMPS</b>		
8.	Does the SQUWH contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages <u>closed</u> and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]	
10.	Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)"? [3745-273-14(E)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p><b>NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.</b></p>		
<b>ACCUMULATION TIME</b>		
11.	Is the waste accumulated for less than one year? [3745-273-15(A)] If not:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<p><b>NOTE: Accumulation is defined as date generated or date received from another handler.</b></p>		
12.	Is the length of time the universal waste is stored documented by <u>one</u> of the following: [3745-273-15(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>EMPLOYEE TRAINING</b>		
13.	Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>RESPONSE TO RELEASES</b>		
14.	Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the material released characterized? [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>OFF-SITE SHIPMENTS</b>		
<p><b>NOTE: If a SQUWH self-transport waste, then they must comply with the Universal Waste transporter requirements.</b></p>		
17.	Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p><b>NOTE: SQUWHs are prohibited to send waste to any other facility.</b></p>		

18.	If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
19.	Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
20.	If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do <u>one</u> of the following:	
	a. Receive the waste back? [3745-273-18(E)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Agree to where the shipment will be sent? [3745-273-18(E)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
21.	If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss <u>one</u> of the following:	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. Sending the waste back to the originating handler? [3745-273-18(F)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
22.	If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
23.	If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>EXPORTS</b>		
24.	Is waste being sent to a foreign destination? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>